

---

# **Menpo Documentation**

***Release 0.5.0+0.ge1ed845.dirty***

**Joan Alabort-i-Medina, Epameinondas Antonakos, James Booth,**

June 30, 2015



<b>1</b>	<b>User Guide</b>	<b>3</b>
1.1	Quick Start . . . . .	3
1.2	Introduction . . . . .	4
1.3	Menpo's Data Types . . . . .	4
1.4	Working with Images and PointClouds . . . . .	6
1.5	Vectorizing Objects . . . . .	7
1.6	Visualizing Objects . . . . .	9
1.7	Changelog . . . . .	10
<b>2</b>	<b>The Menpo API</b>	<b>19</b>
2.1	menpo.base . . . . .	19
2.2	menpo.io . . . . .	21
2.3	menpo.image . . . . .	27
2.4	menpo.feature . . . . .	72
2.5	menpo.landmark . . . . .	78
2.6	menpo.math . . . . .	94
2.7	menpo.model . . . . .	98
2.8	menpo.shape . . . . .	117
2.9	menpo.transform . . . . .	206
2.10	menpo.visualize . . . . .	269



## Welcome to the Menpo documentation!

Menpo is a Python package designed to make manipulating annotated data more simple. In particular, sparse locations on either images or meshes, referred to as **landmarks** within Menpo, are tightly coupled with their reference objects. For areas such as Computer Vision that involve learning models based on prior knowledge of object location (such as object detection and landmark localisation), Menpo is a very powerful toolkit.

A short example is often more illustrative than a verbose explanation. Let's assume that you want to load a set of images that have been annotated with bounding boxes, and that these bounding box locations live in text files next to the images. Here's how we would load the images and extract the areas within the bounding boxes using Menpo:

```
import menpo.io as mio

images = []
for image in mio.import_images('./images_folder'):
    image.crop_to_landmarks_inplace()
    images.append(image)
```

Where `import_images` yields a generator to keep memory usage low.

Although the above is a very simple example, we believe that being able to easily manipulate and couple landmarks with images *and* meshes, is an important problem for building powerful models in areas such as facial point localisation.

To get started, check out the User Guide for instructions on installation and some of the core concepts within Menpo.



---

## User Guide

---

The User Guide is designed to give you an overview of the key concepts within Menpo. In particular, we want to try and explain some of the design decisions that we made and demonstrate why we think they are powerful concepts for exploring visual data.

### 1.1 Quick Start

Here we give a very quick rundown of the basic links and information sources for the project.

#### 1.1.1 Basic Installation

Menpo should be installable via pip on all major platforms:

```
$ pip install menpo
```

However, in the menpo team, we **strongly** advocate the usage of conda for scientific Python, as it makes installation of compiled binaries much more simple. In particular, if you wish to use any of the related Menpo projects such as *menpofit*, *menpo3d* or *menpodetect*, you will not be able to easily do so without using conda.

```
$ conda install -c menpo menpo
```

To install using conda, please see the thorough instructions for each platform on the [Menpo website](#).

#### 1.1.2 API Documentation

*[Visit API Documentation](#)*

Menpo is extensively documented on a per-method/class level and much of this documentation is reflected in the API Documentation. If any functions or classes are missing, please bring it to the attention of the developers on [Github](#).

#### 1.1.3 Notebooks

*[Explore the Menpo Notebooks](#)*

For a more thorough set of examples, we provide a set of IPython notebooks that demonstrate common use cases of Menpo. This concentrates on an overview of the functionality of the major classes and ideas behind Menpo.

### 1.1.4 User Group and Issues

If you wish to get in contact with the Menpo developers, you can do so via various channels. If you have found a bug, or if any part of Menpo behaves in a way you do not expect, please raise an issue on [Github](#).

If you want to ask a theoretical question, or are having problems installing or setting up Menpo, please visit the [user group](#).

## 1.2 Introduction

This user guide is a general introduction to Menpo, aiming to provide a bird's eye of Menpo's design. After reading this guide you should be able to go explore Menpo's extensive Notebooks and not be too suprised by what you see.

### 1.2.1 Core Interfaces

Menpo is an object oriented framework built around a set of core abstract interfaces, each one governing a single facet of Menpo's design. Menpo's key interfaces are:

- *Shape* - spatial data containers
- *Vectorizable* - efficient bi-directional conversion of types to a vector representation
- *Targetable* - objects that generate some spatial data
- *Transform* - flexible spatial transformations
- *Landmarkable* - objects that can be annotated with spatial labelled landmarks

### 1.2.2 Data containers

Most numerical data in Menpo is passed around in one of our core data containers. The features of each of the data containers is explained in great detail in the notebooks - here we just list them to give you a feel for what to expect:

- *Image* - n-dimensional image with k-channels of data
- *MaskedImage* - As *Image*, but with a boolean mask
- *BooleanImage* - As boolean image that is used for masking images.
- *PointCloud* - n-dimensional ordered point collection
- *PointUndirectedGraph* - n-dimensional ordered point collection with undirected connectivity
- *PointDirectedGraph* - n-dimensional ordered point collection with directed connectivity
- *TriMesh* - As *PointCloud*, but with a triangulation

## 1.3 Menpo's Data Types

Menpo is a high level software package. It is not a replacement for scikit-image, scikit-learn, or opencv - it ties all these types of packages together in to a unified framework for building and fitting deformable models. As a result, most of our algorithms take as input a higher level representation of data than simple numpy arrays.



### 1.3.1 Why have data types - what's wrong with numpy arrays?

Menpo's data types are thin wrappers around numpy arrays. They give semantic meaning to the underlying array through providing clearly named and consistent properties. As an example let's take a look at *PointCloud*, Menpo's workhorse for spatial data. Construction requires a numpy array:

```
x = np.random.rand(3, 2)
pc = PointCloud(x)
```

It's natural to ask the question:

*Is this a collection of three 2D points, or two 3D points?*

In Menpo, you never do this - just look at the properties on the pointcloud:

```
pc.n_points # 3
pc.n_dims   # 2
```

If we take a look at the properties we can see they are trivial:

```
@property
def n_points(self):
    return self.points.shape[0]

@property
def n_dims(self):
    return self.points.shape[1]
```

Using these properties makes code much more readable in algorithms accepting Menpo's types. Let's imagine a routine that does some operation on an image and a related point cloud. If it accepted numpy arrays, we might see something like this on the top line:

```
def foo_arrays(x, img):
    # preallocate the result
    y = np.zeros(x.shape[1],
                 x.shape[2],
                 img.shape[-1])
    ...
```

On first glance it is not at all apparent what *y*'s shape is semantically. Now let's take a look at the equivalent code using Menpo's types:

```
def foo_menpo(pc, img):
    # preallocate the result
    y = np.zeros(pc.n_dims,
                 pc.n_points,
                 img.n_channels)
    ...
```

This time it's immediately apparent what *y*'s shape is. Although this is a somewhat contrived example, you will find this pattern applied consistently across Menpo, and it aids greatly in keeping the code readable.

### 1.3.2 Key points

1. **Containers store the underlying numpy array in an easy to access attribute.** For the *PointCloud* family see the *.points* attribute. On *Image* and subclasses, the actual data array is stored at *.pixels*.

2. **Importing assets through *menpo.io* will result in our data containers, not numpy arrays.** This means in a lot of situations you never need to remember the Menpo conventions for ordering of array data - just ask for an image and you will get an *Image* object.

3. **All containers copy data by default.** Look for the `copy=False` keyword argument if you want to avoid copying a large numpy array for performance.
4. **Containers perform sanity checks.** This helps catch obvious bugs like misshaping an array. You can sometimes suppress them for extra performance with the `skip_checks=True` keyword argument.

## 1.4 Working with Images and PointClouds

Menpo takes an opinionated stance on certain issues - one of which is establishing sensible rules for how to work with spatial data and image data in the same framework.

Let's start with a quiz - which of the following is correct?



?	x	y
a	30	50
b	50	30
c	50	160
d	160	50

Most would answer **b** - images are indexed from the top left, with  $x$  going across and  $y$  going down.

Now another question - how do I access that pixel in the pixels array?

```
a: lenna[30, 50]
b: lenna[50, 30]
```

The correct answer is **b** - pixels get stored in a  $y, x$  order so we have to flip the points to access the array.

As Menpo blends together use of PointClouds and Images frequently this can cause a lot of confusion. You might create a [Translation](#) of 5 in the  $y$  direction as the following:

```
t = menpo.transform.Translation([0, 5])
```

And then expect to use it to warp an image:

```
img.warp_to(reference_shape, t)
```

and then some spatial data related to the image:

```
t.apply(some_data)
```

Unfortunately the meaning of  $y$  in these two domains is different - some code would have to flip the order of applying the translation of the transform to an image, a potential cause of confusion.

The *worst* part about this is that once we go to voxel data (which *Image* largely supports, and will fully support in the future), a z-axis is added.

**There is one important caveat**, unfortunately. The **first axis of an image represents the channels**. Unlike in other software, such as Matlab, which follows the fortran convention of being column major, Python and other C-like languages generally conform to a row major order. Practically this means that if you want to iterate over each channel of an image, you need the memory layout to reflect this. This means you want the pixel data of each channel to be contiguous in memory. **For row major memory, this implies that the first axis should represent an iteration over the channel data.**

Now, as was mentioned, we want to drop all the swapping business. Therefore, forgiving that the **first axis indexes the channel data**, the following axes always match the spatial data. For example, The zeroth axis of the spatial data once more corresponds with the first axis (the first axis is *after the zeroth axis representing the channel data*) of the image data. Trying to keep track of these rules muddies an otherwise very simple concept.

### 1.4.1 Menpo's approach

Menpo's solution to this problem is simple - **drop the insistence of calling axes x, y, and z**. Skipping the channel data, which represents the zeroth axis, the first axis of the pixel data is simply that - the first axis. It corresponds exactly with the zeroth axis on the point cloud. If you have an image with annotations provided the zeroth axis of the *PointCloud* representing the annotations will correspond with the first axis of the image. This rule makes working with images and spatial data simple - short you should never have to think about flipping axes in Menpo.

It's natural to be concerned at this point that establishing such rules must make it really difficult ingest data which follows different conventions. This is incorrect - one of the biggest strengths of the *menpo.io* module is that each asset importer normalizes the format of the data to format Menpo's rules.

### 1.4.2 Key Points

- **Menpo is n-dimensional.** We try and avoid speaking of  $x$  and  $y$ , because there are many different conventions in use.
- **The IO module ensures that different data formats are normalized** upon loading into Menpo. For example, *Image* types are imported as 64-bit floating point numbers normalised between [0, 1], by default.
- **axis 0 of landmarks corresponds to axis 0 of the container it is an annotation of.**
- **The first axis of image types is always the channel data. The remaining axes map exactly to the other spatial axes.** Therefore, the first image axis maps exactly to the zeroth axis of a PointCloud.

## 1.5 Vectorizing Objects

Computer Vision algorithms are frequently formulated as linear algebra problems in a high dimensional space, where each asset is stripped into a vector. In this high dimensional space we may perform any number of operations, but normally we can't stay in this space for the whole algorithm - we normally have to recast the vector back into it's original domain in order to perform other operations.




Fig. 1.1: **Figure 1:** Vectorizing allows Menpo to have rich data types whilst simultaneously providing efficient linear algebra routines. Here an image is vectorized, and an arbitrary process  $f(\cdot)$  is performed on its vector representation. Afterwards the vector is converted the back into an image. The vector operation is completely general, and could have equally been performed on some spatial data.

An example of this might be seen with images, where the gradient of the intensity values of an image needs to be taken. This is a complex problem to solve in a vector space representation of the image, but trivial to solve in the image domain.

Menpo bridges the gap by naively supporting bi-directional vectorisation of its types through the *Vectorizable* interface. Through this, any type can be safely and efficiently converted to a vector form and back again. You'll find the key methods of *Vectorizable* are extensively used in Menpo. They are

- *as\_vector* - generate a vector from one of our types.
- *from\_vector* - rebuild one of our types from a vector
- *from\_vector\_inplace* - alter an object inplace to take on the new state

## 1.5.1 Key points

1. **Each type defines its own form of vectorization.** Calling *as\_vector* on a *Image* returns all of the pixels in a single strip, whilst on a *MaskedImage* only the true pixels are returned. This distinction means that much of Menpo's image algorithms work equally well with masked or unmasked data - it's the *Vectorizable* interface that abstracts away the difference between the two.
2. **Lots of things are vectorizable, not just images.** Pointclouds and lots of transforms are too.
3. **The length of the resulting vector of a type can be found by querying the “n\_parameters” property.**
4. **The vectorized form of an object does not have to be ‘complete’.** *from\_vector* and *from\_vector\_inplace* can use the object they are called on to rebuild a complete state. Think of vectorization more as a parametrization of the object, not a complete serialization.

## 1.6 Visualizing Objects

In Menpo, we take an opinionated stance that data exploration is a key part of working with visual data. Therefore, we tried to make the mental overhead of visualizing objects as low as possible. Therefore, we made visualization a key concept directly on our data containers, rather than requiring extra imports in order to view your data.

We also took a strong step towards simple visualization of data collections by integrating some of our core types such as *Image* with visualization widgets for the IPython notebook.

### 1.6.1 Visualizing 2D Images

Without further ado, a quick example of viewing a 2D image:

```
%matplotlib inline # This is only needed if viewing in an IPython notebook
import menpo.io as mio

bb = mio.import_builtin_asset.breakingbad_jpg()
bb.view()
```

Viewing the image landmarks:

```
%matplotlib inline # This is only needed if viewing in an IPython notebook
import menpo.io as mio

bb = mio.import_builtin_asset.breakingbad_jpg()
bb.view_landmarks()
```

Viewing the image with a native IPython widget:

```
%matplotlib inline # This is only needed if viewing in an IPython notebook
import menpo.io as mio

bb = mio.import_builtin_asset.breakingbad_jpg()
bb.view_widget()
```

## 1.6.2 Visualizing A List Of 2D Images

Visualizing lists of images is also incredibly simple if you are using the IPython notebook:

```
%matplotlib inline
import menpo.io as mio
from menpo.visualize import visualize_images

# import_images is a generator, so we must exhaust the generator before
# we can visualize the list. This is because the widget allows you to
# jump arbitrarily around the list, which cannot be done with generators.
images = list(mio.import_images('./path/to/images/*.jpg'))
visualize_images(images)
```

## 1.6.3 Visualizing A 2D PointCloud

Visualizing *PointCloud* objects and subclasses is a very familiar experience:

```
%matplotlib inline
from menpo.shape import PointCloud
import numpy as np

pcloud = PointCloud(np.array([[0, 0], [1, 0], [1, 1], [0, 1]]))
pcloud.view()
```

## 1.6.4 Visualizing In 3D

Menpo natively supports 3D objects, such as triangulated meshes, as our base classes are n-dimensional. However, as viewing in 3D is a much more complicated experience, we have segregated the 3D viewing package into one of our sub-packages: Menpo3D.

If you try to view a 3D *PointCloud* without having Menpo3D installed, you will receive an exception asking you to install it.

Menpo3D also comes with many other complicated pieces of functionality for 3D meshes such as a rasterizer. We recommend you look at Menpo3D if you want to use Menpo for 3D mesh manipulation.

# 1.7 Changelog

## 1.7.1 0.5.0 (2015/06/25)

This release of Menpo makes a number of very important **BREAKING** changes to the format of Menpo's core data types. Most importantly is [#524](#) which swaps the position of the channels on an image from the last axis to the first. This is to maintain row-major ordering and make iterating over the pixels of a channel efficient. This made a huge

improvement in speed in other packages such as MenpoFit. It also makes common operations such as iterating over the pixels in an image much simpler:

```
for channels in image.pixels:
    print(channels.shape)  # This will be a (height x width) ndarray
```

Other important changes include:

- Updating all widgets to work with IPython 3
- Incremental PCA was added.
- non-inplace cropping methods
- Dense SIFT features provided by vlfeat
- The implementation of graphs was changed to use sparse matrices by default. **This may cause breaking changes.**
- Many other improvements detailed in the pull requests below!

If you have serialized data using Menpo, you will likely find you have trouble reimporting it. If this is the case, please visit the user group for advice.

## Github Pull Requests

- [#598](#) Visualize sum of channels in widgets (@nontas, @patricksnape)
- [#597](#) test new dev tag behavior on condaci (@jabooth)
- [#591](#) Scale around centre (@patricksnape)
- [#596](#) Update to versioneer v0.15 (@jabooth, @patricksnape)
- [#495](#) SIFT features (@nontas, @patricksnape, @jabooth, @jalabort)
- [#595](#) Update mean\_pointcloud (@patricksnape, @jalabort)
- [#541](#) Add triangulation labels for ibug\_face\_(66/51/49) (@jalabort)
- [#590](#) Fix centre and diagonal being properties on Images (@patricksnape)
- [#592](#) Refactor out bounding\_box method (@patricksnape)
- [#566](#) TriMesh utilities (@jabooth)
- [#593](#) Minor bugfix on AnimationOptionsWidget (@nontas)
- [#587](#) promote non-inplace crop methods, crop performance improvements (@jabooth, @patricksnape)
- [#586](#) fix as\_matrix where the iterator finished early (@jabooth)
- [#574](#) Widgets for IPython3 (@nontas, @patricksnape, @jabooth)
- [#588](#) test condaci 0.2.1, less noisy slack notifications (@jabooth)
- [#568](#) rescale\_pixels() for rescaling the range of pixels (@jabooth)
- [#585](#) Hotfix: suffix change led to double path resolution. (@patricksnape)
- [#581](#) Fix the landmark importer in case the landmark file has a '.' in its filename. (@grigorisg9gr)
- [#584](#) new print\_progress visualization function (@jabooth)
- [#580](#) export\_pickle now ensures pathlib.Path save as PurePath (@jabooth)
- [#582](#) New readers for Middlebury FLO and FRGC ABS files (@patricksnape)



- [#579](#) Fix the image importer in case of upper case letters in the suffix (@grigorisg9gr)
- [#575](#) Allowing expanding user paths in exporting pickle (@patricksnape)
- [#577](#) Change to using run\_test.py (@patricksnape)
- [#570](#) Zoom (@jabooth, @patricksnape)
- [#569](#) Add new point\_in\_pointcloud kwarg to constrain (@patricksnape)
- [#563](#) TPS Updates (@patricksnape)
- [#567](#) Optional cmaps (@jalabort)
- [#559](#) Graphs with isolated vertices (@nontas)
- [#564](#) Bugfix: PCAModel print (@nontas)
- [#565](#) fixed minor typo in introduction.rst (@evanjbowling)
- [#562](#) IPython3 widgets (@patricksnape, @jalabort)
- [#558](#) Channel roll (@patricksnape)
- [#524](#) BREAKING CHANGE: Channels flip (@patricksnape, @jabooth, @jalabort)
- [#512](#) WIP: remove\_all\_landmarks convenience method, quick lm filter (@jabooth)
- [#554](#) Bugfix:visualize\_images (@nontas)
- [#553](#) Transform docs fixes (@nontas)
- [#533](#) LandmarkGroup.init\_with\_all\_label, init\_\* convenience constructors (@jabooth, @patricksnape)
- [#552](#) Many fixes for Python 3 support (@patricksnape)
- [#532](#) Incremental PCA (@patricksnape, @jabooth, @jalabort)
- [#528](#) New as\_matrix and from\_matrix methods (@patricksnape)

### 1.7.2 0.4.4 (2015/03/05)

A hotfix release for properly handling nan values in the landmark formats. Also, a few other bug fixes crept in:

- Fix 3D Ljson importing
- Fix trim\_components on PCA
- Fix setting None key on the landmark manager
- Making mean\_pointcloud faster

Also makes an important change to the build configuration that syncs this version of Menpo to IPython 2.x.

#### Github Pull Requests

- [#560](#) Assorted fixes (@patricksnape)
- [#557](#) Ljson nan fix (@patricksnape)

### 1.7.3 0.4.3 (2015/02/19)

Adds the concept of nan values to the landmarker format for labelling missing landmarks.



### Github Pull Requests

- [#556](#) [0.4.x] Ljson nan/null fixes (@patricksnape)

## 1.7.4 0.4.2 (2015/02/19)

A hotfix release for landmark groups that have no connectivity.

### Github Pull Requests

- [#555](#) don't try and build a Graph with no connectivity (@jabooth)

## 1.7.5 0.4.1 (2015/02/07)

A hotfix release to enable compatibility with landmarker.io.

### Github Pull Requests

- [#551](#) HOTFIX: remove incorrect tojson() methods (@jabooth)

## 1.7.6 0.4.0 (2015/02/04)

The 0.4.0 release (pending any currently unknown bugs), represents a very significant overhaul of Menpo from v0.3.0. In particular, Menpo has been broken into four distinct packages: Menpo, MenpoFit, Menpo3D and MenpoDetect.

Visualization has had major improvements for 2D viewing, in particular through the use of IPython widgets and explicit options on the viewing methods for common tasks (like changing the landmark marker color). This final release is a much smaller set of changes over the alpha releases, so please check the full changelog for the alphas to see all changes from v0.3.0 to v0.4.0.

### Summary of changes since v0.4.0a2:

- Lots of documentation rendering fixes and style fixes including this changelog.
- Move the LJSON format to V2. V1 is now being deprecated over the next version.
- More visualization customization fixes including multiple marker colors for landmark groups.

### Github Pull Requests

- [#546](#) IO doc fixes (@jabooth)
- [#545](#) Different marker colour per label (@nontas)
- [#543](#) Bug fix for importing an image, case of a dot in image name. (@grigorisg9gr)
- [#544](#) Move docs to Sphinx 1.3b2 (@patricksnape)
- [#536](#) Docs fixes (@patricksnape)
- [#530](#) Visualization and Widgets upgrade (@patricksnape, @nontas)
- [#540](#) LJSON v2 (@jabooth)
- [#537](#) fix BU3DFE connectivity, pretty JSON files (@jabooth)

- [#529](#) BU3D-FE labeller added (@jabooth)
- [#527](#) fixes paths for pickle importing (@jabooth)
- [#525](#) Fix .rst doc files, auto-generation script (@jabooth)

### 1.7.7 v0.4.0a2 (2014/12/03)

Alpha 2 moves towards extending the graphing API so that visualization is more dependable.

#### Summary:

- Add graph classes, *PointUndirectedGraph*, *PointDirectedGraph*, *PointTree*. This makes visualization of landmarks much nicer looking.
- Better support of pickling menpo objects
- Add a bounding box method to *PointCloud* for calculating the correctly oriented bounding box of point clouds.
- Allow PCA to operate in place for large data matrices.

#### Github Pull Requests

- [#522](#) Add bounding box method to pointclouds (@patricksnape)
- [#523](#) HOTFIX: fix export\_pickle bug, add path support (@jabooth)
- [#521](#) menpo.io add pickle support, move to pathlib (@jabooth)
- [#520](#) Documentation fixes (@patricksnape, @jabooth)
- [#518](#) PCA memory improvements, inplace dot product (@jabooth)
- [#519](#) replace wrapt with functools.wraps - we can pickle (@jabooth)
- [#517](#) (@jabooth)
- [#514](#) Remove the use of triplot (@patricksnape)
- [#516](#) Fix how images are converted to PIL (@patricksnape)
- [#515](#) Show the path in the image widgets (@patricksnape)
- [#511](#) 2D Rotation convenience constructor, Image.rotate\_ccw\_about\_centre (@jabooth)
- [#510](#) all menpo io glob operations are now always sorted (@jabooth)
- [#508](#) visualize image on MaskedImage reports Mask proportion (@jabooth)
- [#509](#) path is now preserved on image warping (@jabooth)
- [#507](#) fix rounding issue in n\_components (@jabooth)
- [#506](#) is\_tree update in Graph (@nontas)
- [#505](#) (@nontas)
- [#504](#) explicitly have kwarg in IO for landmark extensions (@jabooth)
- [#503](#) Update the README (@patricksnape)

### 1.7.8 v0.4.0a1 (2014/10/31)

This first alpha release makes a number of large, breaking changes to Menpo from v0.3.0. The biggest change is that Menpo3D and MenpoFit were created and thus all AAM and 3D visualization/rasterization code has been moved out of the main Menpo repository. This is working towards Menpo being pip installable.

#### Summary:

- Fixes memory leak whereby weak references were being kept between landmarks and their host objects. The Landmark manager now no longer keeps references to its host object. This also helps with serialization.
- Use pathlib instead of strings for paths in the `io` module.
- Importing of builtin assets from a simple function
- Improve support for image importing (including ability to import without normalising)
- Add fast methods for image warping, `warp_to_mask` and `warp_to_shape` instead of `warp_to`
- Allow masking of triangle meshes
- Add IPython visualization widgets for our core types
- All expensive properties (properties that would be worth caching in a variable and are not merely a lookup) are changed to methods.

#### Github Pull Requests

- [#502](#) Fixes pseudoinverse for Alignment Transforms (@jalabort, @patricksnape)
- [#501](#) Remove menpofit widgets (@nontas)
- [#500](#) Shapes widget (@nontas)
- [#499](#) spin out AAM, CLM, SDM, ATM and related code to menpofit (@jabooth)
- [#498](#) Minimum spanning tree bug fix (@nontas)
- [#492](#) Some fixes for PIL image importing (@patricksnape)
- [#494](#) Widgets bug fix and Active Template Model widget (@nontas)
- [#491](#) Widgets fixes (@nontas)
- [#489](#) remove `_view`, fix up `color_list` -> `colour_list` (@jabooth)
- [#486](#) Image visualisation improvements (@patricksnape)
- [#488](#) Move expensive image properties to methods (@jabooth)
- [#487](#) Change expensive PCA properties to methods (@jabooth)
- [#485](#) MeanInstanceLinearModel.mean is now a method (@jabooth)
- [#452](#) Advanced widgets (@patricksnape, @nontas)
- [#481](#) Remove 3D (@patricksnape)
- [#480](#) Graphs functionality (@nontas)
- [#479](#) Extract patches on image (@patricksnape)
- [#469](#) Active Template Models (@nontas)
- [#478](#) Fix residuals for AAMs (@patricksnape, @jabooth)
- [#474](#) remove HDF5able making room for h5it (@jabooth)

- [#475](#) Normalize norm and std of Image object (@nontas)
- [#472](#) Daisy features (@nontas)
- [#473](#) Fix from\_mask for Trimesh subclasses (@patricksnape)
- [#470](#) expensive properties should really be methods (@jabooth)
- [#467](#) get a progress bar on top level feature computation (@jabooth)
- [#466](#) Spin out rasterization and related methods to menpo3d (@jabooth)
- [#465](#) 'me\_norm' error type in tests (@nontas)
- [#463](#) goodbye ioinfo, hello path (@jabooth)
- [#464](#) make mayavi an optional dependency (@jabooth)
- [#447](#) Displacements in fitting result (@nontas)
- [#451](#) AppVeyor Windows continuous builds from condaci (@jabooth)
- [#445](#) Serialize fit results (@patricksnape)
- [#444](#) remove pyramid\_on\_features from Menpo (@jabooth)
- [#443](#) create\_pyramid now applies features even if pyramid\_on\_features=False, SDM uses it too (@jabooth)
- [#369](#) warp\_to\_mask, warp\_to\_shape, fast resizing of images (@nontas, @patricksnape, @jabooth)
- [#442](#) add rescale\_to\_diagonal, diagonal property to Image (@jabooth)
- [#441](#) adds constrain\_to\_landmarks on BooleanImage (@jabooth)
- [#440](#) pathlib.Path can no be used in menpo.io (@jabooth)
- [#439](#) Labelling fixes (@jabooth, @patricksnape)
- [#438](#) extract\_channels (@jabooth)
- [#437](#) GLRasterizer becomes HDF5able (@jabooth)
- [#435](#) import\_builtin\_asset.ASSET\_NAME (@jabooth)
- [#434](#) check\_regression\_features unified with check\_features, classmethods removed from SDM (@jabooth)
- [#433](#) tidy classifiers (@jabooth)
- [#432](#) aam.fitter, clm.fitter, sdm.trainer packages (@jabooth)
- [#431](#) More fitmultilevel tidying (@jabooth)
- [#430](#) Remove classmethods from DeformableModelBuilder (@jabooth)
- [#412](#) First visualization widgets (@jalabort, @nontas)
- [#429](#) Masked image fixes (@patricksnape)
- [#426](#) rename 'feature\_type' to 'features throughout Menpo (@jabooth)
- [#427](#) Adds HDF5able serialization support to Menpo (@jabooth)
- [#425](#) Faster cached piecewise affine, Cython varient demoted (@jabooth)
- [#424](#) (@nontas)
- [#378](#) Fitting result fixes (@jabooth, @nontas, @jalabort)
- [#423](#) name now displays on constrained features (@jabooth)
- [#421](#) Travis CI now makes builds, Linux/OS X Python 2.7/3.4 (@jabooth, @patricksnape)

- [#400](#) Features as functions (@nontas, @patricksnape, @jabooth)
- [#420](#) move IOInfo to use pathlib (@jabooth)
- [#405](#) import menpo is now twice as fast (@jabooth)
- [#416](#) waffle.io Badge (@waffle-iron)
- [#415](#) export\_mesh with .OBJ exporter (@jabooth, @patricksnape)
- [#410](#) Fix the render\_labels logic (@patricksnape)
- [#407](#) Exporters (@patricksnape)
- [#406](#) Fix greyscale PIL images (@patricksnape)
- [#404](#) LandmarkGroup tojson method and PointGraph (@patricksnape)
- [#403](#) Fixes a couple of viewing problems in fitting results (@patricksnape)
- [#402](#) Landmarks fixes (@jabooth, @patricksnape)
- [#401](#) Dogfood landmark\_resolver in menpo.io (@jabooth)
- [#399](#) bunch of Python 3 compatibility fixes (@jabooth)
- [#398](#) throughout Menpo. (@jabooth)
- [#397](#) Performance improvements for Similarity family (@jabooth)
- [#396](#) More efficient initialisations of Menpo types (@jabooth)
- [#395](#) remove cyclic target reference from landmarks (@jabooth)
- [#393](#) Groundwork for dense correspondence pipeline (@jabooth)
- [#394](#) weakref to break cyclic references (@jabooth)
- [#389](#) assorted fixes (@jabooth)
- [#390](#) (@jabooth)
- [#387](#) Adds landmark label for tongues (@nontas)
- [#386](#) Adds labels for the ibug eye annotation scheme (@jalabort)
- [#382](#) BUG fixed: block element not reset if norm=0 (@dubzzz)
- [#381](#) Recursive globbing (@jabooth)
- [#384](#) Adds support for odd patch shapes in function extract\_local\_patches\_fast (@jalabort)
- [#379](#) imported textures have ioinfo, docs improvements (@jabooth)

### 1.7.9 v0.3.0 (2014/05/27)

First public release of Menpo, this release coincided with submission to the ACM Multimedia Open Source Software Competition 2014. This provides the basic scaffolding for Menpo, but it is not advised to use this version over the improvements in 0.4.0.

#### Github Pull Requests

- [#377](#) Simple fixes (@patricksnape)
- [#375](#) improvements to importing multiple assets (@jabooth)

- [#374](#) Menpo's User guide (@jabooth)

---

## The Menpo API

---

This section attempts to provide a simple browsing experience for the Menpo documentation. In Menpo, we use legible docstrings, and therefore, all documentation should be easily accessible in any sensible IDE (or IPython) via tab completion. However, this section should make most of the core classes available for viewing online.

### 2.1 `menpo.base`

#### 2.1.1 Core

Core interfaces of Menpo.

##### Copyable

**class** `menpo.base.Copyable`

Bases: `object`

Efficient copying of classes containing numpy arrays.

Interface that provides a single method for copying classes very efficiently.

**copy** ()

Generate an efficient copy of this object.

Note that Numpy arrays and other *Copyable* objects on `self` will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).

Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Return**`type(self)` – A copy of this object

##### Vectorizable

**class** `menpo.base.Vectorizable`

Bases: *Copyable*

Flattening of rich objects to vectors and rebuilding them back.

Interface that provides methods for ‘flattening’ an object into a vector, and restoring from the same vectorized form. Useful for statistical analysis of objects, which commonly requires the data to be provided as a single vector.

**as\_vector** (*\*\*kwargs*)

Returns a flattened representation of the object as a single vector.

**Returns****vector** ((*N*,) *ndarray*) – The core representation of the object, flattened into a single vector. Note that this is always a view back on to the original object, but is not writable.

**copy** ()

Generate an efficient copy of this object.

Note that Numpy arrays and other *Copyable* objects on *self* will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).

Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Return****stype** (*self*) – A copy of this object

**from\_vector** (*vector*)

Build a new instance of the object from it's vectorized state.

*self* is used to fill out the missing state required to rebuild a full object from it's standardized flattened state. This is the default implementation, which is which is a *deepcopy* of the object followed by a call to *from\_vector\_inplace* (). This method can be overridden for a performance benefit if desired.

**Parameters****vector** ((*n\_parameters*,) *ndarray*) – Flattened representation of the object.

**Return****object** (*type* (*self*)) – An new instance of this class.

**from\_vector\_inplace** (*vector*)

Update the state of this object from a vector form.

**Parameters****vector** ((*n\_parameters*,) *ndarray*) – Flattened representation of this object

**has\_nan\_values** ()

Tests if the vectorized form of the object contains *nan* values or not. This is particularly useful for objects with unknown values that have been mapped to *nan* values.

**Return****has\_nan\_values** (*bool*) – If the vectorized object contains *nan* values.

**n\_parameters**

The length of the vector that this object produces.

**Type***int*

## Targetable

**class** *menpo.base.Targetable*

Bases: *Copyable*

Interface for objects that can produce a target *PointCloud*.

This could for instance be the result of an alignment or a generation of a *PointCloud* instance from a shape model.

Implementations must define sensible behavior for:

- what a target is: see *target*
- how to set a target: see *set\_target* ()
- how to update the object after a target is set: see *\_sync\_state\_from\_target* ()
- how to produce a new target after the changes: see *\_new\_target\_from\_state* ()



Note that `_sync_target_from_state()` needs to be triggered as appropriate by subclasses e.g. when `from_vector_inplace` is called. This will in turn trigger `_new_target_from_state()`, which each subclass must implement.

**copy()**

Generate an efficient copy of this object.

Note that Numpy arrays and other *Copyable* objects on `self` will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).

Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Return**`type(self)` – A copy of this object

**set\_target(new\_target)**

Update this object so that it attempts to recreate the `new_target`.

**Parameters**`new_target` (*PointCloud*) – The new target that this object should try and regenerate.

**n\_dims**

The number of dimensions of the *target*.

**Type***int*

**n\_points**

The number of points on the *target*.

**Type***int*

**target**

The current *PointCloud* that this object produces.

**Type***PointCloud*

## 2.1.2 Convenience

**menpo\_src\_dir\_path**

`menpo.base.menpo_src_dir_path()`

The path to the top of the menpo Python package.

Useful for locating where the data folder is stored.

**Return**`path` (*pathlib.Path*) – The full path to the top of the Menpo package

## 2.2 menpo.io

### 2.2.1 Input

**import\_image**

`menpo.io.import_image(filepath, landmark_resolver=<function same_name>, normalise=True)`

Single image (and associated landmarks) importer.

If an image file is found at *filepath*, returns an *Image* or subclass representing it. By default, landmark files sharing the same filename stem will be imported and attached with a group name based on the extension of the

landmark file, although this behavior can be customised (see *landmark\_resolver*). If the image defines a mask, this mask will be imported.

#### Parameters

- **filepath** (*pathlib.Path* or *str*) – A relative or absolute filepath to an image file.
- **landmark\_resolver** (*function*, optional) – This function will be used to find landmarks for the image. The function should take one argument (the image itself) and return a dictionary of the form `{'group_name': 'landmark_filepath'}`. Default finds landmarks with the same name as the image file.
- **normalise** (*bool*, optional) – If `True`, normalise the image pixels between 0 and 1 and convert to floating point. If `false`, the native datatype of the image will be maintained (commonly *uint8*). Note that in general Menpo assumes *Image* instances contain floating point data - if you disable this flag you will have to manually convert the images you import to floating point before doing most Menpo operations. This however can be useful to save on memory usage if you only wish to view or crop images.

**Returns** *images* (*Image* or list of) – An instantiated *Image* or subclass thereof or a list of images.

### import\_images

```
menpo.io.import_images(pattern, max_images=None, landmark_resolver=<function same_name>,
                        normalise=True, verbose=False)
```

Multiple image (and associated landmarks) importer.

For each image found yields an *Image* or subclass representing it. By default, landmark files sharing the same filename stem will be imported and attached with a group name based on the extension of the landmark file, although this behavior can be customised (see *landmark\_resolver*). If the image defines a mask, this mask will be imported.

Note that this is a generator function. This allows for pre-processing of data to take place as data is imported (e.g. cropping images to landmarks as they are imported for memory efficiency).

#### Parameters

- **pattern** (*str*) – A glob path pattern to search for images. Every image found to match the glob will be imported one by one. See *image\_paths* for more details of what images will be found.
- **max\_images** (positive *int*, optional) – If not `None`, only import the first `max_images` found. Else, import all.
- **landmark\_resolver** (*function*, optional) – This function will be used to find landmarks for the image. The function should take one argument (the image itself) and return a dictionary of the form `{'group_name': 'landmark_filepath'}`. Default finds landmarks with the same name as the image file.
- **normalise** (*bool*, optional) – If `True`, normalise the image pixels between 0 and 1 and convert to floating point. If `false`, the native datatype of the image will be maintained (commonly *uint8*). Note that in general Menpo assumes *Image* instances contain floating point data - if you disable this flag you will have to manually convert the images you import to floating point before doing most Menpo operations. This however can be useful to save on memory usage if you only wish to view or crop images.
- **verbose** (*bool*, optional) – If `True` progress of the importing will be dynamically reported with a progress bar.

**Returns***generator* (*generator* yielding *Image* or list of) – Generator yielding *Image* instances found to match the glob pattern provided.

**Raises***ValueError* – If no images are found at the provided glob.

---

### Examples

Import images at 20% scale from a huge collection:

```
>>> images = []
>>> for img in menpo.io.import_images('./massive_image_db/*'):
>>>     # rescale to a sensible size as we go
>>>     images.append(img.rescale(0.2))
```

---

## import\_landmark\_file

`menpo.io.import_landmark_file(filepath, asset=None)`

Single landmark group importer.

If a landmark file is found at *filepath*, returns a *LandmarkGroup* representing it.

**Parameters***filepath* (*pathlib.Path* or *str*) – A relative or absolute filepath to an landmark file.

**Returns***landmark\_group* (*LandmarkGroup*) – The *LandmarkGroup* that the file format represents.

## import\_landmark\_files

`menpo.io.import_landmark_files(pattern, max_landmarks=None, verbose=False)`

Multiple landmark file import generator.

Note that this is a generator function.

### Parameters

- pattern** (*str*) – A glob path pattern to search for landmark files. Every landmark file found to match the glob will be imported one by one. See *landmark\_file\_paths* for more details of what landmark files will be found.

- max\_landmark\_files** (positive *int*, optional) – If not *None*, only import the first *max\_landmark\_files* found. Else, import all.

- verbose** (*bool*, optional) – If *True* progress of the importing will be dynamically reported.

**Returns***generator* (*generator* yielding *LandmarkGroup*) – Generator yielding *LandmarkGroup* instances found to match the glob pattern provided.

**Raises***ValueError* – If no landmarks are found at the provided glob.

## import\_pickle

`menpo.io.import_pickle(filepath)`

Import a pickle file of arbitrary Python objects.

Menpo unambiguously uses *.pkl* as it's choice of extension for Pickle files. Menpo also supports automatic importing and exporting of gzip compressed pickle files - just choose a *filepath* ending *pkl.gz* and *gzip*

compression will automatically be applied. Compression can massively reduce the filesize of a pickle file at the cost of longer import and export times.

**Parameters****filepath** (*pathlib.Path* or *str*) – A relative or absolute filepath to a `.pkl` or `.pkl.gz` file.

**Returns****object** (*object*) – Whatever Python objects are present in the Pickle file

## import\_pickles

`menpo.io.import_pickles(pattern, max_pickles=None, verbose=False)`

Multiple pickle file import generator.

Note that this is a generator function.

Menpo unambiguously uses `.pkl` as it's choice of extension for pickle files. Menpo also supports automatic importing of gzip compressed pickle files - matching files with extension `pkl.gz` will be automatically unzipped and imported.

### Parameters

• **pattern** (*str*) – The glob path pattern to search for pickles. Every pickle file found to match the glob will be imported one by one.

• **max\_pickles** (positive *int*, optional) – If not `None`, only import the first `max_pickles` found. Else, import all.

• **verbose** (*bool*, optional) – If `True` progress of the importing will be dynamically reported.

**Returns****generator** (generator yielding *object*) – Generator yielding whatever Python object is present in the pickle files that match the glob pattern provided.

**Raises****ValueError** – If no pickles are found at the provided glob.

## import\_builtin\_asset

`menpo.io.import_builtin_asset()`

This is a dynamically generated method. This method is designed to automatically generate import methods for each data file in the `data` folder. This method is designed to be tab completed, so you do not need to call this method explicitly. It should be treated more like a property that will dynamically generate functions that will import the shipped data. For example:

```
>>> import menpo
>>> bb_image = menpo.io.import_builtin_asset.breakingbad_jpg()
```

## 2.2.2 Output

### export\_image

`menpo.io.export_image(image, fp, extension=None, overwrite=False)`

Exports a given image. The `fp` argument can be either a *str* or any Python type that acts like a file. If a file is provided, the `extension` kwarg **must** be provided. If no `extension` is provided and a *str* filepath is provided, then the export type is calculated based on the filepath extension.

Due to the mix of string and file types, an explicit `overwrite` argument is used which is `False` by default.

### Parameters

- **image** (*Image*) – The image to export.
- **fp** (*str* or *file*-like object) – The string path or file-like object to save the object at/into.
- **extension** (*str* or *None*, optional) – The extension to use, this must match the file path if the file path is a string. Determines the type of exporter that is used.
- **overwrite** (*bool*, optional) – Whether or not to overwrite a file if it already exists.

#### Raises

- **ValueError** – File already exists and `overwrite != True`
- **ValueError** – `fp` is a *str* and the `extension` is not *None* and the two extensions do not match
- **ValueError** – `fp` is a *file*-like object and `extension` is *None*
- **ValueError** – The provided extension does not match to an existing exporter type (the output type is not supported).

### export\_landmark\_file

`menpo.io.export_landmark_file(landmark_group, fp, extension=None, overwrite=False)`

Exports a given landmark group. The `fp` argument can be either a *str* or any Python type that acts like a file. If a file is provided, the `extension` kwarg **must** be provided. If no `extension` is provided and a *str* filepath is provided, then the export type is calculated based on the filepath extension.

Due to the mix in string and file types, an explicit `overwrite` argument is used which is *False* by default.

#### Parameters

- **landmark\_group** (*LandmarkGroup*) – The landmark group to export.
- **fp** (*str* or *file*-like object) – The string path or file-like object to save the object at/into.
- **extension** (*str* or *None*, optional) – The extension to use, this must match the file path if the file path is a string. Determines the type of exporter that is used.
- **overwrite** (*bool*, optional) – Whether or not to overwrite a file if it already exists.

#### Raises

- **ValueError** – File already exists and `overwrite != True`
- **ValueError** – `fp` is a *str* and the `extension` is not *None* and the two extensions do not match
- **ValueError** – `fp` is a *file*-like object and `extension` is *None*
- **ValueError** – The provided extension does not match to an existing exporter type (the output type is not supported).

### export\_pickle

`menpo.io.export_pickle(obj, fp, overwrite=False)`

Exports a given collection of Python objects with Pickle.

The `fp` argument can be either a *str* or any Python type that acts like a file. If `fp` is a path, it must have the suffix *.pkl* or *.pkl.gz*. If *.pkl*, the object will be pickled using Pickle protocol 2 without compression. If *.pkl.gz* the object will be pickled using Pickle protocol 2 with gzip compression (at a fixed compression level of 3).

Note that a special exception is made for *pathlib.Path* objects - they are pickled down as a *pathlib.PurePath* so that pickles can be easily moved between different platforms.

#### Parameters

- **obj** (object) – The object to export.
- **fp** (str or file-like object) – The string path or file-like object to save the object at/into.
- **overwrite** (bool, optional) – Whether or not to overwrite a file if it already exists.

#### Raises

- **ValueError** – File already exists and `overwrite != True`
- **ValueError** – `fp` is a file-like object and `extension` is `None`
- **ValueError** – The provided extension does not match to an existing exporter type (the output type is not supported).

## 2.2.3 Path Operations

### image\_paths

`menpo.io.image_paths(pattern)`

Return image filepaths that Menpo can import that match the glob pattern.

### landmark\_file\_paths

`menpo.io.landmark_file_paths(pattern)`

Return landmark file filepaths that Menpo can import that match the glob pattern.

### data\_path\_to

`menpo.io.data_path_to(asset_filename)`

The path to a builtin asset in the `./data` folder on this machine.

**Parameters**`asset_filename` (str) – The filename (with extension) of a file builtin to Menpo.  
The full set of allowed names is given by `ls_builtin_assets()`

**Returns**`data_path` (*pathlib.Path*) – The path to a given asset in the `./data` folder

**Raises**`ValueError` – If the `asset_filename` doesn't exist in the `data` folder.

### data\_dir\_path

`menpo.io.data_dir_path()`

A path to the Menpo built in `./data` folder on this machine.

**Returns**`pathlib.Path` – The path to the local Menpo `./data` folder

### ls\_builtin\_assets

`menpo.io.ls_builtin_assets()`

List all the builtin asset examples provided in Menpo.

**Returns**`list of strings` – Filenames of all assets in the data directory shipped with Menpo

## 2.3 menpo.image

### 2.3.1 Image Types

#### Image

`class menpo.image.Image (image_data, copy=True)`

Bases: `Vectorizable`, `Landmarkable`, `Viewable`, `LandmarkableViewable`

An n-dimensional image.

Images are n-dimensional homogeneous regular arrays of data. Each spatially distinct location in the array is referred to as a *pixel*. At a pixel, *k* distinct pieces of information can be stored. Each datum at a pixel is referred to as being in a *channel*. All pixels in the image have the same number of channels, and all channels have the same data-type (`float64`).

#### Parameters

- **image\_data** ((C, M, N ..., Q) `ndarray`) – Array representing the image pixels, with the first axis being channels.
- **copy** (`bool`, optional) – If `False`, the `image_data` will not be copied on assignment. Note that this will miss out on additional checks. Further note that we still demand that the array is C-contiguous - if it isn't, a copy will be generated anyway. In general, this should only be used if you know what you are doing.

#### Raises

- `Warning` – If `copy=False` cannot be honoured
- `ValueError` – If the pixel array is malformed

`_view_2d (figure_id=None, new_figure=False, channels=None, interpolation='bilinear', cmap_name=None, alpha=1.0, render_axes=False, axes_font_name='sans-serif', axes_font_size=10, axes_font_style='normal', axes_font_weight='normal', axes_x_limits=None, axes_y_limits=None, figure_size=(10, 8))`

View the image using the default image viewer. This method will appear on the Image as `view` if the Image is 2D.

#### Returns

- **figure\_id** (`object`, optional) – The id of the figure to be used.
- **new\_figure** (`bool`, optional) – If `True`, a new figure is created.
- **channels** (`int` or `list` of `int` or `all` or `None`) – If `int` or `list` of `int`, the specified channel(s) will be rendered. If `all`, all the channels will be rendered in subplots. If `None` and the image is RGB, it will be rendered in RGB mode. If `None` and the image is not RGB, it is equivalent to `all`.
- **interpolation** (*See Below*, optional) – The interpolation used to render the image. For example, if `bilinear`, the image will be smooth and if `nearest`, the image will be pixelated. Example options

```
{none, nearest, bilinear, bicubic, spline16, spline36,
hanning, hamming, hermite, kaiser, quadric, catrom, gaussian,
bessel, mitchell, sinc, lanczos}
```

- **cmap\_name** (`str`, optional,) – If `None`, single channel and three channel images default to greyscale and `rgb` colormaps respectively.

- **alpha** (*float*, optional) – The alpha blending value, between 0 (transparent) and 1 (opaque).
- **render\_axes** (*bool*, optional) – If `True`, the axes will be rendered.
- **axes\_font\_name** (*See Below*, optional) – The font of the axes. Example options

```
{serif, sans-serif, cursive, fantasy, monospace}
```

- **axes\_font\_size** (*int*, optional) – The font size of the axes.
- **axes\_font\_style** ({*normal*, *italic*, *oblique*}, optional) – The font style of the axes.
- **axes\_font\_weight** (*See Below*, optional) – The font weight of the axes. Example options

```
{ultralight, light, normal, regular, book, medium, roman,
semibold, demibold, demi, bold, heavy, extra bold, black}
```

- **axes\_x\_limits** ((*float*, *float*) *tuple* or `None`, optional) – The limits of the x axis.
- **axes\_y\_limits** ((*float*, *float*) *tuple* or `None`, optional) – The limits of the y axis.
- **figure\_size** ((*float*, *float*) *tuple* or `None`, optional) – The size of the figure in inches.

**Returns** `viewer` (*ImageViewer*) – The image viewing object.

```
_view_landmarks_2d(channels=None, group=None, with_labels=None, without_labels=None,
                    figure_id=None, new_figure=False, interpolation='bilinear',
                    cmap_name=None, alpha=1.0, render_lines=True, line_colour=None,
                    line_style='-', line_width=1, render_markers=True, marker_style='o',
                    marker_size=20, marker_face_colour=None, marker_edge_colour=None,
                    marker_edge_width=1.0, render_numbering=False, numbers_
                    horizontal_align='center', numbers_vertical_align='bottom',
                    numbers_font_name='sans-serif', numbers_font_size=10, num-
                    bers_font_style='normal', numbers_font_weight='normal', num-
                    bers_font_colour='k', render_legend=False, legend_title='',
                    legend_font_name='sans-serif', legend_font_style='normal', leg-
                    end_font_size=10, legend_font_weight='normal', legend_marker_scale=None,
                    legend_location=2, legend_bbox_to_anchor=(1.05, 1.0), leg-
                    end_border_axes_pad=None, legend_n_columns=1, leg-
                    end_horizontal_spacing=None, legend_vertical_spacing=None,
                    legend_border=True, legend_border_padding=None, leg-
                    end_shadow=False, legend_rounded_corners=False, render_axes=False,
                    axes_font_name='sans-serif', axes_font_size=10, axes_font_style='normal',
                    axes_font_weight='normal', axes_x_limits=None, axes_y_limits=None, fig-
                    ure_size=(10, 8))
```

Visualize the landmarks. This method will appear on the `Image` as `view_landmarks` if the `Image` is 2D.

#### Parameters

- **channels** (*int* or *list* of *int* or `all` or `None`) – If *int* or *list* of *int*, the specified channel(s) will be rendered. If `all`, all the channels will be rendered in subplots. If `None` and the image is RGB, it will be rendered in RGB mode. If `None` and the image is not RGB, it is equivalent to `all`.
- **group** (*str* or `None` optional) – The landmark group to be visualized. If `None` and there are more than one landmark groups, an error is raised.
- **with\_labels** (`None` or *str* or *list* of *str*, optional) – If not `None`, only show the given label(s). Should **not** be used with the `without_labels` kwarg.
- **without\_labels** (`None` or *str* or *list* of *str*, optional) – If not `None`, show all except the given label(s). Should **not** be used with the `with_labels` kwarg.
- **figure\_id** (*object*, optional) – The id of the figure to be used.
- **new\_figure** (*bool*, optional) – If `True`, a new figure is created.



- **interpolation** (*See Below, optional*) – The interpolation used to render the image. For example, if `bilinear`, the image will be smooth and if `nearest`, the image will be pixelated. Example options

```
{none, nearest, bilinear, bicubic, spline16, spline36, hanning,
hamming, hermite, kaiser, quadric, catrom, gaussian, bessel,
mitchell, sinc, lanczos}
```

- **cmap\_name** (*str, optional*) – If `None`, single channel and three channel images default to grayscale and `rgb` colormaps respectively.
- **alpha** (*float, optional*) – The alpha blending value, between 0 (transparent) and 1 (opaque).
- **render\_lines** (*bool, optional*) – If `True`, the edges will be rendered.
- **line\_colour** (*See Below, optional*) – The colour of the lines. Example options:

```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

- **line\_style** (*{-, --, -. , :}, optional*) – The style of the lines.
- **line\_width** (*float, optional*) – The width of the lines.
- **render\_markers** (*bool, optional*) – If `True`, the markers will be rendered.
- **marker\_style** (*See Below, optional*) – The style of the markers. Example options

```
{., ,, o, v, ^, <, >, +, x, D, d, s, p, *, h, H, 1, 2, 3, 4, 8}
```

- **marker\_size** (*int, optional*) – The size of the markers in `points^2`.
- **marker\_face\_colour** (*See Below, optional*) – The face (filling) colour of the markers. Example options

```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

- **marker\_edge\_colour** (*See Below, optional*) – The edge colour of the markers. Example options

```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

- **marker\_edge\_width** (*float, optional*) – The width of the markers' edge.
- **render\_numbering** (*bool, optional*) – If `True`, the landmarks will be numbered.
- **numbers\_horizontal\_align** (*{center, right, left}, optional*) – The horizontal alignment of the numbers' texts.
- **numbers\_vertical\_align** (*{center, top, bottom, baseline}, optional*) – The vertical alignment of the numbers' texts.
- **numbers\_font\_name** (*See Below, optional*) – The font of the numbers. Example options

```
{serif, sans-serif, cursive, fantasy, monospace}
```

- **numbers\_font\_size** (*int, optional*) – The font size of the numbers.
- **numbers\_font\_style** (*{normal, italic, oblique}, optional*) – The font style of the numbers.
- **numbers\_font\_weight** (*See Below, optional*) – The font weight of the numbers. Example options

```
{ultralight, light, normal, regular, book, medium, roman,
semibold, demibold, demi, bold, heavy, extra bold, black}
```

- numbers\_font\_colour** (*See Below, optional*) – The font colour of the numbers. Example options

```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

- render\_legend** (*bool, optional*) – If `True`, the legend will be rendered.
- legend\_title** (*str, optional*) – The title of the legend.
- legend\_font\_name** (*See below, optional*) – The font of the legend. Example options

```
{serif, sans-serif, cursive, fantasy, monospace}
```

- legend\_font\_style** (`{normal, italic, oblique}`, *optional*) – The font style of the legend.
- legend\_font\_size** (*int, optional*) – The font size of the legend.
- legend\_font\_weight** (*See Below, optional*) – The font weight of the legend. Example options

```
{ultralight, light, normal, regular, book, medium, roman,
semibold, demibold, demi, bold, heavy, extra bold, black}
```

- legend\_marker\_scale** (*float, optional*) – The relative size of the legend markers with respect to the original
- legend\_location** (*int, optional*) – The location of the legend. The predefined values are:

'best'	0
'upper right'	1
'upper left'	2
'lower left'	3
'lower right'	4
'right'	5
'center left'	6
'center right'	7
'lower center'	8
'upper center'	9
'center'	10

- legend\_bbox\_to\_anchor** (`((float, float) tuple, optional)`) – The bbox that the legend will be anchored.
- legend\_border\_axes\_pad** (*float, optional*) – The pad between the axes and legend border.
- legend\_n\_columns** (*int, optional*) – The number of the legend's columns.
- legend\_horizontal\_spacing** (*float, optional*) – The spacing between the columns.
- legend\_vertical\_spacing** (*float, optional*) – The vertical space between the legend entries.
- legend\_border** (*bool, optional*) – If `True`, a frame will be drawn around the legend.
- legend\_border\_padding** (*float, optional*) – The fractional whitespace inside the legend border.
- legend\_shadow** (*bool, optional*) – If `True`, a shadow will be drawn behind legend.
- legend\_rounded\_corners** (*bool, optional*) – If `True`, the frame's corners will be rounded (fancybox).
- render\_axes** (*bool, optional*) – If `True`, the axes will be rendered.
- axes\_font\_name** (*See Below, optional*) – The font of the axes. Example options

```
{serif, sans-serif, cursive, fantasy, monospace}
```

- axes\_font\_size** (*int, optional*) – The font size of the axes.
- axes\_font\_style** (`{normal, italic, oblique}`, *optional*) – The font style of the axes.

•**axes\_font\_weight** (*See Below, optional*) – The font weight of the axes. Example options

```
{ultralight, light, normal, regular, book, medium, roman,
semibold, demibold, demi, bold, heavy, extra bold, black}
```

•**axes\_x\_limits** ((*float, float*) tuple or None optional) – The limits of the x axis.

•**axes\_y\_limits** ((*float, float*) tuple or None optional) – The limits of the y axis.

•**figure\_size** ((*float, float*) tuple or None optional) – The size of the figure in inches.

#### Raises

•ValueError – If both `with_labels` and `without_labels` are passed.

•ValueError – If the landmark manager doesn't contain the provided group label.

#### **as\_PILImage()**

Return a PIL copy of the image. Depending on the image data type, different operations are performed:

dtype	Processing
uint8	No processing, directly converted to PIL
bool	Scale by 255, convert to uint8
float32	Scale by 255, convert to uint8
float64	Scale by 255, convert to uint8
OTHER	Raise ValueError

Image must only have 1 or 3 channels and be 2 dimensional. Non *uint8* images must be in the range `[0, 1]` to be converted.

**Returns** `pil_image` (*PILImage*) – PIL copy of image

#### Raises

•ValueError – If image is not 2D and 1 channel or 3 channels.

•ValueError – If pixels data type is not *float32*, *float64*, *bool* or *uint8*

•ValueError – If pixels data type is *float32* or *float64* and the pixel range is outside of `[0, 1]`

#### **as\_greyscale(mode='luminosity', channel=None)**

Returns a greyscale version of the image. If the image does *not* represent a 2D RGB image, then the *luminosity* mode will fail.

#### Parameters

•**mode** ({*average*, *luminosity*, *channel*}, optional) –

mode	Greyscale Algorithm
average	Equal average of all channels
luminosity	Calculates the luminance using the CCIR 601 formula:
	$Y' = 0.2989R' + 0.5870G' + 0.1140B'$
channel	A specific channel is chosen as the intensity value.

•**channel** (*int*, optional) – The channel to be taken. Only used if mode is *channel*.

**Returns** `greyscale_image` (*MaskedImage*) – A copy of this image in greyscale.

#### **as\_histogram(keep\_channels=True, bins='unique')**

Histogram binning of the values of this image.

#### Parameters

•**keep\_channels** (*bool*, optional) – If set to `False`, it returns a single histogram for all the channels of the image. If set to `True`, it returns a *list* of histograms, one for each channel.

•**bins** ({unique}, positive *int* or sequence of scalars, optional) – If set equal to 'unique', the bins of the histograms are centred on the unique values of each channel. If set equal to a positive *int*, then this is the number of bins. If set equal to a sequence of scalars, these will be used as bins centres.

#### Returns

•**hist** (*ndarray* or *list* with *n\_channels ndarrays* inside) – The histogram(s). If `keep_channels=False`, then `hist` is an *ndarray*. If `keep_channels=True`, then `hist` is a *list* with `len(hist)=n_channels`.  
•**bin\_edges** (*ndarray* or *list* with *n\_channels ndarrays* inside) – An array or a list of arrays corresponding to the above histograms that store the bins' edges.

**Raises** `ValueError` – Bins can be either 'unique', positive *int* or a sequence of scalars.

---

#### Examples

Visualizing the histogram when a list of array bin edges is provided:

```
>>> hist, bin_edges = image.as_histogram()
>>> for k in range(len(hist)):
>>>     plt.subplot(1, len(hist), k)
>>>     width = 0.7 * (bin_edges[k][1] - bin_edges[k][0])
>>>     centre = (bin_edges[k][:1] + bin_edges[k][1:]) / 2
>>>     plt.bar(centre, hist[k], align='center', width=width)
```

---

**as\_masked** (*mask=None, copy=True*)

Return a copy of this image with an attached mask behavior.

A custom mask may be provided, or `None`. See the [MaskedImage](#) constructor for details of how the kwargs will be handled.

#### Parameters

•**mask** ((*self.shape*) *ndarray* or *BooleanImage*) – A mask to attach to the newly generated masked image.  
•**copy** (*bool*, optional) – If `False`, the produced [MaskedImage](#) will share pixels with `self`. Only suggested to be used for performance.

**Returns** `masked_image` ([MaskedImage](#)) – An image with the same pixels and landmarks as this one, but with a mask.

**as\_vector** (*\*\*kwargs*)

Returns a flattened representation of the object as a single vector.

**Returns** `vector` ((*N*,) *ndarray*) – The core representation of the object, flattened into a single vector. Note that this is always a view back on to the original object, but is not writable.

**centre** ()

The geometric centre of the Image - the subpixel that is in the middle.

Useful for aligning shapes and images.

**Type** (*n\_dims*,) *ndarray*

**constrain\_landmarks\_to\_bounds** ()

Move landmarks that are located outside the image bounds on the bounds.

**constrain\_points\_to\_bounds** (*points*)

Constrains the points provided to be within the bounds of this image.

**Parameters** `points` ((*d*,) *ndarray*) – Points to be snapped to the image boundaries.

**Returns** `bounded_points` ((*d*,) *ndarray*) – Points snapped to not stray outside the image edges.

**copy** ()

Generate an efficient copy of this object.

Note that Numpy arrays and other *Copyable* objects on `self` will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).

Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Return**`type(self)` – A copy of this object

**crop** (*min\_indices*, *max\_indices*, *constrain\_to\_boundary=False*)

Return a cropped copy of this image using the given minimum and maximum indices. Landmarks are correctly adjusted so they maintain their position relative to the newly cropped image.

**Parameters**

- **min\_indices** ((*n\_dims*,) *ndarray*) – The minimum index over each dimension.
- **max\_indices** ((*n\_dims*,) *ndarray*) – The maximum index over each dimension.
- **constrain\_to\_boundary** (*bool*, optional) – If `True` the crop will be snapped to not go beyond this images boundary. If `False`, an *ImageBoundaryError* will be raised if an attempt is made to go beyond the edge of the image.

**Return**`cropped_image` (*type(self)*) – A new instance of `self`, but cropped.

**Raises**

- *ValueError* – `min_indices` and `max_indices` both have to be of length `n_dims`. All `max_indices` must be greater than `min_indices`.
- *ImageBoundaryError* – Raised if `constrain_to_boundary=False`, and an attempt is made to crop the image in a way that violates the image bounds.

**crop\_inplace** (*\*args*, *\*\*kwargs*)

Deprecated: please use `crop()` instead.

**crop\_to\_landmarks** (*group=None*, *label=None*, *boundary=0*, *constrain\_to\_boundary=True*)

Return a copy of this image cropped so that it is bounded around a set of landmarks with an optional `n_pixel` boundary

**Parameters**

- **group** (*str*, optional) – The key of the landmark set that should be used. If `None` and if there is only one set of landmarks, this set will be used.
- **label** (*str*, optional) – The label of of the landmark manager that you wish to use. If `None` all landmarks in the group are used.
- **boundary** (*int*, optional) – An extra padding to be added all around the landmarks bounds.
- **constrain\_to\_boundary** (*bool*, optional) – If `True` the crop will be snapped to not go beyond this images boundary. If `False`, an `ImageBoundaryError` will be raised if an attempt is made to go beyond the edge of the image.

**Return**`image` (*Image*) – A copy of this image cropped to its landmarks.

**Raises***ImageBoundaryError* – Raised if `constrain_to_boundary=False`, and an attempt is made to crop the image in a way that violates the image bounds.

**crop\_to\_landmarks\_inplace** (*\*args*, *\*\*kwargs*)

Deprecated: please use `crop_to_landmarks()` instead.

**crop\_to\_landmarks\_proportion** (*boundary\_proportion*, *group=None*, *label=None*, *minimum=True*, *constrain\_to\_boundary=True*)

Crop this image to be bounded around a set of landmarks with a border proportional to the landmark spread or range.

**Parameters**

- **boundary\_proportion** (*float*) – Additional padding to be added all around the landmarks bounds defined as a proportion of the landmarks range. See the

minimum parameter for a definition of how the range is calculated.

- **group** (*str*, optional) – The key of the landmark set that should be used. If *None* and if there is only one set of landmarks, this set will be used.
- **label** (*str*, optional) – The label of of the landmark manager that you wish to use. If *None* all landmarks in the group are used.
- **minimum** (*bool*, optional) – If *True* the specified proportion is relative to the minimum value of the landmarks' per-dimension range; if *False* w.r.t. the maximum value of the landmarks' per-dimension range.
- **constrain\_to\_boundary** (*bool*, optional) – If *True*, the crop will be snapped to not go beyond this images boundary. If *False*, an *ImageBoundaryError* will be raised if an attempt is made to go beyond the edge of the image.

**Returns***image* (*Image*) – This image, cropped to its landmarks with a border proportional to the landmark spread or range.

**Raises***ImageBoundaryError* – Raised if *constrain\_to\_boundary=False*, and an attempt is made to crop the image in a way that violates the image bounds.

**crop\_to\_landmarks\_proportion\_inplace** (*\*args*, *\*\*kwargs*)

Deprecated: please use *crop\_to\_landmarks\_proportion()* instead.

**diagonal** ()

The diagonal size of this image

**Type***float*

**extract\_channels** (*channels*)

A copy of this image with only the specified channels.

**Parameters***channels* (*int* or *list*) – The channel index or *list* of channel indices to retain.

**Returns***image* (*type(self)*) – A copy of this image with only the channels requested.

**extract\_patches** (*patch\_centers*, *patch\_size*=(16, 16), *sample\_offsets*=*None*, *as\_single\_array*=*False*)

Extract a set of patches from an image. Given a set of patch centers and a patch size, patches are extracted from within the image, centred on the given coordinates. Sample offsets denote a set of offsets to extract from within a patch. This is very useful if you want to extract a dense set of features around a set of landmarks and simply sample the same grid of patches around the landmarks.

If sample offsets are used, to access the offsets for each patch you need to slice the resulting list. So for 2 offsets, the first centers offset patches would be *patches[:2]*.

Currently only 2D images are supported.

#### Parameters

- **patch\_centers** (*PointCloud*) – The centers to extract patches around.
- **patch\_size** (*tuple* or *ndarray*, optional) – The size of the patch to extract
- **sample\_offsets** (*PointCloud*, optional) – The offsets to sample from within a patch. So (0, 0) is the centre of the patch (no offset) and (1, 0) would be sampling the patch from 1 pixel up the first axis away from the centre.
- **as\_single\_array** (*bool*, optional) – If *True*, an (*n\_center \* n\_offset*, *self.shape...*) *ndarray*, thus a single numpy array is returned containing each patch. If *False*, a *list* of *Image* objects is returned representing each patch.

**Returns***patches* (*list* or *ndarray*) – Returns the extracted patches. Returns a *list* if *as\_single\_array=True* and an *ndarray* if *as\_single\_array=False*.

**Raises***ValueError* – If image is not 2D

**extract\_patches\_around\_landmarks** (*group*=*None*, *label*=*None*, *patch\_size*=(16, 16), *sample\_offsets*=*None*, *as\_single\_array*=*False*)

Extract patches around landmarks existing on this image. Provided the group label and optionally the landmark label extract a set of patches.

See `extract_patches` for more information.

Currently only 2D images are supported.

#### Parameters

- **group** (*str* or *None* optional) – The landmark group to use as patch centres.
- **label** (*str* or *None* optional) – The landmark label within the group to use as centres.
- **patch\_size** (*tuple* or *ndarray*, optional) – The size of the patch to extract
- **sample\_offsets** (*PointCloud*, optional) – The offsets to sample from within a patch. So (0,0) is the centre of the patch (no offset) and (1, 0) would be sampling the patch from 1 pixel up the first axis away from the centre.
- **as\_single\_array** (*bool*, optional) – If *True*, an  $(n\_center * n\_offset, self.shape...)$  *ndarray*, thus a single numpy array is returned containing each patch. If *False*, a list of *Image* objects is returned representing each patch.

**Returns**`patches` (*list* or *ndarray*) – Returns the extracted patches. Returns a list if `as_single_array=True` and an *ndarray* if `as_single_array=False`.

**Raises**`ValueError` – If image is not 2D

**from\_vector** (*vector*, *n\_channels=None*, *copy=True*)

Takes a flattened vector and returns a new image formed by reshaping the vector to the correct pixels and channels.

The *n\_channels* argument is useful for when we want to add an extra channel to an image but maintain the shape. For example, when calculating the gradient.

Note that landmarks are transferred in the process.

#### Parameters

- **vector** ( $(n\_parameters,)$  *ndarray*) – A flattened vector of all pixels and channels of an image.
- **n\_channels** (*int*, optional) – If given, will assume that vector is the same shape as this image, but with a possibly different number of channels.
- **copy** (*bool*, optional) – If *False*, the vector will not be copied in creating the new image.

**Returns**`image` (*Image*) – New image of same shape as this image and the number of specified channels.

**Raises**`Warning` – If the `copy=False` flag cannot be honored

**from\_vector\_inplace** (*vector*, *copy=True*)

Takes a flattened vector and update this image by reshaping the vector to the correct dimensions.

#### Parameters

- **vector** ( $(n\_pixels,)$  *bool ndarray*) – A vector vector of all the pixels of a *BooleanImage*.
- **copy** (*bool*, optional) – If *False*, the vector will be set as the pixels. If *True*, a copy of the vector is taken.

**Raises**`Warning` – If `copy=False` flag cannot be honored

---

**Note:** For *BooleanImage* this is rebuilding a boolean image **itself** from boolean values. The mask is in no way interpreted in performing the operation, in contrast to *MaskedImage*, where only the masked region is used in `from_vector_inplace()` and `as_vector()`.

---

**gaussian\_pyramid** (*n\_levels=3*, *downscale=2*, *sigma=None*)

Return the gaussian pyramid of this image. The first image of the pyramid will be the original, unmodified, image, and counts as level 1.

#### Parameters

- **n\_levels** (*int*, optional) – Total number of levels in the pyramid, including the original unmodified image

- downscale** (*float*, optional) – Downscale factor.
- sigma** (*float*, optional) – Sigma for gaussian filter. Default is `downscale / 3`. which corresponds to a filter mask twice the size of the scale factor that covers more than 99% of the gaussian distribution.

**Yields**`image_pyramid` (*generator*) – Generator yielding pyramid layers as `Image` objects.

**gradient** (*\*\*kwargs*)

Returns an `Image` which is the gradient of this one. In the case of multiple channels, it returns the gradient over each axis over each channel as a flat *list*. Take care to note the ordering of the returned gradient (the gradient over each spatial dimension is taken over each channel).

The first axis of the gradient of a 2D, 3-channel image, will have length 6, the ordering being `I[:, 0, 0] = [R0_y, G0_y, B0_y, R0_x, G0_x, B0_x]`. To be clear, all the *y*-gradients are returned over each channel, then all the *x*-gradients.

**Returns**`gradient` (`Image`) – The gradient over each axis over each channel. Therefore, the gradient of a 2D, single channel image, will have length 2. The length of a 2D, 3-channel image, will have length 6.

**has\_nan\_values** ()

Tests if the vectorized form of the object contains `nan` values or not. This is particularly useful for objects with unknown values that have been mapped to `nan` values.

**Returns**`has_nan_values` (*bool*) – If the vectorized object contains `nan` values.

**indices** ()

Return the indices of all pixels in this image.

**Type**(*n\_dims, n\_pixels*) `ndarray`

**classmethod** `init_blank` (*shape, n\_channels=1, fill=0, dtype=<Mock object>*)

Returns a blank image.

**Parameters**

- shape** (*tuple* or *list*) – The shape of the image. Any floating point values are rounded up to the nearest integer.
- n\_channels** (*int*, optional) – The number of channels to create the image with.
- fill** (*int*, optional) – The value to fill all pixels with.
- dtype** (*numpy data type*, optional) – The data type of the image.

**Returns**`blank_image` (`Image`) – A new image of the requested size.

**normalize\_norm\_inplace** (*mode='all', \*\*kwargs*)

Normalizes this image such that its pixel values have zero mean and its norm equals 1.

**Parameters**`mode` (`{all, per_channel}`, optional) – If `all`, the normalization is over all channels. If `per_channel`, each channel individually is mean centred and normalized in variance.

**normalize\_std\_inplace** (*mode='all', \*\*kwargs*)

Normalizes this image such that its pixel values have zero mean and unit variance.

**Parameters**`mode` (`{all, per_channel}`, optional) – If `all`, the normalization is over all channels. If `per_channel`, each channel individually is mean centred and normalized in variance.

**pyramid** (*n\_levels=3, downscale=2*)

Return a rescaled pyramid of this image. The first image of the pyramid will be the original, unmodified, image, and counts as level 1.

**Parameters**

- n\_levels** (*int*, optional) – Total number of levels in the pyramid, including the original unmodified image
- downscale** (*float*, optional) – Downscale factor.

**Yields**`image_pyramid` (*generator*) – Generator yielding pyramid layers as `Image` objects.



**rescale** (*scale*, *round*='ceil', *order*=1)

Return a copy of this image, rescaled by a given factor. Landmarks are rescaled appropriately.

**Parameters**

- **scale** (*float* or *tuple of floats*) – The scale factor. If a tuple, the scale to apply to each dimension. If a single *float*, the scale will be applied uniformly across each dimension.
- **round** ({*ceil*, *floor*, *round*}, optional) – Rounding function to be applied to floating point shapes.
- **order** (*int*, optional) – The order of interpolation. The order has to be in the range [0,5]

Order	Interpolation
0	Nearest-neighbor
1	Bi-linear ( <i>default</i> )
2	Bi-quadratic
3	Bi-cubic
4	Bi-quartic
5	Bi-quintic

**Returns** *rescaled\_image* (*type(self)*) – A copy of this image, rescaled.

**Raises** *ValueError* – If less scales than dimensions are provided. If any scale is less than or equal to 0.

**rescale\_landmarks\_to\_diagonal\_range** (*diagonal\_range*, *group*=None, *label*=None, *round*='ceil', *order*=1)

Return a copy of this image, rescaled so that the *diagonal\_range* of the bounding box containing its landmarks matches the specified *diagonal\_range* range.

**Parameters**

- **diagonal\_range** ((*n\_dims*,) *ndarray*) – The *diagonal\_range* range that we want the landmarks of the returned image to have.
- **group** (*str*, optional) – The key of the landmark set that should be used. If None and if there is only one set of landmarks, this set will be used.
- **label** (*str*, optional) – The label of of the landmark manager that you wish to use. If None all landmarks in the group are used.
- **round** ({*ceil*, *floor*, *round*}, optional) – Rounding function to be applied to floating point shapes.
- **order** (*int*, optional) – The order of interpolation. The order has to be in the range [0,5]

Order	Interpolation
0	Nearest-neighbor
1	Bi-linear ( <i>default</i> )
2	Bi-quadratic
3	Bi-cubic
4	Bi-quartic
5	Bi-quintic

**Returns** *rescaled\_image* (*type(self)*) – A copy of this image, rescaled.

**rescale\_pixels** (*minimum*, *maximum*, *per\_channel*=True)

A copy of this image with pixels linearly rescaled to fit a range.

Note that the only pixels that will considered and rescaled are those that feature in the vectorized form of this image. If you want to use this routine on all the pixels in a *MaskedImage*, consider using *as\_unmasked()* prior to this call.

**Parameters**

- **minimum** (*float*) – The minimal value of the rescaled pixels
- **maximum** (*float*) – The maximal value of the rescaled pixels

- **per\_channel** (*boolean*, optional) – If `True`, each channel will be rescaled independently. If `False`, the scaling will be over all channels.

**Returns**`rescaled_image` (`type(self)`) – A copy of this image with pixels linearly rescaled to fit in the range provided.

**rescale\_to\_diagonal** (*diagonal*, *round='ceil'*)

Return a copy of this image, rescaled so that the it's diagonal is a new size.

**Parameters**

- **diagonal** (*int*) – The diagonal size of the new image.
- **round** (`{ceil, floor, round}`, optional) – Rounding function to be applied to floating point shapes.

**Returns**`rescaled_image` (`type(self)`) – A copy of this image, rescaled.

**rescale\_to\_reference\_shape** (*reference\_shape*, *group=None*, *label=None*, *round='ceil'*, *order=1*)

Return a copy of this image, rescaled so that the scale of a particular group of landmarks matches the scale of the passed reference landmarks.

**Parameters**

- **reference\_shape** (*PointCloud*) – The reference shape to which the landmarks scale will be matched against.
- **group** (*str*, optional) – The key of the landmark set that should be used. If `None`, and if there is only one set of landmarks, this set will be used.
- **label** (*str*, optional) – The label of of the landmark manager that you wish to use. If `None` all landmarks in the group are used.
- **round** (`{ceil, floor, round}`, optional) – Rounding function to be applied to floating point shapes.
- **order** (*int*, optional) – The order of interpolation. The order has to be in the range `[0,5]`

Order	Interpolation
0	Nearest-neighbor
1	Bi-linear ( <i>default</i> )
2	Bi-quadratic
3	Bi-cubic
4	Bi-quartic
5	Bi-quintic

**Returns**`rescaled_image` (`type(self)`) – A copy of this image, rescaled.

**resize** (*shape*, *order=1*)

Return a copy of this image, resized to a particular shape. All image information (landmarks, and mask in the case of *MaskedImage*) is resized appropriately.

**Parameters**

- **shape** (*tuple*) – The new shape to resize to.
- **order** (*int*, optional) – The order of interpolation. The order has to be in the range `[0,5]`

Order	Interpolation
0	Nearest-neighbor
1	Bi-linear ( <i>default</i> )
2	Bi-quadratic
3	Bi-cubic
4	Bi-quartic
5	Bi-quintic

**Returns**`resized_image` (`type(self)`) – A copy of this image, resized.

**Raises**`ValueError` – If the number of dimensions of the new shape does not match the number of dimensions of the image.

**rolled\_channels()**

Returns the pixels matrix, with the channels rolled to the back axis. This may be required for interacting with external code bases that require images to have channels as the last axis, rather than the menpo convention of channels as the first axis.

**Returns** `rolled_channels` (*ndarray*) – Pixels with channels as the back (last) axis.

**rotate\_ccw\_about\_centre** (*theta*, *degrees=True*, *cval=0.0*)

Return a rotation of this image clockwise about its centre.

**Parameters**

- **theta** (*float*) – The angle of rotation about the origin.
- **degrees** (*bool*, optional) – If `True`, *theta* is interpreted as a degree. If `False`, *theta* is interpreted as radians.
- **cval** (*float*, optional) – The value to be set outside the rotated image boundaries.

**Returns** `rotated_image` (*type(self)*) – The rotated image.

**sample** (*points\_to\_sample*, *order=1*, *mode='constant'*, *cval=0.0*)

Sample this image at the given sub-pixel accurate points. The input `PointCloud` should have the same number of dimensions as the image e.g. a 2D `PointCloud` for a 2D multi-channel image. A numpy array will be returned that has the values for every given point across each channel of the image.

**Parameters**

- **points\_to\_sample** (*PointCloud*) – Array of points to sample from the image. Should be (*n\_points*, *n\_dims*)
- **order** (*int*, optional) – The order of interpolation. The order has to be in the range [0,5]. See `warp_to_shape` for more information.
- **mode** (*{constant, nearest, reflect, wrap}*, optional) – Points outside the boundaries of the input are filled according to the given mode.
- **cval** (*float*, optional) – Used in conjunction with mode `constant`, the value outside the image boundaries.

**Returns** `sampled_pixels` (*(n\_points, n\_channels) ndarray*) – The interpolated values taken across every channel of the image.

**view\_widget** (*browser\_style='buttons'*, *figure\_size=(10, 8)*, *style='coloured'*)

Visualizes the image object using the `visualize_images` widget. Currently only supports the rendering of 2D images.

**Parameters**

- **browser\_style** (*{'buttons', 'slider'}*, optional) – It defines whether the selector of the images will have the form of plus/minus buttons or a slider.
- **figure\_size** (*(int, int)*, optional) – The initial size of the rendered figure.
- **style** (*{'coloured', 'minimal'}*, optional) – If `'coloured'`, then the style of the widget will be coloured. If `minimal`, then the style is simple using black and white colours.

**warp\_to\_mask** (*template\_mask*, *transform*, *warp\_landmarks=False*, *order=1*, *mode='constant'*, *cval=0.0*, *batch\_size=None*)

Return a copy of this image warped into a different reference space.

Note that warping into a mask is slower than warping into a full image. If you don't need a non-linear mask, consider `:meth:warp_to_shape` instead.

**Parameters**

- **template\_mask** (*BooleanImage*) – Defines the shape of the result, and what pixels should be sampled.
- **transform** (*Transform*) – Transform from the template space back to this image. Defines, for each pixel location on the template, which pixel location should be sampled from on this image.
- **warp\_landmarks** (*bool*, optional) – If `True`, result will have the same landmark dictionary as `self`, but with each landmark updated to the warped position.

tion.

- order** (*int*, optional) – The order of interpolation. The order has to be in the range [0,5]

Order	Interpolation
0	Nearest-neighbor
1	Bi-linear ( <i>default</i> )
2	Bi-quadratic
3	Bi-cubic
4	Bi-quartic
5	Bi-quintic

- mode** ({*constant*, *nearest*, *reflect*, *wrap*}, optional) – Points outside the boundaries of the input are filled according to the given mode.
- cval** (*float*, optional) – Used in conjunction with mode *constant*, the value outside the image boundaries.
- batch\_size** (*int* or *None*, optional) – This should only be considered for large images. Setting this value can cause warping to become much slower, particular for cached warps such as Piecewise Affine. This size indicates how many points in the image should be warped at a time, which keeps memory usage low. If *None*, no batching is used and all points are warped at once.

**Returns****warped\_image** (*MaskedImage*) – A copy of this image, warped.

**warp\_to\_shape** (*template\_shape*, *transform*, *warp\_landmarks=False*, *order=1*, *mode='constant'*, *cval=0.0*, *batch\_size=None*)

Return a copy of this image warped into a different reference space.

#### Parameters

- template\_shape** (*tuple* or *ndarray*) – Defines the shape of the result, and what pixel indices should be sampled (all of them).
- transform** (*Transform*) – Transform **from the template\_shape space back to this image**. Defines, for each index on *template\_shape*, which pixel location should be sampled from on this image.
- warp\_landmarks** (*bool*, optional) – If *True*, result will have the same landmark dictionary as self, but with each landmark updated to the warped position.
- order** (*int*, optional) – The order of interpolation. The order has to be in the range [0,5]

Order	Interpolation
0	Nearest-neighbor
1	Bi-linear ( <i>default</i> )
2	Bi-quadratic
3	Bi-cubic
4	Bi-quartic
5	Bi-quintic

- mode** ({*constant*, *nearest*, *reflect*, *wrap*}, optional) – Points outside the boundaries of the input are filled according to the given mode.
- cval** (*float*, optional) – Used in conjunction with mode *constant*, the value outside the image boundaries.
- batch\_size** (*int* or *None*, optional) – This should only be considered for large images. Setting this value can cause warping to become much slower, particular for cached warps such as Piecewise Affine. This size indicates how many points in the image should be warped at a time, which keeps memory usage low. If *None*, no batching is used and all points are warped at once.

**Returns****warped\_image** (*type(self)*) – A copy of this image, warped.

**zoom** (*scale*, *cval=0.0*)

Zoom this image about the centre point. *scale* values greater than 1.0 denote zooming **in** to the image

and values less than 1.0 denote zooming **out** of the image. The size of the image will not change, if you wish to scale an image, please see `rescale()`.

**Parameters**

- **scale** (*float*) – `scale > 1.0` denotes zooming in. Thus the image will appear larger and areas at the edge of the zoom will be ‘cropped’ out. `scale < 1.0` denotes zooming out. The image will be padded by the value of `cval`.
- **cval** (*float, optional*) – The value to be set outside the rotated image boundaries.

**has\_landmarks**

Whether the object has landmarks.

**Type***bool*

**has\_landmarks\_outside\_bounds**

Indicates whether there are landmarks located outside the image bounds.

**Type***bool*

**height**

The height of the image.

This is the height according to image semantics, and is thus the size of the **second to last** dimension.

**Type***int*

**landmarks**

The landmarks object.

**Type***LandmarkManager*

**n\_channels**

The number of channels on each pixel in the image.

**Type***int*

**n\_dims**

The number of dimensions in the image. The minimum possible `n_dims` is 2.

**Type***int*

**n\_elements**

Total number of data points in the image (`prod(shape), n_channels`)

**Type***int*

**n\_landmark\_groups**

The number of landmark groups on this object.

**Type***int*

**n\_parameters**

The length of the vector that this object produces.

**Type***int*

**n\_pixels**

Total number of pixels in the image (`prod(shape),`)

**Type***int*

**shape**

The shape of the image (with `n_channel` values at each point).

**Type***tuple*

**width**

The width of the image.

This is the width according to image semantics, and is thus the size of the **last** dimension.

**Type***int*

## BooleanImage

`class menpo.image.BooleanImage(mask_data, copy=True)`

Bases: `Image`

A mask image made from binary pixels. The region of the image that is left exposed by the mask is referred to as the ‘masked region’. The set of ‘masked’ pixels is those pixels corresponding to a `True` value in the mask.

### Parameters

- **mask\_data** ((M, N, ..., L) *ndarray*) – The binary mask data. Note that there is no channel axis - a 2D Mask Image is built from just a 2D numpy array of mask\_data. Automatically coerced in to boolean values.
- **copy** (*bool*, optional) – If `False`, the image\_data will not be copied on assignment. Note that if the array you provide is not boolean, there **will still be copy**. In general this should only be used if you know what you are doing.

`all_true()`

`True` iff every element of the mask is `True`.

Type *bool*

`as_PILImage()`

Return a PIL copy of the image. Depending on the image data type, different operations are performed:

dtype	Processing
uint8	No processing, directly converted to PIL
bool	Scale by 255, convert to uint8
float32	Scale by 255, convert to uint8
float64	Scale by 255, convert to uint8
OTHER	Raise ValueError

Image must only have 1 or 3 channels and be 2 dimensional. Non *uint8* images must be in the rage `[0, 1]` to be converted.

**Returns** `spil_image` (*PILImage*) – PIL copy of image

### Raises

- `ValueError` – If image is not 2D and 1 channel or 3 channels.
- `ValueError` – If pixels data type is not *float32*, *float64*, *bool* or *uint8*
- `ValueError` – If pixels data type is *float32* or *float64* and the pixel range is outside of `[0, 1]`

`as_greyscale(mode='luminosity', channel=None)`

Returns a greyscale version of the image. If the image does *not* represent a 2D RGB image, then the *luminosity* mode will fail.

### Parameters

- **mode** ({*average*, *luminosity*, *channel*}, optional) –

mode	Greyscale Algorithm
average	Equal average of all channels
luminosity	Calculates the luminance using the CCIR 601 formula:  $Y' = 0.2989R' + 0.5870G' + 0.1140B'$
channel	A specific channel is chosen as the intensity value.

- **channel** (*int*, optional) – The channel to be taken. Only used if mode is *channel*.

**Returns** `greyscale_image` (*MaskedImage*) – A copy of this image in greyscale.

**as\_histogram** (*keep\_channels=True, bins='unique'*)

Histogram binning of the values of this image.

#### Parameters

- **keep\_channels** (*bool*, optional) – If set to `False`, it returns a single histogram for all the channels of the image. If set to `True`, it returns a *list* of histograms, one for each channel.
- **bins** (*{unique}*, positive *int* or sequence of scalars, optional) – If set equal to `'unique'`, the bins of the histograms are centred on the unique values of each channel. If set equal to a positive *int*, then this is the number of bins. If set equal to a sequence of scalars, these will be used as bins centres.

#### Returns

- **hist** (*ndarray* or *list* with *n\_channels ndarray*s inside) – The histogram(s). If `keep_channels=False`, then `hist` is an *ndarray*. If `keep_channels=True`, then `hist` is a *list* with `len(hist)=n_channels`.
- **bin\_edges** (*ndarray* or *list* with *n\_channels ndarray*s inside) – An array or a list of arrays corresponding to the above histograms that store the bins' edges.

**Raises** `ValueError` – Bins can be either `'unique'`, positive *int* or a sequence of scalars.

#### Examples

Visualizing the histogram when a list of array bin edges is provided:

```
>>> hist, bin_edges = image.as_histogram()
>>> for k in range(len(hist)):
>>>     plt.subplot(1, len(hist), k)
>>>     width = 0.7 * (bin_edges[k][1] - bin_edges[k][0])
>>>     centre = (bin_edges[k][:1] + bin_edges[k][1:]) / 2
>>>     plt.bar(centre, hist[k], align='center', width=width)
```

**as\_masked** (*mask=None, copy=True*)

Impossible for a *BooleanImage* to be transformed to a *MaskedImage*.

**as\_vector** (*\*\*kwargs*)

Returns a flattened representation of the object as a single vector.

**Returns** `vector` (*(N,)* *ndarray*) – The core representation of the object, flattened into a single vector. Note that this is always a view back on to the original object, but is not writable.

**bounds\_false** (*boundary=0, constrain\_to\_bounds=True*)

Returns the minimum to maximum indices along all dimensions that the mask includes which fully surround the False mask values. In the case of a 2D Image for instance, the min and max define two corners of a rectangle bounding the False pixel values.

#### Parameters

- **boundary** (*int*  $\geq 0$ , optional) – A number of pixels that should be added to the extent. A negative value can be used to shrink the bounds in.
- **constrain\_to\_bounds** (*bool*, optional) – If `True`, the bounding extent is snapped to not go beyond the edge of the image. If `False`, the bounds are left unchanged.

#### Returns

- **min\_b** (*(D,)* *ndarray*) – The minimum extent of the `True` mask region with the boundary along each dimension. If `constrain_to_bounds=True`, is clipped to legal image bounds.
- **max\_b** (*(D,)* *ndarray*) – The maximum extent of the `True` mask region with the boundary along each dimension. If `constrain_to_bounds=True`, is clipped to legal image bounds.

**bounds\_true** (*boundary=0, constrain\_to\_bounds=True*)

Returns the minimum to maximum indices along all dimensions that the mask includes which fully surround the `True` mask values. In the case of a 2D Image for instance, the min and max define two corners of a rectangle bounding the `True` pixel values.

**Parameters**

- **boundary** (*int*, optional) – A number of pixels that should be added to the extent. A negative value can be used to shrink the bounds in.
- **constrain\_to\_bounds** (*bool*, optional) – If `True`, the bounding extent is snapped to not go beyond the edge of the image. If `False`, the bounds are left unchanged.
- **Returns** –
  - -----
  - **min\_b** ((*D*, ) *ndarray*) – The minimum extent of the `True` mask region with the boundary along each dimension. If `constrain_to_bounds=True`, is clipped to legal image bounds.
  - **max\_b** ((*D*, ) *ndarray*) – The maximum extent of the `True` mask region with the boundary along each dimension. If `constrain_to_bounds=True`, is clipped to legal image bounds.

**centre** ()

The geometric centre of the Image - the subpixel that is in the middle.

Useful for aligning shapes and images.

**Type**(*n\_dims*,) *ndarray*

**constrain\_landmarks\_to\_bounds** ()

Move landmarks that are located outside the image bounds on the bounds.

**constrain\_points\_to\_bounds** (*points*)

Constrains the points provided to be within the bounds of this image.

**Parameters****points** ((*d*, ) *ndarray*) – Points to be snapped to the image boundaries.

**Returns****bounded\_points** ((*d*, ) *ndarray*) – Points snapped to not stray outside the image edges.

**constrain\_to\_landmarks** (*group=None*, *label=None*, *trilist=None*, *batch\_size=None*)

Restricts this mask to be equal to the convex hull around the landmarks chosen. This is not a per-pixel convex hull, but instead relies on a triangulated approximation.

**Parameters**

- **group** (*str*, optional) – The key of the landmark set that should be used. If `None`, and if there is only one set of landmarks, this set will be used.
- **label** (*str*, optional) – The label of of the landmark manager that you wish to use. If no label is passed, the convex hull of all landmarks is used.
- **trilist** ((*t*, 3) *ndarray*, optional) – Triangle list to be used on the landmarked points in selecting the mask region. If `None`, defaults to performing Delaunay triangulation on the points.
- **batch\_size** (*int* or `None`, optional) – This should only be considered for large images. Setting this value will cause constraining to become much slower. This size indicates how many points in the image should be checked at a time, which keeps memory usage low. If `None`, no batching is used and all points are checked at once.

**constrain\_to\_pointcloud** (*pointcloud*, *batch\_size=None*, *point\_in\_pointcloud='pwa'*, *trilist=None*)

Restricts this mask to be equal to the convex hull around a pointcloud. The choice of whether a pixel is inside or outside of the pointcloud is determined by the `point_in_pointcloud` parameter. By default a Piecewise Affine transform is used to test for containment, which is useful when building efficiently aligning images. For large images, a faster and pixel-accurate method can be used (`'convex_hull'`). Alternatively, a callable can be provided to override the test. By default, the provided implementations



are only valid for 2D images.

#### Parameters

- **pointcloud** (*PointCloud*) – The pointcloud of points that should be constrained to.
- **batch\_size** (*int* or *None*, optional) – This should only be considered for large images. Setting this value will cause constraining to become much slower. This size indicates how many points in the image should be checked at a time, which keeps memory usage low. If *None*, no batching is used and all points are checked at once. By default, this is only used for the ‘pwa’ *point\_in\_pointcloud* choice.
- **point\_in\_pointcloud** ({‘pwa’, ‘convex\_hull’} or *callable*) – The method used to check if pixels in the image fall inside the pointcloud or not. Can be accurate to a Piecewise Affine transform, a pixel accurate convex hull or any arbitrary callable. If a callable is passed, it should take two parameters, the *PointCloud* to constrain with and the pixel locations ((*d*, *n\_dims*) *ndarray*) to test and should return a (*d*, 1) boolean *ndarray* of whether the pixels were inside (*True*) or outside (*False*) of the *PointCloud*.
- **trilist** ((*t*, 3) *ndarray*, optional) – Deprecated. Please provide a *Trimesh* instead of relying on this parameter.

#### Raises

- *ValueError* – If the image is not 2D and a default implementation is chosen.
- *ValueError* – If the chosen *point\_in\_pointcloud* is unknown.

#### **copy()**

Generate an efficient copy of this object.

Note that Numpy arrays and other *Copyable* objects on *self* will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).

Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Return** *type(self)* – A copy of this object

#### **crop** (*min\_indices*, *max\_indices*, *constrain\_to\_boundary=False*)

Return a cropped copy of this image using the given minimum and maximum indices. Landmarks are correctly adjusted so they maintain their position relative to the newly cropped image.

#### Parameters

- **min\_indices** ((*n\_dims*,) *ndarray*) – The minimum index over each dimension.
- **max\_indices** ((*n\_dims*,) *ndarray*) – The maximum index over each dimension.
- **constrain\_to\_boundary** (*bool*, optional) – If *True* the crop will be snapped to not go beyond this images boundary. If *False*, an *ImageBoundaryError* will be raised if an attempt is made to go beyond the edge of the image.

**Return** *cropped\_image* (*type(self)*) – A new instance of *self*, but cropped.

#### Raises

- *ValueError* – *min\_indices* and *max\_indices* both have to be of length *n\_dims*. All *max\_indices* must be greater than *min\_indices*.
- *ImageBoundaryError* – Raised if *constrain\_to\_boundary=False*, and an attempt is made to crop the image in a way that violates the image bounds.

#### **crop\_inplace** (\*args, \*\*kwargs)

Deprecated: please use *crop()* instead.

#### **crop\_to\_landmarks** (*group=None*, *label=None*, *boundary=0*, *constrain\_to\_boundary=True*)

Return a copy of this image cropped so that it is bounded around a set of landmarks with an optional

`n_pixel` boundary

**Parameters**

- **group** (*str*, optional) – The key of the landmark set that should be used. If `None` and if there is only one set of landmarks, this set will be used.
- **label** (*str*, optional) – The label of of the landmark manager that you wish to use. If `None` all landmarks in the group are used.
- **boundary** (*int*, optional) – An extra padding to be added all around the landmarks bounds.
- **constrain\_to\_boundary** (*bool*, optional) – If `True` the crop will be snapped to not go beyond this images boundary. If `False`, an `map‘ImageBoundaryError‘` will be raised if an attempt is made to go beyond the edge of the image.

**Returns**`image` (*Image*) – A copy of this image cropped to its landmarks.

**Raises**`ImageBoundaryError` – Raised if `constrain_to_boundary=False`, and an attempt is made to crop the image in a way that violates the image bounds.

**crop\_to\_landmarks\_inplace** (*\*args*, *\*\*kwargs*)

Deprecated: please use `crop_to_landmarks()` instead.

**crop\_to\_landmarks\_proportion** (*boundary\_proportion*, *group=None*, *label=None*, *minimum=True*, *constrain\_to\_boundary=True*)

Crop this image to be bounded around a set of landmarks with a border proportional to the landmark spread or range.

**Parameters**

- **boundary\_proportion** (*float*) – Additional padding to be added all around the landmarks bounds defined as a proportion of the landmarks range. See the `minimum` parameter for a definition of how the range is calculated.
- **group** (*str*, optional) – The key of the landmark set that should be used. If `None` and if there is only one set of landmarks, this set will be used.
- **label** (*str*, optional) – The label of of the landmark manager that you wish to use. If `None` all landmarks in the group are used.
- **minimum** (*bool*, optional) – If `True` the specified proportion is relative to the minimum value of the landmarks’ per-dimension range; if `False` w.r.t. the maximum value of the landmarks’ per-dimension range.
- **constrain\_to\_boundary** (*bool*, optional) – If `True`, the crop will be snapped to not go beyond this images boundary. If `False`, an `ImageBoundaryError` will be raised if an attempt is made to go beyond the edge of the image.

**Returns**`image` (*Image*) – This image, cropped to its landmarks with a border proportional to the landmark spread or range.

**Raises**`ImageBoundaryError` – Raised if `constrain_to_boundary=False`, and an attempt is made to crop the image in a way that violates the image bounds.

**crop\_to\_landmarks\_proportion\_inplace** (*\*args*, *\*\*kwargs*)

Deprecated: please use `crop_to_landmarks_proportion()` instead.

**diagonal** ()

The diagonal size of this image

**Type**`float`

**extract\_channels** (*channels*)

A copy of this image with only the specified channels.

**Parameters**`channels` (*int* or *list*) – The channel index or *list* of channel indices to retain.

**Returns**`image` (*type(self)*) – A copy of this image with only the channels requested.

**extract\_patches** (*patch\_centers*, *patch\_size=(16, 16)*, *sample\_offsets=None*, *as\_single\_array=False*)

Extract a set of patches from an image. Given a set of patch centers and a patch size, patches are extracted from within the image, centred on the given coordinates. Sample offsets denote a set of offsets to extract from within a patch. This is very useful if you want to extract a dense set of features around a set of landmarks and simply sample the same grid of patches around the landmarks.

If sample offsets are used, to access the offsets for each patch you need to slice the resulting list. So for 2 offsets, the first centers offset patches would be `patches[:2]`.

Currently only 2D images are supported.

#### Parameters

- **patch\_centers** (*PointCloud*) – The centers to extract patches around.
- **patch\_size** (*tuple* or *ndarray*, optional) – The size of the patch to extract
- **sample\_offsets** (*PointCloud*, optional) – The offsets to sample from within a patch. So (0, 0) is the centre of the patch (no offset) and (1, 0) would be sampling the patch from 1 pixel up the first axis away from the centre.
- **as\_single\_array** (*bool*, optional) – If True, an (`n_center * n_offset, self.shape...`) *ndarray*, thus a single numpy array is returned containing each patch. If False, a list of *Image* objects is returned representing each patch.

**Returns** *patches* (*list* or *ndarray*) – Returns the extracted patches. Returns a list if `as_single_array=True` and an *ndarray* if `as_single_array=False`.

**Raises** *ValueError* – If image is not 2D

**extract\_patches\_around\_landmarks** (*group=None, label=None, patch\_size=(16, 16), sample\_offsets=None, as\_single\_array=False*)

Extract patches around landmarks existing on this image. Provided the group label and optionally the landmark label extract a set of patches.

See *extract\_patches* for more information.

Currently only 2D images are supported.

#### Parameters

- **group** (*str* or *None* optional) – The landmark group to use as patch centres.
- **label** (*str* or *None* optional) – The landmark label within the group to use as centres.
- **patch\_size** (*tuple* or *ndarray*, optional) – The size of the patch to extract
- **sample\_offsets** (*PointCloud*, optional) – The offsets to sample from within a patch. So (0,0) is the centre of the patch (no offset) and (1, 0) would be sampling the patch from 1 pixel up the first axis away from the centre.
- **as\_single\_array** (*bool*, optional) – If True, an (`n_center * n_offset, self.shape...`) *ndarray*, thus a single numpy array is returned containing each patch. If False, a list of *Image* objects is returned representing each patch.

**Returns** *patches* (*list* or *ndarray*) – Returns the extracted patches. Returns a list if `as_single_array=True` and an *ndarray* if `as_single_array=False`.

**Raises** *ValueError* – If image is not 2D

**false\_indices** ()

The indices of pixels that are False.

**Type** (`n_dims, n_false`) *ndarray*

**from\_vector** (*vector, copy=True*)

Takes a flattened vector and returns a new *BooleanImage* formed by reshaping the vector to the correct dimensions. Note that this is rebuilding a boolean image **itself** from boolean values. The mask is in no way interpreted in performing the operation, in contrast to *MaskedImage*, where only the masked region is used in *from\_vector* () and `:meth'as_vector'`. Any image landmarks are transferred in the process.

#### Parameters

- vector** ((n\_pixels,) bool ndarray) – A flattened vector of all the pixels of a *BooleanImage*.

- copy** (bool, optional) – If False, no copy of the vector will be taken.

**Returns**image (*BooleanImage*) – New BooleanImage of same shape as this image

**Raises**Warning – If copy=False cannot be honored.

**from\_vector\_inplace** (vector, copy=True)

Takes a flattened vector and update this image by reshaping the vector to the correct dimensions.

**Parameters**

- vector** ((n\_pixels,) bool ndarray) – A vector vector of all the pixels of a *BooleanImage*.

- copy** (bool, optional) – If False, the vector will be set as the pixels. If True, a copy of the vector is taken.

**Raises**Warning – If copy=False flag cannot be honored

---

**Note:** For *BooleanImage* this is rebuilding a boolean image **itself** from boolean values. The mask is in no way interpreted in performing the operation, in contrast to *MaskedImage*, where only the masked region is used in *from\_vector\_inplace()* and *as\_vector()*.

---

**gaussian\_pyramid** (n\_levels=3, downscale=2, sigma=None)

Return the gaussian pyramid of this image. The first image of the pyramid will be the original, unmodified, image, and counts as level 1.

**Parameters**

- n\_levels** (int, optional) – Total number of levels in the pyramid, including the original unmodified image

- downscale** (float, optional) – Downscale factor.

- sigma** (float, optional) – Sigma for gaussian filter. Default is downscale / 3. which corresponds to a filter mask twice the size of the scale factor that covers more than 99% of the gaussian distribution.

**Yields**image\_pyramid (generator) – Generator yielding pyramid layers as *Image* objects.

**gradient** (\*\*kwargs)

Returns an *Image* which is the gradient of this one. In the case of multiple channels, it returns the gradient over each axis over each channel as a flat *list*. Take care to note the ordering of the returned gradient (the gradient over each spatial dimension is taken over each channel).

The first axis of the gradient of a 2D, 3-channel image, will have length 6, the ordering being  $I[:, 0, 0] = [R0\_y, G0\_y, B0\_y, R0\_x, G0\_x, B0\_x]$ . To be clear, all the y-gradients are returned over each channel, then all the x-gradients.

**Returns**gradient (*Image*) – The gradient over each axis over each channel. Therefore, the gradient of a 2D, single channel image, will have length 2. The length of a 2D, 3-channel image, will have length 6.

**has\_nan\_values** ()

Tests if the vectorized form of the object contains nan values or not. This is particularly useful for objects with unknown values that have been mapped to nan values.

**Returns**has\_nan\_values (bool) – If the vectorized object contains nan values.

**indices** ()

Return the indices of all pixels in this image.

**Type**(n\_dims, n\_pixels) ndarray

**classmethod init\_blank** (shape, fill=True, round='ceil', \*\*kwargs)

Returns a blank *BooleanImage* of the requested shape

**Parameters**

- shape** (tuple or list) – The shape of the image. Any floating point values are rounded according to the round kwarg.

- fill** (*bool*, optional) – The mask value to be set everywhere.
- round** ({*ceil*, *floor*, *round*}, optional) – Rounding function to be applied to floating point shapes.

**Returns**`blank_image` (*BooleanImage*) – A blank mask of the requested size

**invert** ()

Returns a copy of this boolean image, which is inverted.

**Returns**`inverted` (*BooleanImage*) – A copy of this boolean mask, where all `True` values are `False` and all `False` values are `True`.

**invert\_inplace** ()

Inverts this Boolean Image inplace.

**n\_false** ()

The number of `False` values in the mask.

**Type**`int`

**n\_true** ()

The number of `True` values in the mask.

**Type**`int`

**normalize\_norm\_inplace** (*mode*=`'all'`, *\*\*kwargs*)

Normalizes this image such that its pixel values have zero mean and its norm equals 1.

**Parameters**`mode` ({*all*, *per\_channel*}, optional) – If *all*, the normalization is over all channels. If *per\_channel*, each channel individually is mean centred and normalized in variance.

**normalize\_std\_inplace** (*mode*=`'all'`, *\*\*kwargs*)

Normalizes this image such that its pixel values have zero mean and unit variance.

**Parameters**`mode` ({*all*, *per\_channel*}, optional) – If *all*, the normalization is over all channels. If *per\_channel*, each channel individually is mean centred and normalized in variance.

**proportion\_false** ()

The proportion of the mask which is `False`

**Type**`float`

**proportion\_true** ()

The proportion of the mask which is `True`.

**Type**`float`

**pyramid** (*n\_levels*=3, *downscale*=2)

Return a rescaled pyramid of this image. The first image of the pyramid will be the original, unmodified, image, and counts as level 1.

**Parameters**

- n\_levels** (*int*, optional) – Total number of levels in the pyramid, including the original unmodified image
- downscale** (*float*, optional) – Downscale factor.

**Yields**`image_pyramid` (*generator*) – Generator yielding pyramid layers as *Image* objects.

**rescale** (*scale*, *round*=`'ceil'`, *order*=1)

Return a copy of this image, rescaled by a given factor. Landmarks are rescaled appropriately.

**Parameters**

- scale** (*float* or *tuple of floats*) – The scale factor. If a tuple, the scale to apply to each dimension. If a single *float*, the scale will be applied uniformly across each dimension.
- round** ({*ceil*, *floor*, *round*}, optional) – Rounding function to be applied to floating point shapes.

- order** (*int*, optional) – The order of interpolation. The order has to be in the range [0,5]

Order	Interpolation
0	Nearest-neighbor
1	Bi-linear ( <i>default</i> )
2	Bi-quadratic
3	Bi-cubic
4	Bi-quartic
5	Bi-quintic

**Returns**`rescaled_image` (`type(self)`) – A copy of this image, rescaled.

**Raises**`ValueError` – If less scales than dimensions are provided. If any scale is less than or equal to 0.

**rescale\_landmarks\_to\_diagonal\_range** (*diagonal\_range*, *group=None*, *label=None*, *round='ceil'*, *order=1*)

Return a copy of this image, rescaled so that the `diagonal_range` of the bounding box containing its landmarks matches the specified `diagonal_range` range.

#### Parameters

- diagonal\_range** ((*n\_dims*,) *ndarray*) – The `diagonal_range` range that we want the landmarks of the returned image to have.
- group** (*str*, optional) – The key of the landmark set that should be used. If `None` and if there is only one set of landmarks, this set will be used.
- label** (*str*, optional) – The label of of the landmark manager that you wish to use. If `None` all landmarks in the group are used.
- round** ({*ceil*, *floor*, *round*}, optional) – Rounding function to be applied to floating point shapes.
- order** (*int*, optional) – The order of interpolation. The order has to be in the range [0,5]

Order	Interpolation
0	Nearest-neighbor
1	Bi-linear ( <i>default</i> )
2	Bi-quadratic
3	Bi-cubic
4	Bi-quartic
5	Bi-quintic

**Returns**`rescaled_image` (`type(self)`) – A copy of this image, rescaled.

**rescale\_pixels** (*minimum*, *maximum*, *per\_channel=True*)

A copy of this image with pixels linearly rescaled to fit a range.

Note that the only pixels that will considered and rescaled are those that feature in the vectorized form of this image. If you want to use this routine on all the pixels in a `MaskedImage`, consider using `as_unmasked()` prior to this call.

#### Parameters

- minimum** (*float*) – The minimal value of the rescaled pixels
- maximum** (*float*) – The maximal value of the rescaled pixels
- per\_channel** (*boolean*, optional) – If `True`, each channel will be rescaled independently. If `False`, the scaling will be over all channels.

**Returns**`rescaled_image` (`type(self)`) – A copy of this image with pixels linearly rescaled to fit in the range provided.

**rescale\_to\_diagonal** (*diagonal*, *round='ceil'*)

Return a copy of this image, rescaled so that the it's diagonal is a new size.

#### Parameters

- diagonal** (*int*) – The diagonal size of the new image.

- round** ({*ceil*, *floor*, *round*}, optional) – Rounding function to be applied to floating point shapes.

**Returns** `rescaled_image` (*type(self)*) – A copy of this image, rescaled.

**rescale\_to\_reference\_shape** (*reference\_shape*, *group=None*, *label=None*, *round='ceil'*, *order=1*)

Return a copy of this image, rescaled so that the scale of a particular group of landmarks matches the scale of the passed reference landmarks.

#### Parameters

- reference\_shape** (*PointCloud*) – The reference shape to which the landmarks scale will be matched against.
- group** (*str*, optional) – The key of the landmark set that should be used. If *None*, and if there is only one set of landmarks, this set will be used.
- label** (*str*, optional) – The label of of the landmark manager that you wish to use. If *None* all landmarks in the group are used.
- round** ({*ceil*, *floor*, *round*}, optional) – Rounding function to be applied to floating point shapes.
- order** (*int*, optional) – The order of interpolation. The order has to be in the range [0,5]

Order	Interpolation
0	Nearest-neighbor
1	Bi-linear ( <i>default</i> )
2	Bi-quadratic
3	Bi-cubic
4	Bi-quartic
5	Bi-quintic

**Returns** `rescaled_image` (*type(self)*) – A copy of this image, rescaled.

**resize** (*shape*, *order=1*)

Return a copy of this image, resized to a particular shape. All image information (landmarks, and mask in the case of *MaskedImage*) is resized appropriately.

#### Parameters

- shape** (*tuple*) – The new shape to resize to.
- order** (*int*, optional) – The order of interpolation. The order has to be in the range [0,5]

Order	Interpolation
0	Nearest-neighbor
1	Bi-linear ( <i>default</i> )
2	Bi-quadratic
3	Bi-cubic
4	Bi-quartic
5	Bi-quintic

**Returns** `resized_image` (*type(self)*) – A copy of this image, resized.

**Raises** `ValueError` – If the number of dimensions of the new shape does not match the number of dimensions of the image.

**rolled\_channels** ()

Returns the pixels matrix, with the channels rolled to the back axis. This may be required for interacting with external code bases that require images to have channels as the last axis, rather than the menpo convention of channels as the first axis.

**Returns** `rolled_channels` (*ndarray*) – Pixels with channels as the back (last) axis.

**rotate\_ccw\_about\_centre** (*theta*, *degrees=True*, *cval=0.0*)

Return a rotation of this image clockwise about its centre.

#### Parameters



- theta** (*float*) – The angle of rotation about the origin.
- degrees** (*bool*, optional) – If `True`, *theta* is interpreted as a degree. If `False`, *theta* is interpreted as radians.
- cval** (*float*, optional) – The value to be set outside the rotated image boundaries.

**Returns** `rotated_image` (`type(self)`) – The rotated image.

**sample** (*points\_to\_sample*, *mode*='constant', *cval*=`False`, *\*\*kwargs*)

Sample this image at the given sub-pixel accurate points. The input `PointCloud` should have the same number of dimensions as the image e.g. a 2D `PointCloud` for a 2D multi-channel image. A numpy array will be returned has the values for every given point across each channel of the image.

**Parameters**

- points\_to\_sample** (*PointCloud*) – Array of points to sample from the image. Should be (*n\_points*, *n\_dims*)
- mode** (`{constant, nearest, reflect, wrap}`, optional) – Points outside the boundaries of the input are filled according to the given mode.
- cval** (*float*, optional) – Used in conjunction with mode `constant`, the value outside the image boundaries.

**Returns** `sampled_pixels` ((*n\_points*, *n\_channels*) *bool ndarray*) – The interpolated values taken across every channel of the image.

**true\_indices** ()

The indices of pixels that are `True`.

**Type** (*n\_dims*, *n\_true*) *ndarray*

**view\_widget** (*browser\_style*='buttons', *figure\_size*=(10, 8), *style*='coloured')

Visualizes the image object using the `visualize_images` widget. Currently only supports the rendering of 2D images.

**Parameters**

- browser\_style** (`{'buttons', 'slider'}`, optional) – It defines whether the selector of the images will have the form of plus/minus buttons or a slider.
- figure\_size** ((*int*, *int*), optional) – The initial size of the rendered figure.
- style** (`{'coloured', 'minimal'}`, optional) – If `'coloured'`, then the style of the widget will be coloured. If `minimal`, then the style is simple using black and white colours.

**warp\_to\_mask** (*template\_mask*, *transform*, *warp\_landmarks*=`True`, *mode*='constant', *cval*=`False`, *batch\_size*=`None`)

Return a copy of this `BooleanImage` warped into a different reference space.

Note that warping into a mask is slower than warping into a full image. If you don't need a non-linear mask, consider `warp_to_shape` instead.

**Parameters**

- template\_mask** (*BooleanImage*) – Defines the shape of the result, and what pixels should be sampled.
- transform** (*Transform*) – Transform from the template space back to this image. Defines, for each pixel location on the template, which pixel location should be sampled from on this image.
- warp\_landmarks** (*bool*, optional) – If `True`, result will have the same landmark dictionary as self, but with each landmark updated to the warped position.
- mode** (`{constant, nearest, reflect or wrap}`, optional) – Points outside the boundaries of the input are filled according to the given mode.
- cval** (*float*, optional) – Used in conjunction with mode `constant`, the value outside the image boundaries.
- batch\_size** (*int* or `None`, optional) – This should only be considered for large images. Setting this value can cause warping to become much slower, particular for cached warps such as Piecewise Affine. This size indicates how many points



in the image should be warped at a time, which keeps memory usage low. If `None`, no batching is used and all points are warped at once.

**Returns**`warped_image` (*BooleanImage*) – A copy of this image, warped.

**warp\_to\_shape** (*template\_shape*, *transform*, *warp\_landmarks=True*, *mode='constant'*, *cval=False*, *order=None*, *batch\_size=None*)

Return a copy of this *BooleanImage* warped into a different reference space.

Note that the `order` keyword argument is in fact ignored, as any order other than 0 makes no sense on a binary image. The keyword argument is present only for compatibility with the *Image* `warp_to_shape` API.

#### Parameters

- **template\_shape** ((*n\_dims*, ) *tuple* or *ndarray*) – Defines the shape of the result, and what pixel indices should be sampled (all of them).
- **transform** (*Transform*) – Transform **from the template\_shape space back to this image**. Defines, for each index on `template_shape`, which pixel location should be sampled from on this image.
- **warp\_landmarks** (*bool*, optional) – If `True`, result will have the same landmark dictionary as self, but with each landmark updated to the warped position.
- **mode** ({`constant`, `nearest`, `reflect` or `wrap`}, optional) – Points outside the boundaries of the input are filled according to the given mode.
- **cval** (*float*, optional) – Used in conjunction with mode `constant`, the value outside the image boundaries.
- **batch\_size** (*int* or `None`, optional) – This should only be considered for large images. Setting this value can cause warping to become much slower, particular for cached warps such as `Piecewise Affine`. This size indicates how many points in the image should be warped at a time, which keeps memory usage low. If `None`, no batching is used and all points are warped at once.

**Returns**`warped_image` (*BooleanImage*) – A copy of this image, warped.

**zoom** (*scale*, *cval=0.0*)

Zoom this image about the centre point. `scale` values greater than 1.0 denote zooming **in** to the image and values less than 1.0 denote zooming **out** of the image. The size of the image will not change, if you wish to scale an image, please see `rescale()`.

#### Parameters

- **scale** (*float*) – `scale > 1.0` denotes zooming in. Thus the image will appear larger and areas at the edge of the zoom will be ‘cropped’ out. `scale < 1.0` denotes zooming out. The image will be padded by the value of `cval`.
- **cval** (*float*, optional) – The value to be set outside the rotated image boundaries.

**has\_landmarks**

Whether the object has landmarks.

**Type***bool*

**has\_landmarks\_outside\_bounds**

Indicates whether there are landmarks located outside the image bounds.

**Type***bool*

**height**

The height of the image.

This is the height according to image semantics, and is thus the size of the **second to last** dimension.

**Type***int*

**landmarks**

The landmarks object.

**Type***LandmarkManager*

**mask**

Returns the pixels of the mask with no channel axis. This is what should be used to mask any  $k$ -dimensional image.

**Type**  $(M, N, \dots, L)$ , *bool ndarray*

**n\_channels**

The number of channels on each pixel in the image.

**Type** *int*

**n\_dims**

The number of dimensions in the image. The minimum possible `n_dims` is 2.

**Type** *int*

**n\_elements**

Total number of data points in the image (`prod(shape), n_channels`)

**Type** *int*

**n\_landmark\_groups**

The number of landmark groups on this object.

**Type** *int*

**n\_parameters**

The length of the vector that this object produces.

**Type** *int*

**n\_pixels**

Total number of pixels in the image (`prod(shape),` )

**Type** *int*

**shape**

The shape of the image (with `n_channel` values at each point).

**Type** *tuple*

**width**

The width of the image.

This is the width according to image semantics, and is thus the size of the **last** dimension.

**Type** *int*

## MaskedImage

**class** `menpo.image.MaskedImage` (*image\_data*, *mask=None*, *copy=True*)

Bases: `Image`

Represents an  $n$ -dimensional  $k$ -channel image, which has a mask. Images can be masked in order to identify a region of interest. All images implicitly have a mask that is defined as the the entire image. The mask is an instance of *BooleanImage*.

**Parameters**

- **image\_data** ( $(C, M, N \dots, Q)$  *ndarray*) – The pixel data for the image, where the first axis represents the number of channels.
- **mask** ( $(M, N)$  *bool ndarray* or *BooleanImage*, optional) – A binary array representing the mask. Must be the same shape as the image. Only one mask is supported for an image (so the mask is applied to every channel equally).
- **copy** (*bool*, optional) – If `False`, the `image_data` will not be copied on assignment. If a mask is provided, this also won't be copied. In general this should only be used if you know what you are doing.

**Raises** `ValueError` – Mask is not the same shape as the image

```
_view_2d(figure_id=None, new_figure=False, channels=None, masked=True, interpolation='bilinear', cmap_name=None, alpha=1.0, render_axes=False, axes_font_name='sans-serif', axes_font_size=10, axes_font_style='normal', axes_font_weight='normal', axes_x_limits=None, axes_y_limits=None, figure_size=(10, 8))
```

View the image using the default image viewer. This method will appear on the Image as `view` if the Image is 2D.

#### Returns

- **figure\_id** (*object*, optional) – The id of the figure to be used.
- **new\_figure** (*bool*, optional) – If `True`, a new figure is created.
- **channels** (*int* or *list* of *int* or `all` or `None`) – If *int* or *list* of *int*, the specified channel(s) will be rendered. If `all`, all the channels will be rendered in subplots. If `None` and the image is RGB, it will be rendered in RGB mode. If `None` and the image is not RGB, it is equivalent to `all`.
- **masked** (*bool*, optional) – If `True`, only the masked pixels will be rendered.
- **interpolation** (*See Below*, optional) – The interpolation used to render the image. For example, if `bilinear`, the image will be smooth and if `nearest`, the image will be pixelated. Example options

```
{none, nearest, bilinear, bicubic, spline16, spline36,
hanning, hamming, hermite, kaiser, quadric, catrom, gaussian,
bessel, mitchell, sinc, lanczos}
```

- **cmap\_name** (*str*, optional,) – If `None`, single channel and three channel images default to greyscale and `rgb` colormaps respectively.
- **alpha** (*float*, optional) – The alpha blending value, between 0 (transparent) and 1 (opaque).
- **render\_axes** (*bool*, optional) – If `True`, the axes will be rendered.
- **axes\_font\_name** (*See Below*, optional) – The font of the axes. Example options

```
{serif, sans-serif, cursive, fantasy, monospace}
```

- **axes\_font\_size** (*int*, optional) – The font size of the axes.
- **axes\_font\_style** (`{normal, italic, oblique}`, optional) – The font style of the axes.
- **axes\_font\_weight** (*See Below*, optional) – The font weight of the axes. Example options

```
{ultralight, light, normal, regular, book, medium, roman,
semibold, demibold, demi, bold, heavy, extra bold, black}
```

- **axes\_x\_limits** (*(float, float) tuple* or `None`, optional) – The limits of the x axis.
- **axes\_y\_limits** (*(float, float) tuple* or `None`, optional) – The limits of the y axis.
- **figure\_size** (*(float, float) tuple* or `None`, optional) – The size of the figure in inches.

**Raises**`ValueError` – If Image is not 2D

```
_view_landmarks_2d(channels=None, masked=True, group=None, with_labels=None,
without_labels=None, figure_id=None, new_figure=False, interpolation=
'bilinear', cmap_name=None, alpha=1.0, render_lines=True, line_colour=
None, line_style='-', line_width=1, render_markers=True, marker_style=
'o', marker_size=20, marker_face_colour=None, marker_edge_colour=None,
marker_edge_width=1.0, render_numbering=False, numbers_horizontal_align=
'center', numbers_vertical_align='bottom', numbers_font_name='sans-serif',
numbers_font_size=10, numbers_font_style='normal', numbers_font_weight=
'normal', numbers_font_colour='k', render_legend=False, legend_title='',
legend_font_name='sans-serif', legend_font_style='normal', legend_font_size=
10, legend_font_weight='normal', legend_marker_scale=None, legend_location=
2, legend_bbox_to_anchor=(1.05, 1.0), legend_border_axes_pad=None,
legend_n_columns=1, legend_horizontal_spacing=None, legend_vertical_spacing=
None, legend_border=True, legend_border_padding=None, legend_shadow=False,
legend_rounded_corners=False, render_axes=False, axes_font_name='sans-serif',
axes_font_size=10, axes_font_style='normal', axes_font_weight='normal',
axes_x_limits=None, axes_y_limits=None, figure_size=(10, 8))
```

Visualize the landmarks. This method will appear on the Image as `view_landmarks` if the Image is 2D.

#### Parameters

- **channels** (*int* or *list* of *int* or *all* or *None*) – If *int* or *list* of *int*, the specified channel(s) will be rendered. If *all*, all the channels will be rendered in subplots. If *None* and the image is RGB, it will be rendered in RGB mode. If *None* and the image is not RGB, it is equivalent to *all*.
- **masked** (*bool*, optional) – If *True*, only the masked pixels will be rendered.
- **group** (*str* or “None” optionals) – The landmark group to be visualized. If *None* and there are more than one landmark groups, an error is raised.
- **with\_labels** (*None* or *str* or *list* of *str*, optional) – If not *None*, only show the given label(s). Should **not** be used with the `without_labels` kwarg.
- **without\_labels** (*None* or *str* or *list* of *str*, optional) – If not *None*, show all except the given label(s). Should **not** be used with the `with_labels` kwarg.
- **figure\_id** (*object*, optional) – The id of the figure to be used.
- **new\_figure** (*bool*, optional) – If *True*, a new figure is created.
- **interpolation** (*See Below*, optional) – The interpolation used to render the image. For example, if *bilinear*, the image will be smooth and if *nearest*, the image will be pixelated. Example options

```
{none, nearest, bilinear, bicubic, spline16, spline36, hanning,
hamming, hermite, kaiser, quadric, catrom, gaussian, bessel,
mitchell, sinc, lanczos}
```

- **cmap\_name** (*str*, optional,) – If *None*, single channel and three channel images default to greyscale and *rgb* colormaps respectively.
- **alpha** (*float*, optional) – The alpha blending value, between 0 (transparent) and 1 (opaque).
- **render\_lines** (*bool*, optional) – If *True*, the edges will be rendered.
- **line\_colour** (*See Below*, optional) – The colour of the lines. Example options:

```
{r, g, b, c, m, k, w}
or
```

```
(3, ) ndarray
```

- **line\_style** ({`-`, `--`, `-.`, `:`}, optional) – The style of the lines.
- **line\_width** (*float*, optional) – The width of the lines.
- **render\_markers** (*bool*, optional) – If `True`, the markers will be rendered.
- **marker\_style** (*See Below, optional*) – The style of the markers. Example options

```
{., ,, o, v, ^, <, >, +, x, D, d, s, p, *, h, H, 1, 2, 3, 4, 8}
```

- **marker\_size** (*int*, optional) – The size of the markers in points<sup>2</sup>.
- **marker\_face\_colour** (*See Below, optional*) – The face (filling) colour of the markers. Example options

```
{r, g, b, c, m, k, w}  
or  
(3, ) ndarray
```

- **marker\_edge\_colour** (*See Below, optional*) – The edge colour of the markers. Example options

```
{r, g, b, c, m, k, w}  
or  
(3, ) ndarray
```

- **marker\_edge\_width** (*float*, optional) – The width of the markers' edge.
- **render\_numbering** (*bool*, optional) – If `True`, the landmarks will be numbered.
- **numbers\_horizontal\_align** ({`center`, `right`, `left`}, optional) – The horizontal alignment of the numbers' texts.
- **numbers\_vertical\_align** ({`center`, `top`, `bottom`, `baseline`}, optional) – The vertical alignment of the numbers' texts.
- **numbers\_font\_name** (*See Below, optional*) – The font of the numbers. Example options

```
{serif, sans-serif, cursive, fantasy, monospace}
```

- **numbers\_font\_size** (*int*, optional) – The font size of the numbers.
- **numbers\_font\_style** ({`normal`, `italic`, `oblique`}, optional) – The font style of the numbers.
- **numbers\_font\_weight** (*See Below, optional*) – The font weight of the numbers. Example options

```
{ultralight, light, normal, regular, book, medium, roman,  
semibold, demibold, demi, bold, heavy, extra bold, black}
```

- **numbers\_font\_colour** (*See Below, optional*) – The font colour of the numbers. Example options

```
{r, g, b, c, m, k, w}  
or  
(3, ) ndarray
```

- **render\_legend** (*bool*, optional) – If `True`, the legend will be rendered.
- **legend\_title** (*str*, optional) – The title of the legend.
- **legend\_font\_name** (*See below, optional*) – The font of the legend. Example options

`{serif, sans-serif, cursive, fantasy, monospace}`

- **legend\_font\_style** (`{normal, italic, oblique}`, optional) – The font style of the legend.
- **legend\_font\_size** (*int*, optional) – The font size of the legend.
- **legend\_font\_weight** (*See Below, optional*) – The font weight of the legend. Example options

`{ultralight, light, normal, regular, book, medium, roman, semibold, demibold, demi, bold, heavy, extra bold, black}`

- **legend\_marker\_scale** (*float*, optional) – The relative size of the legend markers with respect to the original
- **legend\_location** (*int*, optional) – The location of the legend. The predefined values are:

'best'	0
'upper right'	1
'upper left'	2
'lower left'	3
'lower right'	4
'right'	5
'center left'	6
'center right'	7
'lower center'	8
'upper center'	9
'center'	10

- **legend\_bbox\_to\_anchor** (*(float, float) tuple*, optional) – The bbox that the legend will be anchored.
- **legend\_border\_axes\_pad** (*float*, optional) – The pad between the axes and legend border.
- **legend\_n\_columns** (*int*, optional) – The number of the legend's columns.
- **legend\_horizontal\_spacing** (*float*, optional) – The spacing between the columns.
- **legend\_vertical\_spacing** (*float*, optional) – The vertical space between the legend entries.
- **legend\_border** (*bool*, optional) – If `True`, a frame will be drawn around the legend.
- **legend\_border\_padding** (*float*, optional) – The fractional whitespace inside the legend border.
- **legend\_shadow** (*bool*, optional) – If `True`, a shadow will be drawn behind legend.
- **legend\_rounded\_corners** (*bool*, optional) – If `True`, the frame's corners will be rounded (`fancybox`).
- **render\_axes** (*bool*, optional) – If `True`, the axes will be rendered.
- **axes\_font\_name** (*See Below, optional*) – The font of the axes. Example options

`{serif, sans-serif, cursive, fantasy, monospace}`

- **axes\_font\_size** (*int*, optional) – The font size of the axes.
- **axes\_font\_style** (`{normal, italic, oblique}`, optional) – The font style of the axes.
- **axes\_font\_weight** (*See Below, optional*) – The font weight of the axes. Example options

```
{ultralight, light, normal, regular, book, medium, roman,
semibold, demibold, demi, bold, heavy, extra bold, black}
```

- **axes\_x\_limits** ((float, float) tuple or None optional) – The limits of the x axis.
- **axes\_y\_limits** ((float, float) tuple or None optional) – The limits of the y axis.
- **figure\_size** ((float, float) tuple or None optional) – The size of the figure in inches.

#### Raises

- **ValueError** – If both `with_labels` and `without_labels` are passed.
- **ValueError** – If the landmark manager doesn't contain the provided group label.

#### **as\_PILImage()**

Return a PIL copy of the image. Depending on the image data type, different operations are performed:

dtype	Processing
uint8	No processing, directly converted to PIL
bool	Scale by 255, convert to uint8
float32	Scale by 255, convert to uint8
float64	Scale by 255, convert to uint8
OTHER	Raise ValueError

Image must only have 1 or 3 channels and be 2 dimensional. Non *uint8* images must be in the range `[0, 1]` to be converted.

**Returns** `spil_image` (*PILImage*) – PIL copy of image

#### Raises

- **ValueError** – If image is not 2D and 1 channel or 3 channels.
- **ValueError** – If pixels data type is not *float32*, *float64*, *bool* or *uint8*
- **ValueError** – If pixels data type is *float32* or *float64* and the pixel range is outside of `[0, 1]`

#### **as\_greyscale(mode='luminosity', channel=None)**

Returns a greyscale version of the image. If the image does *not* represent a 2D RGB image, then the `luminosity` mode will fail.

#### Parameters

• **mode** ({average, luminosity, channel}, optional) –

mode	Greyscale Algorithm
average	Equal average of all channels
luminosity	Calculates the luminance using the CCIR 601 formula:
	$Y' = 0.2989R' + 0.5870G' + 0.1140B'$
channel	A specific channel is chosen as the intensity value.

• **channel** (int, optional) – The channel to be taken. Only used if mode is `channel`.

**Returns** `greyscale_image` (*MaskedImage*) – A copy of this image in greyscale.

#### **as\_histogram(keep\_channels=True, bins='unique')**

Histogram binning of the values of this image.

#### Parameters

- **keep\_channels** (*bool*, optional) – If set to `False`, it returns a single histogram for all the channels of the image. If set to `True`, it returns a *list* of histograms, one for each channel.
- **bins** (`{unique}`, positive *int* or sequence of scalars, optional) – If set equal to `'unique'`, the bins of the histograms are centred on the unique values of each channel. If set equal to a positive *int*, then this is the number of bins. If set equal to a sequence of scalars, these will be used as bins centres.

#### Returns

- **hist** (*ndarray* or *list* with *n\_channels* *ndarrays* inside) – The histogram(s). If `keep_channels=False`, then `hist` is an *ndarray*. If `keep_channels=True`, then `hist` is a *list* with `len(hist)=n_channels`.
- **bin\_edges** (*ndarray* or *list* with *n\_channels* *ndarrays* inside) – An array or a list of arrays corresponding to the above histograms that store the bins' edges.

**Raises** `ValueError` – Bins can be either `'unique'`, positive *int* or a sequence of scalars.

---

#### Examples

Visualizing the histogram when a list of array bin edges is provided:

```
>>> hist, bin_edges = image.as_histogram()
>>> for k in range(len(hist)):
>>>     plt.subplot(1, len(hist), k)
>>>     width = 0.7 * (bin_edges[k][1] - bin_edges[k][0])
>>>     centre = (bin_edges[k][:1] + bin_edges[k][1:]) / 2
>>>     plt.bar(centre, hist[k], align='center', width=width)
```

---

**as\_masked** (*mask=None*, *copy=True*)

Return a copy of this image with an attached mask behavior.

A custom mask may be provided, or `None`. See the [MaskedImage](#) constructor for details of how the kwargs will be handled.

#### Parameters

- **mask** (`((self.shape) ndarray` or `BooleanImage)` – A mask to attach to the newly generated masked image.
- **copy** (*bool*, optional) – If `False`, the produced [MaskedImage](#) will share pixels with `self`. Only suggested to be used for performance.

**Returns** `masked_image` ([MaskedImage](#)) – An image with the same pixels and landmarks as this one, but with a mask.

**as\_unmasked** (*copy=True*, *fill=None*)

Return a copy of this image without the masking behavior.

By default the mask is simply discarded. However, there is an optional kwarg, `fill`, that can be set which will fill the **non-masked** areas with the given value.

#### Parameters

- **copy** (*bool*, optional) – If `False`, the produced [Image](#) will share pixels with `self`. Only suggested to be used for performance.
- **fill** (*float* or `None`, optional) – If `None` the mask is simply discarded. If a number, the *unmasked* regions are filled with the given value.

**Returns** `image` ([Image](#)) – An image with the same pixels and landmarks as this one, but with no mask.

**as\_vector** (*\*\*kwargs*)

Returns a flattened representation of the object as a single vector.

**Returns** `vector` (`((N,) ndarray)`) – The core representation of the object, flattened into a single vector. Note that this is always a view back on to the original object, but is not writable.



**build\_mask\_around\_landmarks** (*patch\_size*, *group=None*, *label=None*)

Restricts this images mask to be patches around each landmark in the chosen landmark group. This is useful for visualizing patch based methods.

**Parameters**

- **patch\_shape** (*tuple*) – The size of the patch. Any floating point values are rounded up to the nearest integer.
- **group** (*str*, optional) – The key of the landmark set that should be used. If *None*, and if there is only one set of landmarks, this set will be used.
- **label** (*str*, optional) – The label of of the landmark manager that you wish to use. If no label is passed, the convex hull of all landmarks is used.

**centre** ()

The geometric centre of the Image - the subpixel that is in the middle.

Useful for aligning shapes and images.

**Type**(*n\_dims*,) *ndarray*

**constrain\_landmarks\_to\_bounds** ()

Move landmarks that are located outside the image bounds on the bounds.

**constrain\_mask\_to\_landmarks** (*group=None*, *label=None*, *batch\_size=None*,  
*point\_in\_pointcloud='pwa'*, *trilist=None*)

Restricts this mask to be equal to the convex hull around the chosen landmarks.

The choice of whether a pixel is inside or outside of the pointcloud is determined by the *point\_in\_pointcloud* parameter. By default a Piecewise Affine transform is used to test for containment, which is useful when building efficiently aligning images. For large images, a faster and pixel-accurate method can be used ('convex\_hull'). Alternatively, a callable can be provided to override the test. By default, the provided implementations are only valid for 2D images.

**Parameters**

- **group** (*str*, optional) – The key of the landmark set that should be used. If *None*, and if there is only one set of landmarks, this set will be used.
- **label** (*str*, optional) – The label of of the landmark manager that you wish to use. If no label is passed, the convex hull of all landmarks is used.
- **batch\_size** (*int* or *None*, optional) – This should only be considered for large images. Setting this value will cause constraining to become much slower. This size indicates how many points in the image should be checked at a time, which keeps memory usage low. If *None*, no batching is used and all points are checked at once. By default, this is only used for the 'pwa' *point\_in\_pointcloud* choice.
- **point\_in\_pointcloud** ({'pwa', 'convex\_hull'} or *callable*) – The method used to check if pixels in the image fall inside the pointcloud or not. Can be accurate to a Piecewise Affine transform, a pixel accurate convex hull or any arbitrary callable. If a callable is passed, it should take two parameters, the *PointCloud* to constrain with and the pixel locations ((*d*, *n\_dims*) *ndarray*) to test and should return a (*d*, 1) boolean *ndarray* of whether the pixels were inside (True) or outside (False) of the *PointCloud*.
- **trilist** ((*t*, 3) *ndarray*, optional) – Deprecated. Please provide a Trimesh instead of relying on this parameter.

**constrain\_points\_to\_bounds** (*points*)

Constrains the points provided to be within the bounds of this image.

**Parameters***points* ((*d*,) *ndarray*) – Points to be snapped to the image boundaries.

**Returns***bounded\_points* ((*d*,) *ndarray*) – Points snapped to not stray outside the image edges.

**copy** ()

Generate an efficient copy of this object.

Note that Numpy arrays and other *Copyable* objects on `self` will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).

Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Return**`type(self)` – A copy of this object

**crop** (*min\_indices, max\_indices, constrain\_to\_boundary=False*)

Return a cropped copy of this image using the given minimum and maximum indices. Landmarks are correctly adjusted so they maintain their position relative to the newly cropped image.

**Parameters**

- **min\_indices** ((*n\_dims*,) *ndarray*) – The minimum index over each dimension.
- **max\_indices** ((*n\_dims*,) *ndarray*) – The maximum index over each dimension.
- **constrain\_to\_boundary** (*bool*, optional) – If `True` the crop will be snapped to not go beyond this images boundary. If `False`, an *ImageBoundaryError* will be raised if an attempt is made to go beyond the edge of the image.

**Return**`cropped_image (type(self))` – A new instance of `self`, but cropped.

**Raises**

- *ValueError* – `min_indices` and `max_indices` both have to be of length `n_dims`. All `max_indices` must be greater than `min_indices`.
- *ImageBoundaryError* – Raised if `constrain_to_boundary=False`, and an attempt is made to crop the image in a way that violates the image bounds.

**crop\_inplace** (*\*args, \*\*kwargs*)

Deprecated: please use `crop()` instead.

**crop\_to\_landmarks** (*group=None, label=None, boundary=0, constrain\_to\_boundary=True*)

Return a copy of this image cropped so that it is bounded around a set of landmarks with an optional `n_pixel` boundary

**Parameters**

- **group** (*str*, optional) – The key of the landmark set that should be used. If `None` and if there is only one set of landmarks, this set will be used.
- **label** (*str*, optional) – The label of of the landmark manager that you wish to use. If `None` all landmarks in the group are used.
- **boundary** (*int*, optional) – An extra padding to be added all around the landmarks bounds.
- **constrain\_to\_boundary** (*bool*, optional) – If `True` the crop will be snapped to not go beyond this images boundary. If `False`, an `ImageBoundaryError` will be raised if an attempt is made to go beyond the edge of the image.

**Return**`image (Image)` – A copy of this image cropped to its landmarks.

**Raises***ImageBoundaryError* – Raised if `constrain_to_boundary=False`, and an attempt is made to crop the image in a way that violates the image bounds.

**crop\_to\_landmarks\_inplace** (*\*args, \*\*kwargs*)

Deprecated: please use `crop_to_landmarks()` instead.

**crop\_to\_landmarks\_proportion** (*boundary\_proportion, group=None, label=None, minimum=True, constrain\_to\_boundary=True*)

Crop this image to be bounded around a set of landmarks with a border proportional to the landmark spread or range.

**Parameters**

- **boundary\_proportion** (*float*) – Additional padding to be added all around the landmarks bounds defined as a proportion of the landmarks range. See the

minimum parameter for a definition of how the range is calculated.

- **group** (*str*, optional) – The key of the landmark set that should be used. If *None* and if there is only one set of landmarks, this set will be used.
- **label** (*str*, optional) – The label of of the landmark manager that you wish to use. If *None* all landmarks in the group are used.
- **minimum** (*bool*, optional) – If *True* the specified proportion is relative to the minimum value of the landmarks’ per-dimension range; if *False* w.r.t. the maximum value of the landmarks’ per-dimension range.
- **constrain\_to\_boundary** (*bool*, optional) – If *True*, the crop will be snapped to not go beyond this images boundary. If *False*, an *ImageBoundaryError* will be raised if an attempt is made to go beyond the edge of the image.

**Returns***image* (*Image*) – This image, cropped to its landmarks with a border proportional to the landmark spread or range.

**Raises***ImageBoundaryError* – Raised if *constrain\_to\_boundary=False*, and an attempt is made to crop the image in a way that violates the image bounds.

**crop\_to\_landmarks\_proportion\_inplace** (*\*args*, *\*\*kwargs*)

Deprecated: please use *crop\_to\_landmarks\_proportion()* instead.

**crop\_to\_true\_mask** (*boundary=0*, *constrain\_to\_boundary=True*)

Crop this image to be bounded just the *True* values of it’s mask.

**Parameters**

- **boundary** (*int*, optional) – An extra padding to be added all around the true mask region.
- **constrain\_to\_boundary** (*bool*, optional) – If *True* the crop will be snapped to not go beyond this images boundary. If *False*, an *ImageBoundaryError* will be raised if an attempt is made to go beyond the edge of the image. Note that is only possible if *boundary != 0*.

**Returns***cropped\_image* (*type(self)*) – A copy of this image, cropped to the true mask.

**Raises***ImageBoundaryError* – Raised if *constrain\_to\_boundary=False*, and an attempt is made to crop the image in a way that violates the image bounds.

**diagonal** ()

The diagonal size of this image

**Type***float*

**extract\_channels** (*channels*)

A copy of this image with only the specified channels.

**Parameters***channels* (*int* or *list*) – The channel index or *list* of channel indices to retain.

**Returns***image* (*type(self)*) – A copy of this image with only the channels requested.

**extract\_patches** (*patch\_centers*, *patch\_size=(16, 16)*, *sample\_offsets=None*, *as\_single\_array=False*)

Extract a set of patches from an image. Given a set of patch centers and a patch size, patches are extracted from within the image, centred on the given coordinates. Sample offsets denote a set of offsets to extract from within a patch. This is very useful if you want to extract a dense set of features around a set of landmarks and simply sample the same grid of patches around the landmarks.

If sample offsets are used, to access the offsets for each patch you need to slice the resulting list. So for 2 offsets, the first centers offset patches would be *patches[:2]*.

Currently only 2D images are supported.

**Parameters**

- **patch\_centers** (*PointCloud*) – The centers to extract patches around.
- **patch\_size** (*tuple* or *ndarray*, optional) – The size of the patch to extract
- **sample\_offsets** (*PointCloud*, optional) – The offsets to sample from within a patch. So (0, 0) is the centre of the patch (no offset) and (1, 0) would be

sampling the patch from 1 pixel up the first axis away from the centre.

- as\_single\_array** (*bool*, optional) – If *True*, an  $(n\_center * n\_offset, self.shape...)$  *ndarray*, thus a single numpy array is returned containing each patch. If *False*, a list of *Image* objects is returned representing each patch.

**Returns***patches* (*list* or *ndarray*) – Returns the extracted patches. Returns a list if *as\_single\_array=True* and an *ndarray* if *as\_single\_array=False*.

**Raises***ValueError* – If image is not 2D

**extract\_patches\_around\_landmarks** (*group=None, label=None, patch\_size=(16, 16), sample\_offsets=None, as\_single\_array=False*)

Extract patches around landmarks existing on this image. Provided the group label and optionally the landmark label extract a set of patches.

See *extract\_patches* for more information.

Currently only 2D images are supported.

#### Parameters

- group** (*str* or *None* optional) – The landmark group to use as patch centres.
- label** (*str* or *None* optional) – The landmark label within the group to use as centres.
- patch\_size** (*tuple* or *ndarray*, optional) – The size of the patch to extract
- sample\_offsets** (*PointCloud*, optional) – The offsets to sample from within a patch. So (0,0) is the centre of the patch (no offset) and (1, 0) would be sampling the patch from 1 pixel up the first axis away from the centre.
- as\_single\_array** (*bool*, optional) – If *True*, an  $(n\_center * n\_offset, self.shape...)$  *ndarray*, thus a single numpy array is returned containing each patch. If *False*, a list of *Image* objects is returned representing each patch.

**Returns***patches* (*list* or *ndarray*) – Returns the extracted patches. Returns a list if *as\_single\_array=True* and an *ndarray* if *as\_single\_array=False*.

**Raises***ValueError* – If image is not 2D

**from\_vector** (*vector, n\_channels=None*)

Takes a flattened vector and returns a new image formed by reshaping the vector to the correct pixels and channels. Note that the only region of the image that will be filled is the masked region.

On masked images, the vector is always copied.

The *n\_channels* argument is useful for when we want to add an extra channel to an image but maintain the shape. For example, when calculating the gradient.

Note that landmarks are transferred in the process.

#### Parameters

- vector** ( $(n\_pixels,)$ ) – A flattened vector of all pixels and channels of an image.
- n\_channels** (*int*, optional) – If given, will assume that vector is the same shape as this image, but with a possibly different number of channels.

**Returns***image* (*MaskedImage*) – New image of same shape as this image and the number of specified channels.

**from\_vector\_inplace** (*vector, copy=True*)

Takes a flattened vector and updates this image by reshaping the vector to the correct pixels and channels. Note that the only region of the image that will be filled is the masked region.

#### Parameters

- vector** ( $(n\_parameters,)$ ) – A flattened vector of all pixels and channels of an image.

- copy** (*bool*, optional) – If `False`, the vector will be set as the pixels with no copy made. If `True` a copy of the vector is taken.

**RaisesWarning** – If `copy=False` cannot be honored.

**gaussian\_pyramid** (*n\_levels=3, downscale=2, sigma=None*)

Return the gaussian pyramid of this image. The first image of the pyramid will be the original, unmodified, image, and counts as level 1.

**Parameters**

- n\_levels** (*int*, optional) – Total number of levels in the pyramid, including the original unmodified image
- downscale** (*float*, optional) – Downscale factor.
- sigma** (*float*, optional) – Sigma for gaussian filter. Default is `downscale / 3`. which corresponds to a filter mask twice the size of the scale factor that covers more than 99% of the gaussian distribution.

**Yieldsimage\_pyramid** (*generator*) – Generator yielding pyramid layers as *Image* objects.

**gradient** (*\*\*kwargs*)

Returns an *Image* which is the gradient of this one. In the case of multiple channels, it returns the gradient over each axis over each channel as a flat *list*. Take care to note the ordering of the returned gradient (the gradient over each spatial dimension is taken over each channel).

The first axis of the gradient of a 2D, 3-channel image, will have length 6, the ordering being `I[:, 0, 0] = [R0_y, G0_y, B0_y, R0_x, G0_x, B0_x]`. To be clear, all the y-gradients are returned over each channel, then all the x-gradients.

**Returnsgradient** (*Image*) – The gradient over each axis over each channel. Therefore, the gradient of a 2D, single channel image, will have length 2. The length of a 2D, 3-channel image, will have length 6.

**has\_nan\_values** ()

Tests if the vectorized form of the object contains `nan` values or not. This is particularly useful for objects with unknown values that have been mapped to `nan` values.

**Returnshas\_nan\_values** (*bool*) – If the vectorized object contains `nan` values.

**indices** ()

Return the indices of all true pixels in this image.

**Type** (*n\_dims, n\_true\_pixels*) *ndarray*

**classmethod init\_blank** (*shape, n\_channels=1, fill=0, dtype=<Mock object>, mask=None*)

Generate a blank masked image

**Parameters**

- shape** (*tuple* or *list*) – The shape of the image. Any floating point values are rounded up to the nearest integer.
- n\_channels** (*int*, optional) – The number of channels to create the image with.
- fill** (*int*, optional) – The value to fill all pixels with.
- dtype** (*numpy datatype*, optional) – The datatype of the image.
- mask** (*(M, N) bool ndarray* or *BooleanImage*) – An optional mask that can be applied to the image. Has to have a shape equal to that of the image.

**Notes**

Subclasses of *MaskedImage* need to overwrite this method and explicitly call this superclass method

```
super(SubClass, cls).init_blank(shape, **kwargs)
```

in order to appropriately propagate the subclass type to `cls`.

**Returnsblank\_image** (*MaskedImage*) – A new masked image of the requested size.

**masked\_pixels()**

Get the pixels covered by the *True* values in the mask.

**Type** (*n\_channels*, *mask.n\_true*) *ndarray*

**n\_false\_elements()**

The number of *False* elements of the image over all the channels.

**Type** *int*

**n\_false\_pixels()**

The number of *False* values in the mask.

**Type** *int*

**n\_true\_elements()**

The number of *True* elements of the image over all the channels.

**Type** *int*

**n\_true\_pixels()**

The number of *True* values in the mask.

**Type** *int*

**normalize\_norm\_inplace** (*mode='all'*, *limit\_to\_mask=True*, *\*\*kwargs*)

Normalizes this image such that it's pixel values have zero mean and its norm equals 1.

**Parameters**

- **mode** (*{all, per\_channel}*, optional) – If *all*, the normalization is over all channels. If *per\_channel*, each channel individually is mean centred and normalized in variance.
- **limit\_to\_mask** (*bool*, optional) – If *True*, the normalization is only performed wrt the masked pixels. If *False*, the normalization is wrt all pixels, regardless of their masking value.

**normalize\_std\_inplace** (*mode='all'*, *limit\_to\_mask=True*)

Normalizes this image such that it's pixel values have zero mean and unit variance.

**Parameters**

- **mode** (*{all, per\_channel}*, optional) – If *all*, the normalization is over all channels. If *per\_channel*, each channel individually is mean centred and normalized in variance.
- **limit\_to\_mask** (*bool*, optional) – If *True*, the normalization is only performed wrt the masked pixels. If *False*, the normalization is wrt all pixels, regardless of their masking value.

**pyramid** (*n\_levels=3*, *downscale=2*)

Return a rescaled pyramid of this image. The first image of the pyramid will be the original, unmodified, image, and counts as level 1.

**Parameters**

- **n\_levels** (*int*, optional) – Total number of levels in the pyramid, including the original unmodified image
- **downscale** (*float*, optional) – Downscale factor.

**Yields** *image\_pyramid* (*generator*) – Generator yielding pyramid layers as *Image* objects.

**rescale** (*scale*, *round='ceil'*, *order=1*)

Return a copy of this image, rescaled by a given factor. Landmarks are rescaled appropriately.

**Parameters**

- **scale** (*float* or *tuple of floats*) – The scale factor. If a tuple, the scale to apply to each dimension. If a single *float*, the scale will be applied uniformly across each dimension.
- **round** (*{ceil, floor, round}*, optional) – Rounding function to be applied to floating point shapes.

- order** (*int*, optional) – The order of interpolation. The order has to be in the range [0,5]

Order	Interpolation
0	Nearest-neighbor
1	Bi-linear ( <i>default</i> )
2	Bi-quadratic
3	Bi-cubic
4	Bi-quartic
5	Bi-quintic

**Returns**`rescaled_image` (`type(self)`) – A copy of this image, rescaled.

**Raises**`ValueError` – If less scales than dimensions are provided. If any scale is less than or equal to 0.

**rescale\_landmarks\_to\_diagonal\_range** (*diagonal\_range*, *group=None*, *label=None*, *round='ceil'*, *order=1*)

Return a copy of this image, rescaled so that the `diagonal_range` of the bounding box containing its landmarks matches the specified `diagonal_range` range.

#### Parameters

- diagonal\_range** ((*n\_dims*,) *ndarray*) – The `diagonal_range` range that we want the landmarks of the returned image to have.
- group** (*str*, optional) – The key of the landmark set that should be used. If `None` and if there is only one set of landmarks, this set will be used.
- label** (*str*, optional) – The label of of the landmark manager that you wish to use. If `None` all landmarks in the group are used.
- round** ({*ceil*, *floor*, *round*}, optional) – Rounding function to be applied to floating point shapes.
- order** (*int*, optional) – The order of interpolation. The order has to be in the range [0,5]

Order	Interpolation
0	Nearest-neighbor
1	Bi-linear ( <i>default</i> )
2	Bi-quadratic
3	Bi-cubic
4	Bi-quartic
5	Bi-quintic

**Returns**`rescaled_image` (`type(self)`) – A copy of this image, rescaled.

**rescale\_pixels** (*minimum*, *maximum*, *per\_channel=True*)

A copy of this image with pixels linearly rescaled to fit a range.

Note that the only pixels that will considered and rescaled are those that feature in the vectorized form of this image. If you want to use this routine on all the pixels in a `MaskedImage`, consider using `as_unmasked()` prior to this call.

#### Parameters

- minimum** (*float*) – The minimal value of the rescaled pixels
- maximum** (*float*) – The maximal value of the rescaled pixels
- per\_channel** (*boolean*, optional) – If `True`, each channel will be rescaled independently. If `False`, the scaling will be over all channels.

**Returns**`rescaled_image` (`type(self)`) – A copy of this image with pixels linearly rescaled to fit in the range provided.

**rescale\_to\_diagonal** (*diagonal*, *round='ceil'*)

Return a copy of this image, rescaled so that the it's diagonal is a new size.

#### Parameters

- diagonal** (*int*) – The diagonal size of the new image.



- round** ({*ceil*, *floor*, *round*}, optional) – Rounding function to be applied to floating point shapes.

**Returns**`rescaled_image` (*type(self)*) – A copy of this image, rescaled.

**rescale\_to\_reference\_shape** (*reference\_shape*, *group=None*, *label=None*, *round='ceil'*, *order=1*)

Return a copy of this image, rescaled so that the scale of a particular group of landmarks matches the scale of the passed reference landmarks.

**Parameters**

- reference\_shape** (*PointCloud*) – The reference shape to which the landmarks scale will be matched against.
- group** (*str*, optional) – The key of the landmark set that should be used. If *None*, and if there is only one set of landmarks, this set will be used.
- label** (*str*, optional) – The label of of the landmark manager that you wish to use. If *None* all landmarks in the group are used.
- round** ({*ceil*, *floor*, *round*}, optional) – Rounding function to be applied to floating point shapes.
- order** (*int*, optional) – The order of interpolation. The order has to be in the range [0,5]

Order	Interpolation
0	Nearest-neighbor
1	Bi-linear ( <i>default</i> )
2	Bi-quadratic
3	Bi-cubic
4	Bi-quartic
5	Bi-quintic

**Returns**`rescaled_image` (*type(self)*) – A copy of this image, rescaled.

**resize** (*shape*, *order=1*)

Return a copy of this image, resized to a particular shape. All image information (landmarks, and mask in the case of *MaskedImage*) is resized appropriately.

**Parameters**

- shape** (*tuple*) – The new shape to resize to.
- order** (*int*, optional) – The order of interpolation. The order has to be in the range [0,5]

Order	Interpolation
0	Nearest-neighbor
1	Bi-linear ( <i>default</i> )
2	Bi-quadratic
3	Bi-cubic
4	Bi-quartic
5	Bi-quintic

**Returns**`resized_image` (*type(self)*) – A copy of this image, resized.

**Raises**`ValueError` – If the number of dimensions of the new shape does not match the number of dimensions of the image.

**rolled\_channels** ()

Returns the pixels matrix, with the channels rolled to the back axis. This may be required for interacting with external code bases that require images to have channels as the last axis, rather than the menpo convention of channels as the first axis.

**Returns**`rolled_channels` (*ndarray*) – Pixels with channels as the back (last) axis.

**rotate\_ccw\_about\_centre** (*theta*, *degrees=True*, *cval=0.0*)

Return a rotation of this image clockwise about its centre.

**Parameters**



- **theta** (*float*) – The angle of rotation about the origin.
- **degrees** (*bool*, optional) – If `True`, *theta* is interpreted as a degree. If `False`, *theta* is interpreted as radians.
- **cval** (*float*, optional) – The value to be set outside the rotated image boundaries.

**Returns** `rotated_image` (`type(self)`) – The rotated image.

**sample** (*points\_to\_sample*, *order=1*, *mode='constant'*, *cval=0.0*)

Sample this image at the given sub-pixel accurate points. The input `PointCloud` should have the same number of dimensions as the image e.g. a 2D `PointCloud` for a 2D multi-channel image. A numpy array will be returned that has the values for every given point across each channel of the image.

If the points to sample are *outside* of the mask (fall on a `False` value in the mask), an exception is raised. This exception contains the information of which points were outside of the mask (`False`) and *also* returns the sampled points.

#### Parameters

- **points\_to\_sample** (*PointCloud*) – Array of points to sample from the image. Should be (*n\_points*, *n\_dims*)
- **order** (*int*, optional) – The order of interpolation. The order has to be in the range [0,5]. See `warp_to_shape` for more information.
- **mode** (`{constant, nearest, reflect, wrap}`, optional) – Points outside the boundaries of the input are filled according to the given mode.
- **cval** (*float*, optional) – Used in conjunction with mode `constant`, the value outside the image boundaries.

**Returns** `sampled_pixels` (*(n\_points, n\_channels) ndarray*) – The interpolated values taken across every channel of the image.

**Raises** `OutOfMaskSampleError` – One of the points to sample was outside of the valid area of the mask (`False` in the mask). This exception contains both the mask of valid sample points, **as well as** the sampled points themselves, in case you want to ignore the error.

**set\_boundary\_pixels** (*value=0.0*, *n\_pixels=1*)

Returns a copy of this `MaskedImage` for which *n* pixels along the its mask boundary have been set to a particular value. This is useful in situations where there is absent data in the image which can cause, for example, erroneous computations of gradient or features.

#### Parameters

- **value** (*float or (n\_channels, 1) ndarray*) –
- **n\_pixels** (*int*, optional) – The number of pixels along the mask boundary that will be set to 0.

**Returns** `MaskedImage` – The copy of the image for which the *n* pixels along its mask boundary have been set to a particular value.

**set\_masked\_pixels** (*pixels*, *copy=True*)

Update the masked pixels only to new values.

#### Parameters

- **pixels** (*ndarray*) – The new pixels to set.
- **copy** (*bool*, optional) – If `False` a copy will be avoided in assignment. This can only happen if the mask is all `True` - in all other cases it will raise a warning.

**Raises** `Warning` – If the `copy=False` flag cannot be honored.

**view\_widget** (*browser\_style='buttons'*, *figure\_size=(10, 8)*, *style='coloured'*)

Visualizes the image object using the `visualize_images` widget. Currently only supports the rendering of 2D images.

#### Parameters

- **browser\_style** (`{'buttons', 'slider'}`, optional) – It defines whether the selector of the images will have the form of plus/minus buttons or a slider.

- **figure\_size** ((*int*, *int*), optional) – The initial size of the rendered figure.
- **style** ({'coloured', 'minimal'}, optional) – If 'coloured', then the style of the widget will be coloured. If *minimal*, then the style is simple using black and white colours.

**warp\_to\_mask** (*template\_mask*, *transform*, *warp\_landmarks=False*, *order=1*, *mode='constant'*, *cval=0.0*, *batch\_size=None*)

Warp this image into a different reference space.

#### Parameters

- **template\_mask** (*BooleanImage*) – Defines the shape of the result, and what pixels should be sampled.
- **transform** (*Transform*) – Transform **from the template space back to this image**. Defines, for each pixel location on the template, which pixel location should be sampled from on this image.
- **warp\_landmarks** (*bool*, optional) – If *True*, result will have the same landmark dictionary as *self*, but with each landmark updated to the warped position.
- **order** (*int*, optional) – The order of interpolation. The order has to be in the range [0,5]

Order	Interpolation
0	Nearest-neighbor
1	Bi-linear ( <i>default</i> )
2	Bi-quadratic
3	Bi-cubic
4	Bi-quartic
5	Bi-quintic

- **mode** ({*constant*, *nearest*, *reflect*, *wrap*}, optional) – Points outside the boundaries of the input are filled according to the given mode.
- **cval** (*float*, optional) – Used in conjunction with *mode constant*, the value outside the image boundaries.
- **batch\_size** (*int* or *None*, optional) – This should only be considered for large images. Setting this value can cause warping to become much slower, particular for cached warps such as Piecewise Affine. This size indicates how many points in the image should be warped at a time, which keeps memory usage low. If *None*, no batching is used and all points are warped at once.

**Returns** **warped\_image** (*type(self)*) – A copy of this image, warped.

**warp\_to\_shape** (*template\_shape*, *transform*, *warp\_landmarks=False*, *order=1*, *mode='constant'*, *cval=0.0*, *batch\_size=None*)

Return a copy of this *MaskedImage* warped into a different reference space.

#### Parameters

- **template\_shape** (*tuple* or *ndarray*) – Defines the shape of the result, and what pixel indices should be sampled (all of them).
- **transform** (*Transform*) – Transform **from the template\_shape space back to this image**. Defines, for each index on *template\_shape*, which pixel location should be sampled from on this image.
- **warp\_landmarks** (*bool*, optional) – If *True*, result will have the same landmark dictionary as *self*, but with each landmark updated to the warped position.
- **order** (*int*, optional) – The order of interpolation. The order has to be in the range [0,5]

Order	Interpolation
0	Nearest-neighbor
1	Bi-linear ( <i>default</i> )
2	Bi-quadratic
3	Bi-cubic
4	Bi-quartic
5	Bi-quintic

- **mode** (`{constant, nearest, reflect, wrap}`, optional) – Points outside the boundaries of the input are filled according to the given mode.
- **cval** (*float*, optional) – Used in conjunction with mode `constant`, the value outside the image boundaries.
- **batch\_size** (*int* or `None`, optional) – This should only be considered for large images. Setting this value can cause warping to become much slower, particular for cached warps such as Piecewise Affine. This size indicates how many points in the image should be warped at a time, which keeps memory usage low. If `None`, no batching is used and all points are warped at once.

**Returns** `warped_image` (*MaskedImage*) – A copy of this image, warped.

**zoom** (*scale*, *cval*=0.0)

Zoom this image about the centre point. *scale* values greater than 1.0 denote zooming **in** to the image and values less than 1.0 denote zooming **out** of the image. The size of the image will not change, if you wish to scale an image, please see *rescale()*.

#### Parameters

- **scale** (*float*) – *scale* > 1.0 denotes zooming in. Thus the image will appear larger and areas at the edge of the zoom will be ‘cropped’ out. *scale* < 1.0 denotes zooming out. The image will be padded by the value of *cval*.
- **cval** (*float*, optional) – The value to be set outside the rotated image boundaries.

**has\_landmarks**

Whether the object has landmarks.

**Type** *bool*

**has\_landmarks\_outside\_bounds**

Indicates whether there are landmarks located outside the image bounds.

**Type** *bool*

**height**

The height of the image.

This is the height according to image semantics, and is thus the size of the **second to last** dimension.

**Type** *int*

**landmarks**

The landmarks object.

**Type** *LandmarkManager*

**n\_channels**

The number of channels on each pixel in the image.

**Type** *int*

**n\_dims**

The number of dimensions in the image. The minimum possible *n\_dims* is 2.

**Type** *int*

**n\_elements**

Total number of data points in the image (`prod(shape), n_channels`)

**Type** *int*

**n\_landmark\_groups**

The number of landmark groups on this object.

**Type***int*

**n\_parameters**

The length of the vector that this object produces.

**Type***int*

**n\_pixels**

Total number of pixels in the image (`prod(shape)` , )

**Type***int*

**shape**

The shape of the image (with `n_channel` values at each point).

**Type***tuple*

**width**

The width of the image.

This is the width according to image semantics, and is thus the size of the **last** dimension.

**Type***int*

## 2.3.2 Exceptions

### ImageBoundaryError

```
class menpo.image.ImageBoundaryError(requested_min, requested_max, snapped_min,
                                     snapped_max)
```

Bases: `ValueError`

Exception that is thrown when an attempt is made to crop an image beyond the edge of it's boundary.

**Parameters**

- **requested\_min** ((*d*,) *ndarray*) – The per-dimension minimum index requested for the crop
- **requested\_max** ((*d*,) *ndarray*) – The per-dimension maximum index requested for the crop
- **snapped\_min** ((*d*,) *ndarray*) – The per-dimension minimum index that could be used if the crop was constrained to the image boundaries.
- **requested\_max** – The per-dimension maximum index that could be used if the crop was constrained to the image boundaries.

## 2.4 menpo.feature

### 2.4.1 Features

**no\_op**

```
menpo.feature.no_op(image, *args, **kwargs)
```

A no operation feature - does nothing but return a copy of the pixels passed in.

**Parameters****pixels** (*Image* or subclass or (*C*, *X*, *Y*, ..., *Z*) *ndarray*) – Either the image object itself or an array with the pixels. The first dimension is interpreted as channels. This means an *N*-dimensional image is represented by an *N*+1 dimensional array.

**Returns****pixels** (*Image* or subclass or (*X*, *Y*, ..., *Z*, *C*) *ndarray*) – A copy of the image that was passed in.

## gradient

`menpo.feature.gradient` (*image*, \*args, \*\*kwargs)

Calculates the gradient of an input image. The image is assumed to have channel information on the first axis. In the case of multiple channels, it returns the gradient over each axis over each channel as the first axis.

The gradient is computed using second order accurate central differences in the interior and first order accurate one-side (forward or backwards) differences at the boundaries.

**Parameters**`pixels` (*Image* or subclass or (C, X, Y, ..., Z) *ndarray*) – Either the image object itself or an array where the first dimension is interpreted as channels. This means an N-dimensional image is represented by an N+1 dimensional array.

**Returns**`gradient` (*ndarray*) – The gradient over each axis over each channel. Therefore, the first axis of the gradient of a 2D, single channel image, will have length 2. The first axis of the gradient of a 2D, 3-channel image, will have length 6, the ordering being `I[:, 0, 0] = [R0_y, G0_y, B0_y, R0_x, G0_x, B0_x]`. To be clear, all the y-gradients are returned over each channel, then all the x-gradients.

## gaussian\_filter

`menpo.feature.gaussian_filter` (*image*, \*args, \*\*kwargs)

Calculates the convolution of the input image with a multidimensional Gaussian filter.

### Parameters

•**pixels** (*Image* or subclass or (C, X, Y, ..., Z) *ndarray*) – Either the image object itself or an array with the pixels. The first dimension is interpreted as channels. This means an N-dimensional image is represented by an N+1 dimensional array.

•**sigma** (*float* or *list* of *float*) – The standard deviation for Gaussian kernel. The standard deviations of the Gaussian filter are given for each axis as a *list*, or as a single *float*, in which case it is equal for all axes.

**Returns**`output_image` (*Image* or subclass or (X, Y, ..., Z, C) *ndarray*) – The filtered image has the same type and size as the input `pixels`.

## igo

`menpo.feature.igo` (*image*, \*args, \*\*kwargs)

Extracts Image Gradient Orientation (IGO) features from the input image. The output image has  $N * C$  number of channels, where  $N$  is the number of channels of the original image and  $C = 2$  or  $C = 4$  depending on whether double angles are used.

### Parameters

•**pixels** (*Image* or subclass or (C, X, Y, ..., Z) *ndarray*) – Either the image object itself or an array with the pixels. The first dimension is interpreted as channels. This means an N-dimensional image is represented by an N+1 dimensional array.

•**double\_angles** (*bool*, optional) – Assume that `phi` represents the gradient orientations.

If this flag is `False`, the features image is the concatenation of `cos(phi)` and `sin(phi)`, thus 2 channels.

If `True`, the features image is the concatenation of `cos(phi)`, `sin(phi)`, `cos(2 * phi)`, `sin(2 * phi)`, thus 4 channels.

•**verbose** (*bool*, optional) – Flag to print IGO related information.

**Returns**`sigo` (*Image* or subclass or (X, Y, ..., Z, C) *ndarray*) – The IGO features image. It has the same type and shape as the input `pixels`. The output number of channels depends on the `double_angles` flag.

**Raises**`ValueError` – Image has to be 2D in order to extract IGOs.

---

## References

---

### es

`menpo.feature.es` (*image*, \*args, \*\*kwargs)

Extracts Edge Structure (ES) features from the input image. The output image has  $N * C$  number of channels, where  $N$  is the number of channels of the original image and  $C = 2$ .

#### Parameters

- **pixels** (*Image* or subclass or  $(C, X, Y, \dots, Z)$  *ndarray*) – Either an image object itself or an array where the first axis represents the number of channels. This means an  $N$ -dimensional image is represented by an  $N+1$  dimensional array.
- **verbose** (*bool*, optional) – Flag to print ES related information.

**Returns** (*Image* or subclass or  $(X, Y, \dots, Z, C)$  *ndarray*) – The ES features image. It has the same type and shape as the input `pixels`. The output number of channels is  $C = 2$ .

**Raises** `ValueError` – Image has to be 2D in order to extract ES features.

---

## References

---

### lbp

`menpo.feature.lbp` (*image*, \*args, \*\*kwargs)

Extracts Local Binary Pattern (LBP) features from the input image. The output image has  $N * C$  number of channels, where  $N$  is the number of channels of the original image and  $C$  is the number of radius/samples values combinations that are used in the LBP computation.

#### Parameters

- **pixels** (*Image* or subclass or  $(C, X, Y, \dots, Z)$  *ndarray*) – Either the image object itself or an array with the pixels. The first dimension is interpreted as channels. This means an  $N$ -dimensional image is represented by an  $N+1$  dimensional array.
- **radius** (*int* or *list* of *int* or *None*, optional) – It defines the radius of the circle (or circles) at which the sampling points will be extracted. The radius (or radii) values must be greater than zero. There must be a radius value for each samples value, thus they both need to have the same length. If *None*, then `[1, 2, 3, 4]` is used.
- **samples** (*int* or *list* of *int* or *None*, optional) – It defines the number of sampling points that will be extracted at each circle. The samples value (or values) must be greater than zero. There must be a samples value for each radius value, thus they both need to have the same length. If *None*, then `[8, 8, 8, 8]` is used.
- **mapping\_type** (`{u2, ri, riu2, none}`, optional) – It defines the mapping type of the LBP codes. Select `u2` for uniform-2 mapping, `ri` for rotation-invariant mapping, `riu2` for uniform-2 and rotation-invariant mapping and `none` to use no mapping and only the decimal values instead.
- **window\_step\_vertical** (*float*, optional) – Defines the vertical step by which the window is moved, thus it controls the features density. The metric unit is defined by `window_step_unit`.
- **window\_step\_horizontal** (*float*, optional) – Defines the horizontal step by which the window is moved, thus it controls the features density. The metric unit is defined by `window_step_unit`.
- **window\_step\_unit** (`{pixels, window}`, optional) – Defines the metric unit of the `window_step_vertical` and `window_step_horizontal` parameters.
- **padding** (*bool*, optional) – If *True*, the output image is padded with zeros to match the input image's size.

- verbose** (*bool*, optional) – Flag to print LBP related information.
- skip\_checks** (*bool*, optional) – If `True`, do not perform any validation of the parameters.

**Returns**`lbp` (*Image* or subclass or `(X, Y, ..., Z, C) ndarray`) – The ES features image. It has the same type and shape as the input `pixels`. The output number of channels is `C = len(radius) * len(samples)`.

#### Raises

- `ValueError` – Radius and samples must both be either integers or lists
- `ValueError` – Radius and samples must have the same length
- `ValueError` – Radius must be  $> 0$
- `ValueError` – Radii must be  $> 0$
- `ValueError` – Samples must be  $> 0$
- `ValueError` – Mapping type must be `u2`, `ri`, `riu2` or `none`
- `ValueError` – Horizontal window step must be  $> 0$
- `ValueError` – Vertical window step must be  $> 0$
- `ValueError` – Window step unit must be either `pixels` or `window`

---

#### References

---

## hog

`menpo.feature.hog` (*image*, \**args*, \*\**kwargs*)

Extracts Histograms of Oriented Gradients (HOG) features from the input image.

#### Parameters

- pixels** (*Image* or subclass or `(C, X, Y, ..., Z) ndarray`) – Either the image object itself or an array with the pixels. The first dimension is interpreted as channels. This means an N-dimensional image is represented by an N+1 dimensional array.
- mode** (`{dense, sparse}`, optional) – The `sparse` case refers to the traditional usage of HOGs, so predefined parameters values are used.

The `sparse` case of `dalaltriggs` algorithm sets `window_height = window_width = block_size` and `window_step_horizontal = window_step_vertical = cell_size`.

The `sparse` case of `zhuramanan` algorithm sets `window_height = window_width = 3 * cell_size` and `window_step_horizontal = window_step_vertical = cell_size`.

In the `dense` case, the user can choose values for `window_height`, `window_width`, `window_unit`, `window_step_vertical`, `window_step_horizontal`, `window_step_unit` and `padding` to customize the HOG calculation.

- window\_height** (*float*, optional) – Defines the height of the window. The metric unit is defined by `window_unit`.
- window\_width** (*float*, optional) – Defines the width of the window. The metric unit is defined by `window_unit`.
- window\_unit** (`{blocks, pixels}`, optional) – Defines the metric unit of the `window_height` and `window_width` parameters.
- window\_step\_vertical** (*float*, optional) – Defines the vertical step by which the window is moved, thus it controls the features' density. The metric unit is defined by `window_step_unit`.
- window\_step\_horizontal** (*float*, optional) – Defines the horizontal step by which the window is moved, thus it controls the features' density. The metric unit is defined by `window_step_unit`.
- window\_step\_unit** (`{pixels, cells}`, optional) – Defines the metric unit of the `window_step_vertical` and `window_step_horizontal` parameters.



- padding** (*bool*, optional) – If `True`, the output image is padded with zeros to match the input image’s size.
- algorithm** ({`dalaltriggs`, `zhuramanan`}, optional) – Specifies the algorithm used to compute HOGs. `dalaltriggs` is the implementation of [1] and `zhuramanan` is the implementation of [2].
- cell\_size** (*float*, optional) – Defines the cell size in pixels. This value is set to both the width and height of the cell. This option is valid for both algorithms.
- block\_size** (*float*, optional) – Defines the block size in cells. This value is set to both the width and height of the block. This option is valid only for the `dalaltriggs` algorithm.
- num\_bins** (*float*, optional) – Defines the number of orientation histogram bins. This option is valid only for the `dalaltriggs` algorithm.
- signed\_gradient** (*bool*, optional) – Flag that defines whether we use signed or unsigned gradient angles. This option is valid only for the `dalaltriggs` algorithm.
- l2\_norm\_clip** (*float*, optional) – Defines the clipping value of the gradients’ L2-norm. This option is valid only for the `dalaltriggs` algorithm.
- verbose** (*bool*, optional) – Flag to print HOG related information.

**Returnshog** (*Image* or subclass or (`X`, `Y`, ..., `Z`, `K`) *ndarray*) – The HOG features image. It has the same type as the input pixels. The output number of channels in the case of `dalaltriggs` is  $K = \text{num\_bins} * \text{block\_size} * \text{block\_size}$  and  $K = 31$  in the case of `zhuramanan`.

#### Raises

- `ValueError` – HOG features mode must be either dense or sparse
- `ValueError` – Algorithm must be either `dalaltriggs` or `zhuramanan`
- `ValueError` – Number of orientation bins must be  $> 0$
- `ValueError` – Cell size (in pixels) must be  $> 0$
- `ValueError` – Block size (in cells) must be  $> 0$
- `ValueError` – Value for L2-norm clipping must be  $> 0.0$
- `ValueError` – Window height must be  $\geq$  block size and  $\leq$  image height
- `ValueError` – Window width must be  $\geq$  block size and  $\leq$  image width
- `ValueError` – Window unit must be either pixels or blocks
- `ValueError` – Horizontal window step must be  $> 0$
- `ValueError` – Vertical window step must be  $> 0$
- `ValueError` – Window step unit must be either pixels or cells

---

#### References

---

### dsift

### daisy

`menpo.feature.daisy` (*image*, *\*args*, *\*\*kwargs*)

Extracts Daisy features from the input image. The output image has  $N * C$  number of channels, where  $N$  is the number of channels of the original image and  $C$  is the feature channels determined by the input options. Specifically,  $C = (\text{rings} * \text{histograms} + 1) * \text{orientations}$ .

#### Parameters

- pixels** (*Image* or subclass or (`C`, `X`, `Y`, ..., `Z`) *ndarray*) – Either the image object itself or an array with the pixels. The first dimension is interpreted as channels. This means an  $N$ -dimensional image is represented by an  $N+1$  dimensional array.
- step** (*int*, optional) – The sampling step that defines the density of the output image.
- radius** (*int*, optional) – The radius (in pixels) of the outermost ring.
- rings** (*int*, optional) – The number of rings to be used.
- histograms** (*int*, optional) – The number of histograms sampled per ring.



- orientations** (*int*, optional) – The number of orientations (bins) per histogram.
- normalization** ([ 'l1', 'l2', 'daisy', None ], optional) – It defines how to normalize the descriptors. If 'l1' then L1-normalization is applied at each descriptor. If 'l2' then L2-normalization is applied at each descriptor. If 'daisy' then L2-normalization is applied at individual histograms. If None then no normalization is employed.
- sigmas** (*list of float or None*, optional) – Standard deviation of spatial Gaussian smoothing for the centre histogram and for each ring of histograms. The *list* of sigmas should be sorted from the centre and out. I.e. the first sigma value defines the spatial smoothing of the centre histogram and the last sigma value defines the spatial smoothing of the outermost ring. Specifying sigmas overrides the *rings* parameter by setting `rings = len(sigmas) - 1`.
- ring\_radii** (*list of float or None*, optional) – Radius (in pixels) for each ring. Specifying *ring\_radii* overrides the *rings* and *radius* parameters by setting `rings = len(ring_radii)` and `radius = ring_radii[-1]`.

If both sigmas and ring\_radii are given, they must satisfy

```
len(ring_radii) == len(sigmas) + 1
```

since no radius is needed for the centre histogram.

- verbose** (*bool*) – Flag to print Daisy related information.

**Returns** *daisy* (*Image* or subclass or (*X*, *Y*, ..., *Z*, *C*) *ndarray*) – The ES features image. It has the same type and shape as the input *pixels*. The output number of channels is  $C = (\text{rings} * \text{histograms} + 1) * \text{orientations}$ .

**Raises**

- ValueError** – `len(sigmas)-1 != len(ring_radii)`
- ValueError** – Invalid normalization method.

---

## References

---

## 2.4.2 Visualization

### glyph

`menpo.feature.visualize.glyph` (*image*, \**args*, \*\**kwargs*)

Create the glyph of a feature image that can be used for visualization. If *pixels* have negative values, the *use\_negative* flag controls whether there will be created a glyph of both positive and negative values concatenated the one on top of the other.

**Parameters**

- pixels** (*Image* or subclass or (*C*, *X*, *Y*, ..., *Z*) *ndarray*) – Either the image object itself or an array with the pixels. The first dimension is interpreted as channels.
- vectors\_block\_size** (*int*) – Defines the size of each block with vectors of the glyph image.
- use\_negative** (*bool*) – Defines whether to take into account possible negative values of *feature\_data*.
- channels** (*list of int or None*) – The list of channels to be used. If None, then all the channels are employed.

### sum\_channels

`menpo.feature.visualize.sum_channels` (*image*, \**args*, \*\**kwargs*)

Create the sum of the channels of an image that can be used for visualization.

**Parameters**

- pixels** (*Image* or subclass or (C, X, Y, ..., Z) *ndarray*) – Either the image object itself or an array with the pixels. The first dimension is interpreted as channels.
- channels** (*list* of *int* or *None*) – The list of channels to be used. If *None*, then all the channels are employed.

## 2.4.3 Widget

### features\_selection\_widget

`menpo.feature.features_selection_widget()`

Widget that allows for easy selection of a features function and its options. It also has a ‘preview’ tab for visual inspection. It returns a *list* of length 1 with the selected features function closure.

#### Returns

**features\_function** (*list* of length 1) – The function closure of the features function using *functools.partial*. So the function can be called as:

```
features_image = features_function[0](image)
```

#### Examples

The widget can be invoked as

```
from menpo.feature import features_selection_widget
features_fun = features_selection_widget()
```

And the returned function can be used as

```
import menpo.io as mio
image = mio.import_builtin_asset.lenna_png()
features_image = features_fun[0](image)
```

## 2.5 menpo.landmark

### 2.5.1 Abstract Classes

#### Landmarkable

`class menpo.landmark.Landmarkable`

Bases: *Copyable*

Abstract interface for object that can have landmarks attached to them. Landmarkable objects have a public dictionary of landmarks which are managed by a *LandmarkManager*. This means that different sets of landmarks can be attached to the same object. Landmarks can be N-dimensional and are expected to be some subclass of *PointCloud*. These landmarks are wrapped inside a *LandmarkGroup* object that performs useful tasks like label filtering and viewing.

#### `copy()`

Generate an efficient copy of this object.

Note that Numpy arrays and other *Copyable* objects on *self* will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).

Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Returns** `type(self)` – A copy of this object

**n\_dims()**

The total number of dimensions.

**Type** `int`

**has\_landmarks**

Whether the object has landmarks.

**Type** `bool`

**landmarks**

The landmarks object.

**Type** `LandmarkManager`

**n\_landmark\_groups**

The number of landmark groups on this object.

**Type** `int`

## LabellingError

**class** `menpo.landmark.LabellingError`

Bases: `Exception`

Raised when labelling a landmark manager and the set of landmarks does not match the expected semantic layout.

## 2.5.2 Landmarks & Labeller

### LandmarkManager

**class** `menpo.landmark.LandmarkManager`

Bases: `MutableMapping`, `Transformable`

Store for `LandmarkGroup` instances associated with an object

Every `Landmarkable` instance has an instance of this class available at the `.landmarks` property. It is through this class that all access to landmarks attached to instances is handled. In general the `LandmarkManager` provides a dictionary-like interface for storing landmarks. `LandmarkGroup` instances are stored under string keys - these keys are refereed to as the **group name**. A special case is where there is a single unambiguous `LandmarkGroup` attached to a `LandmarkManager` - in this case `None` can be used as a key to access the sole group.

Note that all landmarks stored on a `Landmarkable` in it's attached `LandmarkManager` are automatically transformed and copied with their parent object.

**clear()** → `None`. Remove all items from D.

**copy()**

Generate an efficient copy of this `LandmarkManager`.

**Returns** `type(self)` – A copy of this object

**get(k[, d])** → `D[k]` if `k` in `D`, else `d`. `d` defaults to `None`.

**items()** → list of `D`'s (key, value) pairs, as 2-tuples

**items\_matching(glob\_pattern)**

Yield only items (`group`, `LandmarkGroup`) where the key matches a given glob.

**Parameters****glob\_pattern** (*str*) – A glob pattern e.g. ‘frontal\_face\_\*

**Yields****item** ((*group*, *LandmarkGroup*)) – Tuple of group, *LandmarkGroup* where the group matches the glob

**iteritems** () → an iterator over the (key, value) items of D

**iterkeys** () → an iterator over the keys of D

**itervalues** () → an iterator over the values of D

**keys** () → list of D’s keys

**keys\_matching** (*glob\_pattern*)

Yield only landmark group names (keys) matching a given glob.

**Parameters****glob\_pattern** (*str*) – A glob pattern e.g. ‘frontal\_face\_\*

**Yields****keys** (*group labels that match the glob pattern*)

**pop** (*k*, *d*) → *v*, remove specified key and return the corresponding value.

If key is not found, *d* is returned if given, otherwise *KeyError* is raised.

**popitem** () → (*k*, *v*), remove and return some (key, value) pair

as a 2-tuple; but raise *KeyError* if D is empty.

**setdefault** (*k*, *d*) → *D.get(k,d)*, also set *D[k]=d* if *k* not in D

**update** (*[E]*, *\*\*F*) → *None*. Update D from mapping/iterable E and F.

If E present and has a *.keys()* method, does: for *k* in E: *D[k] = E[k]* If E present and lacks *.keys()* method,

does: for (*k*, *v*) in E: *D[k] = v* In either case, this is followed by: for *k*, *v* in *F.items()*: *D[k] = v*

**values** () → list of D’s values

**view\_widget** (*browser\_style='buttons'*, *figure\_size=(10, 8)*, *style='coloured'*)

Visualizes the landmark manager object using the *visualize\_landmarks* widget.

**Parameters**

•**browser\_style** ({‘buttons’, ‘slider’ }, optional) – It defines whether the selector of the landmark managers will have the form of plus/minus buttons or a slider.

•**figure\_size** ((*int*, *int*), optional) – The initial size of the rendered figure.

•**style** ({‘coloured’, ‘minimal’ }, optional) – If ‘coloured’, then the style of the widget will be coloured. If *minimal*, then the style is simple using black and white colours.

**group\_labels**

All the labels for the landmark set.

**Type***list of str*

**has\_landmarks**

Whether the object has landmarks or not

**Type***bool*

**n\_dims**

The total number of dimensions.

**Type***int*

**n\_groups**

Total number of labels.

**Type***int*

## LandmarkGroup

**class** `menpo.landmark.LandmarkGroup` (*pointcloud*, *labels\_to\_masks*, *copy=True*)

Bases: `MutableMapping`, `Copyable`, `Viewable`

An immutable object that holds a `PointCloud` (or a subclass) and stores labels for each point. These labels are defined via masks on the `PointCloud`. For this reason, the `PointCloud` is considered to be immutable.

The labels to masks must be within an `OrderedDict` so that semantic ordering can be maintained.

### Parameters

- **pointcloud** (`PointCloud`) – The pointcloud representing the landmarks.
- **labels\_to\_masks** (`ordereddict {str -> bool ndarray}`) – For each label, the mask that specifies the indices in to the pointcloud that belong to the label.
- **copy** (`bool`, optional) – If `True`, a copy of the `PointCloud` is stored on the group.

### Raises

- `ValueError` – If `dict` passed instead of `OrderedDict`
- `ValueError` – If no set of label masks is passed.
- `ValueError` – If any of the label masks differs in size to the pointcloud.
- `ValueError` – If there exists any point in the pointcloud that is not covered by a label.

**clear** () → None. Remove all items from D.

**copy** ()

Generate an efficient copy of this `LandmarkGroup`.

**Return** `type(self)` – A copy of this object

**get** (*k*, *d*) → `D[k]` if *k* in *D*, else *d*. *d* defaults to `None`.

**has\_nan\_values** ()

Tests if the `LandmarkGroup` contains `nan` values or not. This is particularly useful for annotations with unknown values or non-visible landmarks that have been mapped to `nan` values.

**Return** `has_nan_values` (`bool`) – If the `LandmarkGroup` contains `nan` values.

**classmethod** `init_with_all_label` (*pointcloud*, *copy=True*)

Static constructor to create a `LandmarkGroup` with a single default ‘all’ label that covers all points.

### Parameters

- **pointcloud** (`PointCloud`) – The pointcloud representing the landmarks.
- **copy** (`boolean`, optional) – If `True`, a copy of the `PointCloud` is stored on the group.

**Return** `mark_group` (`LandmarkGroup`) – Landmark group wrapping the given pointcloud with a single label called ‘all’ that is `True` for all points.

**items** () → list of *D*’s (key, value) pairs, as 2-tuples

**iteritems** () → an iterator over the (key, value) items of *D*

**iterkeys** () → an iterator over the keys of *D*

**itervalues** () → an iterator over the values of *D*

**keys** () → list of *D*’s keys

**pop** (*k*, *d*) → *v*, remove specified key and return the corresponding value.  
If key is not found, *d* is returned if given, otherwise `KeyError` is raised.

**popitem** () → (*k*, *v*), remove and return some (key, value) pair  
as a 2-tuple; but raise `KeyError` if *D* is empty.

**setdefault** (*k*, *d*) → `D.get(k,d)`, also set `D[k]=d` if *k* not in *D*

**tojson()**

Convert this *LandmarkGroup* to a dictionary JSON representation.

**Returns***json* (dict) – Dictionary conforming to the LJSON v2 specification.

**update** ([*E*], *\*\*F*) → None. Update D from mapping/iterable E and F.

If E present and has a .keys() method, does: for k in E: D[k] = E[k] If E present and lacks .keys() method, does: for (k, v) in E: D[k] = v In either case, this is followed by: for k, v in F.items(): D[k] = v

**values** () → list of D's values

**view\_widget** (*browser\_style='buttons', figure\_size=(10, 8), style='coloured'*)

Visualizes the landmark group object using the *visualize\_landmarkgroups* widget.

**Parameters**

- **browser\_style** ({'buttons', 'slider'}, optional) – It defines whether the selector of the landmark managers will have the form of plus/minus buttons or a slider.
- **figure\_size** ((int, int), optional) – The initial size of the rendered figure.
- **style** ({'coloured', 'minimal'}, optional) – If 'coloured', then the style of the widget will be coloured. If *minimal*, then the style is simple using black and white colours.

**with\_labels** (*labels=None*)

A new landmark group that contains only the certain labels

**Parameters***labels* (*str* or *list* of *str*, optional) – Labels that should be kept in the returned landmark group. If *None* is passed, and if there is only one label on this group, the label will be substituted automatically.

**Returns***landmark\_group* (*LandmarkGroup*) – A new landmark group with the same group label but containing only the given label.

**without\_labels** (*labels*)

A new landmark group that excludes certain labels label.

**Parameters***labels* (*str* or *list* of *str*) – Labels that should be excluded in the returned landmark group.

**Returns***landmark\_group* (*LandmarkGroup*) – A new landmark group with the same group label but containing all labels except the given label.

**labels**

The list of labels that belong to this group.

**Type***list* of *str*

**lms**

The pointcloud representing all the landmarks in the group.

**Type***PointCloud*

**n\_dims**

The dimensionality of these landmarks.

**Type***int*

**n\_labels**

Number of labels in the group.

**Type***int*

**n\_landmarks**

The total number of landmarks in the group.

**Type***int*

## labeller

`menpo.landmark.labeller` (*landmarkable*, *group*, *label\_func*)

Re-label an existing landmark group on a *Landmarkable* object with a new label set.

### Parameters

- **landmarkable** (*Landmarkable*) – *Landmarkable* that will have it's *LandmarkManager* augmented with a new *LandmarkGroup*
- **group** (*str*) – The group label of the existing landmark group that should be re-labelled. A copy of this group will be attached to it's landmark manager with new labels. The group label of this new group and the labels it will have is determined by *label\_func*
- **label\_func** (*func* -> (*str*, *LandmarkGroup*)) – A labelling function taken from this module, Takes as input a *LandmarkGroup* and returns a tuple of (new group label, new *LandmarkGroup* with semantic labels applied).

**Returns***landmarkable* (*Landmarkable*) – Augmented *landmarkable* (this is just for convenience, the object will actually be modified in place)

## 2.5.3 Face Labels

### ibug\_face\_49

`menpo.landmark.ibug_face_49` (*landmark\_group*)

Apply the ibug's "standard" 49 point semantic labels (based on the original semantic labels of multiPIE but removing the annotations corresponding to the jaw region and the 2 describing the inner mouth corners) to the landmark group.

The group label will be `ibug_face_49`.

The semantic labels applied are as follows:

- `left_eyebrow`
- `right_eyebrow`
- `nose`
- `left_eye`
- `right_eye`
- `mouth`

**Parameters***landmark\_group* (*LandmarkGroup*) – The landmark group to apply semantic labels to.

### Returns

- **group** (*str*) – The group label: `ibug_face_49`
- **landmark\_group** (*LandmarkGroup*) – New landmark group.

**Raises***error* (*LabellingError*) – If the given landmark group contains less than 68 points

---

### References

---

### ibug\_face\_51

`menpo.landmark.ibug_face_51` (*landmark\_group*)

Apply the ibug's "standard" 51 point semantic labels (based on the original semantic labels of multiPIE but removing the annotations corresponding to the jaw region) to the landmark group.

The group label will be `ibug_face_51`.

The semantic labels applied are as follows:

- left\_eyebrow
- right\_eyebrow
- nose
- left\_eye
- right\_eye
- mouth

**Parameters**`landmark_group` (*LandmarkGroup*) – The landmark group to apply semantic labels to.

**Returns**

- group** (*str*) – The group label: `ibug_face_51`
- landmark\_group** (*LandmarkGroup*) – New landmark group.

**Raises**`error` (*LabellingError*) – If the given landmark group contains less than 68 points

---

## References

---

### ibug\_face\_66

`menpo.landmark.ibug_face_66` (*landmark\_group*)

Apply the ibug’s “standard” 66 point semantic labels (based on the original semantic labels of multiPIE but ignoring the 2 points describing the inner mouth corners) to the landmark group.

The group label will be `ibug_face_66`.

The semantic labels applied are as follows:

- jaw
- left\_eyebrow
- right\_eyebrow
- nose
- left\_eye
- right\_eye
- mouth

**Parameters**`landmark_group` (*LandmarkGroup*) – The landmark group to apply semantic labels to.

**Returns**

- group** (*str*) – The group label: `ibug_face_66`
- landmark\_group** (*LandmarkGroup*) – New landmark group.

**Raises**`error` (*LabellingError*) – If the given landmark group contains less than 68 points

---

## References

---

### ibug\_face\_68

`menpo.landmark.ibug_face_68` (*landmark\_group*)

Apply the ibug’s “standard” 68 point semantic labels (based on the original semantic labels of multiPIE) to the landmark group.

The group label will be `ibug_face_68`.

The semantic labels applied are as follows:

- jaw
- left\_eyebrow
- right\_eyebrow



- nose
- left\_eye
- right\_eye
- mouth

**Parameters****landmark\_group** (*LandmarkGroup*) – The landmark group to apply semantic labels to.

**Returns**

- group** (*str*) – The group label: `ibug_face_68`
- landmark\_group** (*LandmarkGroup*) – New landmark group.

**Raises****error** (*LabellingError*) – If the given landmark group contains less than 68 points

---

## References

---

### `ibug_face_68_trimesh`

`menpo.landmark.ibug_face_68_trimesh(landmark_group)`

Apply the ibug’s “standard” 68 point triangulation to the landmarks in the given landmark group.

The group label will be `ibug_face_68_trimesh`.

The semantic labels applied are as follows:

- tri

**Parameters****landmark\_group** (*LandmarkGroup*) – The landmark group to apply semantic labels to.

**Returns**

- group** (*str*) – The group label: `ibug_face_68_trimesh`
- landmark\_group** (*LandmarkGroup*) – New landmark group.

**Raises****error** (*LabellingError*) – If the given landmark group contains less than 68 points

---

## References

---

### `ibug_face_65_closed_mouth`

`menpo.landmark.ibug_face_65_closed_mouth(landmark_group)`

Apply the ibug’s “standard” 68 point semantic labels (based on the original semantic labels of multiPIE) to the landmarks in the given landmark group - but ignore the 3 points that are coincident for a closed mouth. Therefore, there only 65 points are returned.

The group label will be `ibug_face_65_closed_mouth`.

The semantic labels applied are as follows:

- jaw
- left\_eyebrow
- right\_eyebrow
- nose
- left\_eye
- right\_eye
- mouth

**Parameters****landmark\_group** (*LandmarkGroup*) – The landmark group to apply semantic labels to.

**Returns**

- group** (*str*) – The group label: `ibug_face_65_closed_mouth`

- landmark\_group** (*LandmarkGroup*) – New landmark group.
- Raises***error* (*LabellingError*) – If the given landmark group contains less than 68 points

---

## References

---

### imm\_face

`menpo.landmark.imm_face` (*landmark\_group*)

Apply the 58 point semantic labels from the IMM dataset to the landmarks in the given landmark group.

The group label will be `imm_face`.

The semantic labels applied are as follows:

- `jaw`
- `left_eye`
- `right_eye`
- `left_eyebrow`
- `right_eyebrow`
- `mouth`
- `nose`

**Parameters****landmark\_group** (*LandmarkGroup*) – The landmark group to apply semantic labels to.

#### Returns

- group** (*str*) – The group label: `imm_face`
- landmark\_group** (*LandmarkGroup*) – New landmark group

**Raises***error* (*LabellingError*) – If the given landmark group contains less than 58 points

---

## References

---

### lfpw\_face

`menpo.landmark.lfpw_face` (*landmark\_group*)

Apply the 29 point semantic labels from the LFPW dataset to the landmarks in the given landmark group.

The group label will be `lfpw_face`.

The semantic labels applied are as follows:

- `chin`
- `left_eye`
- `right_eye`
- `left_eyebrow`
- `right_eyebrow`
- `mouth`
- `nose`

**Parameters****landmark\_group** (*LandmarkGroup*) – The landmark group to apply semantic labels to.

#### Returns

- group** (*str*) – The group label: `lfpw_face`
- landmark\_group** (*LandmarkGroup*) – New landmark group

**Raises***error* (*LabellingError*) – If the given landmark group contains less than 29 points

---

## References

---

### bu3dfe\_83

`menpo.landmark.bu3dfe_83` (*landmark\_group*)

Apply the BU-3DFE (Binghamton University 3D Facial Expression) Database 83 point facial annotation markup to this landmark group.

The group label will be `bu3dfe_83`.

The semantic labels applied are as follows:

- `right_eye`
- `left_eye`
- `right_eyebrow`
- `left_eyebrow`
- `right_nose`
- `left_nose`
- `nostrils`
- `outer_mouth`
- `inner_mouth`
- `jaw`

**Parameters**`landmark_group` (*LandmarkGroup*) – The landmark group to apply semantic labels to.

**Returns**

•**group** (*str*) – The group label: `bu3dfe_83`

•**landmark\_group** (*LandmarkGroup*) – New landmark group.

**Raises**`class:menpo.landmark.exceptions.LabellingError` – If the given landmark group contains less than 83 points

---

### References

---

## 2.5.4 Eyes Labels

### ibug\_open\_eye

`menpo.landmark.ibug_open_eye` (*landmark\_group*)

Apply the ibug’s “standard” open eye semantic labels to the landmarks in the given landmark group.

The group label will be `ibug_open_eye`.

The semantic labels applied are as follows:

- `upper_eyelid`
- `lower_eyelid`
- `iris`
- `pupil`
- `sclera`

**Parameters**`landmark_group` (*LandmarkGroup*) – The landmark group to apply semantic labels to.

**Returns**

•**group** (*str*) – The group label: `ibug_open_eye`

•**landmark\_group** (*LandmarkGroup*) – New landmark group.

**Raises**`error (LabellingError)` – If the given landmark group contains less than 38 points

## ibug\_open\_eye\_trimesh

`menpo.landmark.ibug_open_eye_trimesh (landmark_group)`

Apply the ibug’s “standard” open eye semantic labels to the landmarks in the given landmark group.

The group label will be `ibug_open_eye_trimesh`.

The semantic labels applied are as follows:

- `tri`

**Parameters**`landmark_group` (*LandmarkGroup*) – The landmark group to apply semantic labels to.

**Returns**

- `group` (*str*) – The group label: `ibug_open_eye_trimesh`

- `landmark_group` (*LandmarkGroup*) – New landmark group.

**Raises**`error` (*LabellingError*) – If the given landmark group contains less than 38 points

## ibug\_close\_eye\_trimesh

`menpo.landmark.ibug_close_eye_trimesh (landmark_group)`

Apply the ibug’s “standard” close eye semantic labels to the landmarks in the given landmark group.

The group label will be `ibug_close_eye_trimesh`.

The semantic labels applied are as follows:

- `tri`

**Parameters**`landmark_group` (*LandmarkGroup*) – The landmark group to apply semantic labels to.

**Returns**

- `group` (*str*) – The group label: `ibug_close_eye_trimesh`

- `landmark_group` (*LandmarkGroup*) – New landmark group.

**Raises**`error` (*LabellingError*) – If the given landmark group contains less than 38 points

## ibug\_close\_eye\_points

`menpo.landmark.ibug_close_eye_points (landmark_group)`

Apply the ibug’s “standard” close eye semantic labels to the landmarks in the given landmark group.

The group label will be `ibug_close_eye`.

The semantic labels applied are as follows:

- `upper_eyelid`
- `lower_eyelid`

**Parameters**`landmark_group` (*LandmarkGroup*) – The landmark group to apply semantic labels to.

**Returns**

- `group` (*str*) – The group label: `ibug_close_eye`

- `landmark_group` (*LandmarkGroup*) – New landmark group.

**Raises**`error` (*LabellingError*) – If the given landmark group contains less than 17 points

## 2.5.5 Hands Labels

### ibug\_hand

`menpo.landmark.ibug_hand(landmark_group)`

Apply the ibug’s “standard” 39 point semantic labels to the landmark group.

The group label will be `ibug_hand`.

The semantic labels applied are as follows:

- thumb
- index
- middle
- ring
- pinky
- palm

**Parameters**`landmark_group` (*LandmarkGroup*) – The landmark group to apply semantic labels to.

**Returns**

- `group` (*str*) – The group label: `ibug_hand`
- `landmark_group` (*LandmarkGroup*) – New landmark group.

**Raises**`error` (*LabellingError*) – If the given landmark group contains less than 39 points

## 2.5.6 Pose Labels

### stickmen\_pose

`menpo.landmark.stickmen_pose(landmark_group)`

Apply the stickmen “standard” 12 point semantic labels to the landmark group.

The group label will be `stickmen_pose`.

The semantic labels applied are as follows:

- torso
- right\_upper\_arm
- left\_upper\_arm
- right\_lower\_arm
- left\_lower\_arm
- head

**Parameters**`landmark_group` (*LandmarkGroup*) – The landmark group to apply semantic labels to.

**Returns**

- `group` (*str*) – The group label: `stickmen_pose`
- `landmark_group` (*LandmarkGroup*) – New landmark group.

**Raises**`error` (*LabellingError*) – If the given landmark group contains less than 12 points

---

### References

---

### flic\_pose

`menpo.landmark.flic_pose(landmark_group)`

Apply the flic “standard” 11 point semantic labels to the landmark group.

The group label will be `flic_pose`.

The semantic labels applied are as follows:

- `left_arm`
- `right_arm`
- `hips`
- `face`

**Parameters**`landmark_group` (*LandmarkGroup*) – The landmark group to apply semantic labels to.

**Returns**

- `group` (*str*) – The group label: `flic_pose`
- `landmark_group` (*LandmarkGroup*) – New landmark group.

**Raises**`error` (*LabellingError*) – If the given landmark group contains less than 11 points

---

## References

---

### `lsp_pose`

`menpo.landmark.lsp_pose(landmark_group)`

Apply the `lsp` “standard” 14 point semantic labels to the landmark group.

The group label will be `lsp_pose`.

The semantic labels applied are as follows:

- `left_leg`
- `right_leg`
- `left_arm`
- `right_arm`
- `head`

**Parameters**`landmark_group` (*LandmarkGroup*) – The landmark group to apply semantic labels to.

**Returns**

- `group` (*str*) – The group label: `lsp_pose`
- `landmark_group` (*LandmarkGroup*) – New landmark group.

**Raises**`error` (*LabellingError*) – If the given landmark group contains less than 14 points

---

## References

---

## 2.5.7 Car Labels

### `streetscene_car_view_0`

`menpo.landmark.streetscene_car_view_0(landmark_group)`

Apply the 8 point semantic labels of the view 0 of the MIT Street Scene Car dataset to the landmark group.

The group label will be `streetscene_car_view_0`.

The semantic labels applied are as follows:

- `front`
- `bonnet`
- `windshield`

**Parameters****landmark\_group** (*LandmarkGroup*) – The landmark group to apply semantic labels to.

**Returns**

- group** (*str*) – The group label: `streetscene_car_view_0`
- landmark\_group** (*LandmarkGroup*) – New landmark group.

**Raises****error** (*LabellingError*) – If the given landmark group contains less than 20 points

---

**References**

---

### **streetscene\_car\_view\_1**

`menpo.landmark.streetscene_car_view_1` (*landmark\_group*)

Apply the 14 point semantic labels of the view 1 of the MIT Street Scene Car dataset to the landmark group.

The group label will be `streetscene_car_view_1`.

The semantic labels applied are as follows:

- `front`
- `bonnet`
- `windshield`
- `left_side`

**Parameters****landmark\_group** (*LandmarkGroup*) – The landmark group to apply semantic labels to.

**Returns**

- group** (*str*) – The group label: `streetscene_car_view_1`
- landmark\_group** (*LandmarkGroup*) – New landmark group.

**Raises****error** (*LabellingError*) – If the given landmark group contains less than 20 points

---

**References**

---

### **streetscene\_car\_view\_2**

`menpo.landmark.streetscene_car_view_2` (*landmark\_group*)

Apply the 10 point semantic labels of the view 2 of the MIT Street Scene Car dataset to the landmark group.

The group label will be `streetscene_car_view_2`.

The semantic labels applied are as follows:

- `left_side`

**Parameters****landmark\_group** (*LandmarkGroup*) – The landmark group to apply semantic labels to.

**Returns**

- group** (*str*) – The group label: `'streetscene_car_view_2'`
- landmark\_group** (*LandmarkGroup*) – New landmark group.

**Raises****error** (*LabellingError*) – If the given landmark group contains less than 20 points

---

**References**

---

### streetscene\_car\_view\_3

`menpo.landmark.streetscene_car_view_3` (*landmark\_group*)

Apply the 14 point semantic labels of the view 3 of the MIT Street Scene Car dataset to the landmark group.

The group label will be `streetscene_car_view_2`.

The semantic labels applied are as follows:

- left\_side
- rear windshield
- trunk
- rear

**Parameters**`landmark_group` (*LandmarkGroup*) – The landmark group to apply semantic labels to.

**Returns**

- `group` (*str*) – The group label: `streetscene_car_view_3`
- `landmark_group` (*LandmarkGroup*) – New landmark group.

**Raises**`error` (*LabellingError*) – If the given landmark group contains less than 20 points

---

#### References

---

### streetscene\_car\_view\_4

`menpo.landmark.streetscene_car_view_4` (*landmark\_group*)

Apply the 14 point semantic labels of the view 4 of the MIT Street Scene Car dataset to the landmark group.

The group label will be `streetscene_car_view_4`.

The semantic labels applied are as follows:

- front
- bonnet
- windshield
- right\_side

**Parameters**`landmark_group` (*LandmarkGroup*) – The landmark group to apply semantic labels to.

**Returns**

- `group` (*str*) – The group label: `'streetscene_car_view_4'`
- `landmark_group` (*LandmarkGroup*) – New landmark group.

**Raises**`error` (*LabellingError*) – If the given landmark group contains less than 20 points

---

#### References

---

### streetscene\_car\_view\_5

`menpo.landmark.streetscene_car_view_5` (*landmark\_group*)

Apply the 10 point semantic labels of the view 5 of the MIT Street Scene Car dataset to the landmark group.

The group label will be `streetscene_car_view_5`.

The semantic labels applied are as follows:

- right\_side

**Parameters**`landmark_group` (*LandmarkGroup*) – The landmark group to apply semantic labels to.



**Returns**

- group** (*str*) – The group label: `streetscene_car_view_5`
- landmark\_group** (*LandmarkGroup*) – New landmark group.

**Raises**`error` (*LabellingError*) – If the given landmark group contains less than 20 points

---

**References**

---

**streetscene\_car\_view\_6**

`menpo.landmark.streetscene_car_view_6` (*landmark\_group*)

Apply the 14 point semantic labels of the view 6 of the MIT Street Scene Car dataset to the landmark group.

The group label will be `streetscene_car_view_6`.

The semantic labels applied are as follows:

- `right_side`
- `rear_windshield`
- `trunk`
- `rear`

**Parameters**`landmark_group` (*LandmarkGroup*) – The landmark group to apply semantic labels to.

**Returns**

- group** (*str*) – The group label: `streetscene_car_view_3`
- landmark\_group** (*LandmarkGroup*) – New landmark group.

**Raises**`error` (*LabellingError*) – If the given landmark group contains less than 20 points

---

**References**

---

**streetscene\_car\_view\_7**

`menpo.landmark.streetscene_car_view_7` (*landmark\_group*)

Apply the 8 point semantic labels of the view 0 of the MIT Street Scene Car dataset to the landmark group.

The group label will be `streetscene_car_view_7`.

The semantic labels applied are as follows:

- `rear_windshield`
- `trunk`
- `rear`

**Parameters**`landmark_group` (*LandmarkGroup*) – The landmark group to apply semantic labels to.

**Returns**

- group** (*str*) – The group label: `streetscene_car_view_7`
- landmark\_group** (*LandmarkGroup*) – New landmark group.

**Raises**`error` (*LabellingError*) – If the given landmark group contains less than 20 points

---

**References**

---

## 2.5.8 Tongue Labels

### ibug\_tongue

`menpo.landmark.ibug_tongue (landmark_group)`

Apply the ibug’s “standard” tongue semantic labels to the landmarks in the given landmark group.

The group label will be `ibug_tongue`.

The semantic labels applied are as follows:

- outline
- bisector

**Parameters**`landmark_group` (*LandmarkGroup*) – The landmark group to apply semantic labels to.

**Returns**

- `group` (*str*) – The group label: `ibug_tongue`
- `landmark_group` (*LandmarkGroup*) – New landmark group.

**Raises**`error` (*LabellingError*) – If the given landmark group contains less than 19 points

## 2.6 menpo.math

### 2.6.1 Decomposition

#### eigenvalue\_decomposition

`menpo.math.eigenvalue_decomposition (C, eps=1e-10)`

Eigenvalue decomposition of a given covariance (or scatter) matrix.

**Parameters**

- `C` ((*N*, *N*) *ndarray*) – Covariance/Scatter matrix
- `eps` (*float*, optional) – Tolerance value for positive eigenvalue. Those eigenvalues smaller than the specified `eps` value, together with their corresponding eigenvectors, will be automatically discarded. The final limit is computed as

$$\text{limit} = \text{np.max}(\text{np.abs}(\text{eigenvalues})) * \text{eps}$$

**Returns**

- `pos_eigenvectors` ((*N*, *p*) *ndarray*) – The matrix with the eigenvectors corresponding to positive eigenvalues.
- `pos_eigenvalues` ((*p*,) *ndarray*) – The array of positive eigenvalues.

#### ipca

`menpo.math.ipca (B, U_a, l_a, n_a, m_a=None, f=1.0, eps=1e-10)`

Perform Incremental PCA on the eigenvectors `U_a`, eigenvalues `l_a` and mean vector `m_a` (if present) given a new data matrix `B`.

**Parameters**

- `B` ((*n\_samples*, *n\_dims*) *ndarray*) – New data matrix.
- `U_a` ((*n\_components*, *n\_dims*) *ndarray*) – Eigenvectors to be updated.
- `l_a` ((*n\_components*) *ndarray*) – Eigenvalues to be updated.
- `n_a` (*int*) – Total number of samples used to produce `U_a`, `s_a` and `m_a`.
- `m_a` ((*n\_dims*,) *ndarray*, optional) – Mean to be updated. If `None` or (*n\_dims*,) *ndarray* filled with 0s the data matrix will not be centred.

- **f** ([0, 1] *float*, optional) – Forgetting factor that weights the relative contribution of new samples vs old samples. If 1.0, all samples are weighted equally and, hence, the results is the exact same as performing batch PCA on the concatenated list of old and new samples. If <1.0, more emphasis is put on the new samples. See [1] for details.
- **eps** (*float*, optional) – Tolerance value for positive eigenvalue. Those eigenvalues smaller than the specified eps value, together with their corresponding eigenvectors, will be automatically discarded.

**Returns**

- **U (eigenvectors)** ((*n\_components*, *n\_dims*) *ndarray*) – Updated eigenvectors.
- **s (eigenvalues)** ((*n\_components*,) *ndarray*) – Updated positive eigenvalues.
- **m (mean vector)** ((*n\_dims*,) *ndarray*) – Updated mean.

**References****pca**

`menpo.math.pca(X, centre=True, inplace=False, eps=1e-10)`

Apply Principal Component Analysis (PCA) on the data matrix *X*. In the case where the data matrix is very large, it is advisable to set `inplace = True`. However, note this destructively edits the data matrix by subtracting the mean inplace.

**Parameters**

- **X** ((*n\_samples*, *n\_dims*) *ndarray*) – Data matrix.
- **centre** (*bool*, optional) – Whether to centre the data matrix. If *False*, zero will be subtracted.
- **inplace** (*bool*, optional) – Whether to do the mean subtracting inplace or not. This is crucial if the data matrix is greater than half the available memory size.
- **eps** (*float*, optional) – Tolerance value for positive eigenvalue. Those eigenvalues smaller than the specified eps value, together with their corresponding eigenvectors, will be automatically discarded.

**Returns**

- **U (eigenvectors)** ((*n\_components*, *n\_dims*) *ndarray*) – Eigenvectors of the data matrix.
- **s (eigenvalues)** ((*n\_components*,) *ndarray*) – Positive eigenvalues of the data matrix.
- **m (mean vector)** ((*n\_dimensions*,) *ndarray*) – Mean that was subtracted from the data matrix.

**2.6.2 Linear Algebra****dot\_inplace\_right**

`menpo.math.dot_inplace_right(a, b, block_size=1000)`

Inplace dot product for memory efficiency. It computes  $a * b = c$  where *b* will be replaced inplace with *c*.

**Parameters**

- **a** ((*n\_small*, *k*) *ndarray*, *n\_small* ≤ *k*) – The first array to dot - assumed to be small. *n\_small* must be smaller than *k* so the result can be stored within the memory space of *b*.
- **b** ((*k*, *n\_big*) *ndarray*) – Second array to dot - assumed to be large. Will be damaged by this function call as it is used to store the output inplace.
- **block\_size** (*int*, optional) – The size of the block of *b* that *a* will be dotted against in each iteration. larger block sizes increase the time performance of the dot product at the cost of a higher memory overhead for the operation.

**Returnsc** ((n\_small, n\_big) *ndarray*) – The output of the operation. Exactly the same as a memory view onto b (b[:n\_small]) as b is modified inplace to store the result.

### dot\_inplace\_left

menpo.math.dot\_inplace\_left(a, b, block\_size=1000)

Inplace dot product for memory efficiency. It computes  $a * b = c$ , where a will be replaced inplace with c.

#### Parameters

- **a** ((n\_big, k) *ndarray*) – First array to dot - assumed to be large. Will be damaged by this function call as it is used to store the output inplace.
- **b** ((k, n\_small) *ndarray*, n\_small <= k) – The second array to dot - assumed to be small. n\_small must be smaller than k so the result can be stored within the memory space of a.
- **block\_size** (int, optional) – The size of the block of a that will be dotted against b in each iteration. larger block sizes increase the time performance of the dot product at the cost of a higher memory overhead for the operation.

**Returnsc** ((n\_big, n\_small) *ndarray*) – The output of the operation. Exactly the same as a memory view onto a (a[:, :n\_small]) as a is modified inplace to store the result.

### as\_matrix

menpo.math.as\_matrix(vectorizables, length=None, return\_template=False, verbose=False)

Create a matrix from a list/generator of *Vectorizable* objects. All the objects in the list **must** be the same size when vectorized.

Consider using a generator if the matrix you are creating is large and passing the length of the generator explicitly.

#### Parameters

- **vectorizables** (list or generator if *Vectorizable* objects) – A list or generator of objects that supports the vectorizable interface
- **length** (int, optional) – Length of the vectorizable list. Useful if you are passing a generator with a known length.
- **verbose** (bool, optional) – If True, will print the progress of building the matrix.
- **return\_template** (bool, optional) – If True, will return the first element of the list/generator, which was used as the template. Useful if you need to map back from the matrix to a list of vectorizable objects.

#### Returns

- **M** ((length, n\_features) *ndarray*) – Every row is an element of the list.
- **template** (*Vectorizable*, optional) – If return\_template == True, will return the template used to build the matrix *M*.

**Raises** *ValueError* – vectorizables terminates in fewer than length iterations

### from\_matrix

menpo.math.from\_matrix(matrix, template)

Create a generator from a matrix given a template *Vectorizable* objects as a template. The from\_vector method will be used to reconstruct each object.

If you want a list, warp the returned value in list().

#### Parameters

- **matrix** ((n\_items, n\_features) *ndarray*) – A matrix whereby every row represents the data of a vectorizable object.

- **template** (*Vectorizable*) – The template object to use to reconstruct each row of the matrix with.

**Returns** *vectorizables* (generator of *Vectorizable*) – Every row of the matrix becomes an element of the list.

## 2.6.3 Convolution

### log\_gabor

`menpo.math.log_gabor (image, **kwargs)`

Creates a log-gabor filter bank, including smoothing the images via a low-pass filter at the edges.

To create a 2D filter bank, simply specify the number of phi orientations (orientations in the xy-plane).

To create a 3D filter bank, you must specify both the number of phi (azimuth) and theta (elevation) orientations.

This algorithm is directly derived from work by Peter Kovessi.

#### Parameters

- **image** (*(M, N, ...)* *ndarray*) – Image to be convolved

- **num\_scales** (*int*, optional) – Number of wavelet scales.

Default 2D	4
Default 3D	4

- **num\_phi\_orientations** (*int*, optional) – Number of filter orientations in the xy-plane

Default 2D	6
Default 3D	6

- **num\_theta\_orientations** (*int*, optional) – **Only required for 3D.** Number of filter orientations in the z-plane

Default 2D	N/A
Default 3D	4

- **min\_wavelength** (*int*, optional) – Wavelength of smallest scale filter.

Default 2D	3
Default 3D	3

- **scaling\_constant** (*int*, optional) – Scaling factor between successive filters.

Default 2D	2
Default 3D	2

- **center\_sigma** (*float*, optional) – Ratio of the standard deviation of the Gaussian describing the Log Gabor filter's transfer function in the frequency domain to the filter centre frequency.

Default 2D	0.65
Default 3D	0.65

- **d\_phi\_sigma** (*float*, optional) – Angular bandwidth in xy-plane

Default 2D	1.3
Default 3D	1.5

- **d\_theta\_sigma** (*float*, optional) – **Only required for 3D.** Angular bandwidth in z-plane

Default 2D	N/A
Default 3D	1.5

#### Returns

- complex\_conv** ((num\_scales, num\_orientations, image.shape) *ndarray*) – Complex valued convolution results. The real part is the result of convolving with the even symmetric filter, the imaginary part is the result from convolution with the odd symmetric filter.
  - bandpass** ((num\_scales, image.shape) *ndarray*) – Bandpass images corresponding to each scale *s*
  - S** ((image.shape,) *ndarray*) – Convolved image
- 

### Examples

Return the magnitude of the convolution over the image at scale *s* and orientation *o*

```
np.abs(complex_conv[s, o, :, :])
```

Return the phase angles

```
np.angle(complex_conv[s, o, :, :])
```

---

### References

---

## 2.7 menpo.model

### 2.7.1 LinearModel

**class** menpo.model.LinearModel(*components*)

Bases: *Copyable*

A Linear Model contains a matrix of vector components, each component vector being made up of *features*.

**Parameters****components** ((*n\_components*, *n\_features*) *ndarray*) – The components array.

**component\_vector** (*index*)

A particular component of the model, in vectorized form.

**Parameters****index** (*int*) – The component that is to be returned.

**Returns****component\_vector** ((*n\_features*,) *ndarray*) – The component vector.

**copy** ()

Generate an efficient copy of this object.

Note that Numpy arrays and other *Copyable* objects on *self* will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).

Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Returns****type** (*self*) – A copy of this object

**instance\_vector** (*weights*)

Creates a new vector instance of the model by weighting together the components.

**Parameters****weights** ((*n\_weights*,) *ndarray* or *list*) – The weightings for the first *n\_weights* components that should be used.

*weights[j]* is the linear contribution of the *j*'th principal component to the instance vector.

**Returns****vector** ((*n\_features*,) *ndarray*) – The instance vector for the weighting provided.

**instance\_vectors** (*weights*)

Creates new vectorized instances of the model using all the components of the linear model.

**Parameters****weights** ((*n\_vectors*, *n\_weights*) *ndarray* or *list of lists*) – The weightings for all components of the linear model. All components will be used to produce the instance.

*weights*[*i*, *j*] is the linear contribution of the *j*'th principal component to the *i*'th instance vector produced.

**Raises****ValueError** – If *n\_weights* > *n\_available\_components*

**Returns****vectors** ((*n\_vectors*, *n\_features*) *ndarray*) – The instance vectors for the weighting provided.

**orthonormalize\_against\_inplace** (*linear\_model*)

Enforces that the union of this model's components and another are both mutually orthonormal.

Both models keep its number of components unchanged or else a value error is raised.

**Parameters****linear\_model** (*LinearModel*) – A second linear model to orthonormalize this against.

**Raises****ValueError** – The number of features must be greater or equal than the sum of the number of components in both linear models ( $\{\} < \{\}$ )

**orthonormalize\_inplace** ()

Enforces that this model's components are orthonormalized, s.t.  
 $\text{component\_vector}(i) \cdot \text{component\_vector}(j) = \text{dirac\_delta}.$

**project\_out\_vector** (*vector*)

Returns a version of *vector* where all the basis of the model have been projected out.

**Parameters****vector** ((*n\_features*,) *ndarray*) – A novel vector.

**Returns****projected\_out** ((*n\_features*,) *ndarray*) – A copy of *vector* with all basis of the model projected out.

**project\_out\_vectors** (*vectors*)

Returns a version of *vectors* where all the basis of the model have been projected out.

**Parameters****vectors** ((*n\_vectors*, *n\_features*) *ndarray*) – A matrix of novel vectors.

**Returns****projected\_out** ((*n\_vectors*, *n\_features*) *ndarray*) – A copy of *vectors* with all basis of the model projected out.

**project\_vector** (*vector*)

Projects the *vector* onto the model, retrieving the optimal linear reconstruction weights.

**Parameters****vector** ((*n\_features*,) *ndarray*) – A vectorized novel instance.

**Returns****weights** ((*n\_components*,) *ndarray*) – A vector of optimal linear weights.

**project\_vectors** (*vectors*)

Projects each of the *vectors* onto the model, retrieving the optimal linear reconstruction weights for each instance.

**Parameters****vectors** ((*n\_samples*, *n\_features*) *ndarray*) – Array of vectorized novel instances.

**Returns****weights** ((*n\_samples*, *n\_components*) *ndarray*) – The matrix of optimal linear weights.

**reconstruct\_vector** (*vector*)

Project a *vector* onto the linear space and rebuild from the weights found.

**Parameters****vector** ((*n\_features*,) *ndarray*) – A vectorized novel instance to project.

**Returns****reconstructed** ((*n\_features*,) *ndarray*) – The reconstructed vector.

**reconstruct\_vectors** (*vectors*)

Projects the *vectors* onto the linear space and rebuilds vectors from the weights found.

**Parameters****vectors** ((n\_vectors, n\_features) *ndarray*) – A set of vectors to project.

**Returns****reconstructed** ((n\_vectors, n\_features) *ndarray*) – The reconstructed vectors.

**components**

The components matrix of the linear model.

**Type** (n\_available\_components, n\_features) *ndarray*

**n\_components**

The number of bases of the model.

**Type** *int*

**n\_features**

The number of elements in each linear component.

**Type** *int*

## 2.7.2 InstanceLinearModel

**class** menpo.model.**InstanceLinearModel** (*components*)

Bases: *LinearModel*, *InstanceBackedModel*

Mixin of *LinearModel* and *InstanceBackedModel* objects.

**Parameters**

• **components** ((n\_components, n\_features) *ndarray*) – The components array.

• **template\_instance** (*Vectorizable*) – The template instance.

**component** (*index*)

A particular component of the model, in vectorized form.

**Parameters****index** (*int*) – The component that is to be returned.

**Returns****component\_vector** (*type(self.template\_instance)*) – The component vector.

**component\_vector** (*index*)

A particular component of the model, in vectorized form.

**Parameters****index** (*int*) – The component that is to be returned.

**Returns****component\_vector** ((n\_features, ) *ndarray*) – The component vector.

**copy** ()

Generate an efficient copy of this object.

Note that Numpy arrays and other *Copyable* objects on *self* will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).

Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Returns***type(self)* – A copy of this object

**instance** (*weights*)

Creates a new instance of the model using the first *len(weights)* components.

**Parameters****weights** ((n\_weights, ) *ndarray* or *list*) – *weights[i]* is the linear contribution of the *i*'th component to the instance vector.

**Raises***ValueError* – If *n\_weights* > *n\_components*

**Returns****instance** (*type(self.template\_instance)*) – An instance of the model.

**instance\_vector** (*weights*)

Creates a new vector instance of the model by weighting together the components.

**Parameters****weights** ((n\_weights, ) *ndarray* or *list*) – The weightings for the first *n\_weights* components that should be used.



`weights[j]` is the linear contribution of the  $j$ 'th principal component to the instance vector.

**Returns**`vector` ((`n_features`,) `ndarray`) – The instance vector for the weighting provided.

**instance\_vectors** (`weights`)

Creates new vectorized instances of the model using all the components of the linear model.

**Parameters**`weights` ((`n_vectors`, `n_weights`) `ndarray` or *list of lists*) – The weightings for all components of the linear model. All components will be used to produce the instance.

`weights[i, j]` is the linear contribution of the  $j$ 'th principal component to the  $i$ 'th instance vector produced.

**Raises**`ValueError` – If `n_weights > n_available_components`

**Returns**`vectors` ((`n_vectors`, `n_features`) `ndarray`) – The instance vectors for the weighting provided.

**orthonormalize\_against\_inplace** (`linear_model`)

Enforces that the union of this model's components and another are both mutually orthonormal.

Both models keep its number of components unchanged or else a value error is raised.

**Parameters**`linear_model` (`LinearModel`) – A second linear model to orthonormalize this against.

**Raises**`ValueError` – The number of features must be greater or equal than the sum of the number of components in both linear models (`{}` < `{}`)

**orthonormalize\_inplace** ()

Enforces that this model's components are orthonormalized, s.t.  
`component_vector(i).dot(component_vector(j)) = dirac_delta.`

**project** (`instance`)

Projects the *instance* onto the model, retrieving the optimal linear weightings.

**Parameters**`novel_instance` (`Vectorizable`) – A novel instance.

**Returns**`projected` ((`n_components`,) `ndarray`) – A vector of optimal linear weightings.

**project\_out** (`instance`)

Returns a version of *instance* where all the basis of the model have been projected out.

**Parameters**`instance` (`Vectorizable`) – A novel instance of `Vectorizable`.

**Returns**`projected_out` (`self.instance_class`) – A copy of *instance*, with all basis of the model projected out.

**project\_out\_vector** (`vector`)

Returns a version of *vector* where all the basis of the model have been projected out.

**Parameters**`vector` ((`n_features`,) `ndarray`) – A novel vector.

**Returns**`projected_out` ((`n_features`,) `ndarray`) – A copy of *vector* with all basis of the model projected out.

**project\_out\_vectors** (`vectors`)

Returns a version of *vectors* where all the basis of the model have been projected out.

**Parameters**`vectors` ((`n_vectors`, `n_features`) `ndarray`) – A matrix of novel vectors.

**Returns**`projected_out` ((`n_vectors`, `n_features`) `ndarray`) – A copy of *vectors* with all basis of the model projected out.

**project\_vector** (`vector`)

Projects the *vector* onto the model, retrieving the optimal linear reconstruction weights.

**Parameters**`vector` ((`n_features`,) `ndarray`) – A vectorized novel instance.

**Returns**`weights` ((`n_components`,) `ndarray`) – A vector of optimal linear weights.

**project\_vectors** (*vectors*)

Projects each of the *vectors* onto the model, retrieving the optimal linear reconstruction weights for each instance.

**Parameters****vectors** ((*n\_samples*, *n\_features*) *ndarray*) – Array of vectorized novel instances.

**Returns****weights** ((*n\_samples*, *n\_components*) *ndarray*) – The matrix of optimal linear weights.

**reconstruct** (*instance*)

Projects a *instance* onto the linear space and rebuilds from the weights found.

Syntactic sugar for:

```
instance(project(instance))
```

but faster, as it avoids the conversion that takes place each time.

**Parameters****instance** (*Vectorizable*) – A novel instance of *Vectorizable*.

**Returns****reconstructed** (*self.instance\_class*) – The reconstructed object.

**reconstruct\_vector** (*vector*)

Project a *vector* onto the linear space and rebuild from the weights found.

**Parameters****vector** ((*n\_features*, ) *ndarray*) – A vectorized novel instance to project.

**Returns****reconstructed** ((*n\_features*, ) *ndarray*) – The reconstructed vector.

**reconstruct\_vectors** (*vectors*)

Projects the *vectors* onto the linear space and rebuilds vectors from the weights found.

**Parameters****vectors** ((*n\_vectors*, *n\_features*) *ndarray*) – A set of vectors to project.

**Returns****reconstructed** ((*n\_vectors*, *n\_features*) *ndarray*) – The reconstructed vectors.

**components**

The components matrix of the linear model.

**Type** (*n\_available\_components*, *n\_features*) *ndarray*

**n\_components**

The number of bases of the model.

**Type** *int*

**n\_features**

The number of elements in each linear component.

**Type** *int*

## 2.7.3 MeanLinearModel

**class** `menpo.model.MeanLinearModel` (*components*, *mean\_vector*)

Bases: *LinearModel*

A Linear Model containing a matrix of vector components, each component vector being made up of *features*. The model additionally has a mean component which is handled accordingly when either:

- 1.A component of the model is selected
- 2.A projection operation is performed

**Parameters**

•**components** ((*n\_components*, *n\_features*) *ndarray*) – The components array.

•**mean\_vector** ((*n\_features*, ) *ndarray*) – The mean vector.

**component\_vector** (*index*, *with\_mean=True*, *scale=1.0*)

A particular component of the model, in vectorized form.

**Parameters**

- **index** (*int*) – The component that is to be returned
- **with\_mean** (*bool*, optional) – If `True`, the component will be blended with the mean vector before being returned. If not, the component is returned on it's own.
- **scale** (*float*, optional) – A scale factor that should be directly applied to the component. Only valid in the case where `with_mean == True`.

**Returns**`component_vector` (*(n\_features,)* *ndarray*) – The component vector.

**copy** ()

Generate an efficient copy of this object.

Note that Numpy arrays and other *Copyable* objects on `self` will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).

Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Return**`type` (*self*) – A copy of this object

**instance\_vector** (*weights*)

Creates a new vector instance of the model by weighting together the components.

**Parameters**`weights` (*(n\_weights,)* *ndarray* or *list*) – The weightings for the first *n\_weights* components that should be used.

`weights[j]` is the linear contribution of the *j*'th principal component to the instance vector.

**Returns**`vector` (*(n\_features,)* *ndarray*) – The instance vector for the weighting provided.

**instance\_vectors** (*weights*)

Creates new vectorized instances of the model using all the components of the linear model.

**Parameters**`weights` (*(n\_vectors, n\_weights)* *ndarray* or *list of lists*) – The weightings for all components of the linear model. All components will be used to produce the instance.

`weights[i, j]` is the linear contribution of the *j*'th principal component to the *i*'th instance vector produced.

**Raises**`ValueError` – If `n_weights > n_available_components`

**Returns**`vectors` (*(n\_vectors, n\_features)* *ndarray*) – The instance vectors for the weighting provided.

**orthonormalize\_against\_inplace** (*linear\_model*)

Enforces that the union of this model's components and another are both mutually orthonormal.

Both models keep its number of components unchanged or else a value error is raised.

**Parameters**`linear_model` (*LinearModel*) – A second linear model to orthonormalize this against.

**Raises**`ValueError` – The number of features must be greater or equal than the sum of the number of components in both linear models (`{ } < { }`)

**orthonormalize\_inplace** ()

Enforces that this model's components are orthonormalized, s.t.  
`component_vector(i).dot(component_vector(j)) = dirac_delta.`

**project\_out\_vector** (*vector*)

Returns a version of *vector* where all the basis of the model have been projected out.

**Parameters**`vector` (*(n\_features,)* *ndarray*) – A novel vector.

**Returns**`projected_out` ((`n_features`, ) `ndarray`) – A copy of *vector* with all basis of the model projected out.

**project\_out\_vectors** (*vectors*)

Returns a version of *vectors* where all the basis of the model have been projected out.

**Parameters**`vectors` ((`n_vectors`, `n_features`) `ndarray`) – A matrix of novel vectors.

**Returns**`projected_out` ((`n_vectors`, `n_features`) `ndarray`) – A copy of *vectors* with all basis of the model projected out.

**project\_vector** (*vector*)

Projects the *vector* onto the model, retrieving the optimal linear reconstruction weights.

**Parameters**`vector` ((`n_features`, ) `ndarray`) – A vectorized novel instance.

**Returns**`weights` ((`n_components`, ) `ndarray`) – A vector of optimal linear weights.

**project\_vectors** (*vectors*)

Projects each of the *vectors* onto the model, retrieving the optimal linear reconstruction weights for each instance.

**Parameters**`vectors` ((`n_samples`, `n_features`) `ndarray`) – Array of vectorized novel instances.

**Returns**`projected` ((`n_samples`, `n_components`) `ndarray`) – The matrix of optimal linear weights.

**reconstruct\_vector** (*vector*)

Project a *vector* onto the linear space and rebuild from the weights found.

**Parameters**`vector` ((`n_features`, ) `ndarray`) – A vectorized novel instance to project.

**Returns**`reconstructed` ((`n_features`, ) `ndarray`) – The reconstructed vector.

**reconstruct\_vectors** (*vectors*)

Projects the *vectors* onto the linear space and rebuilds vectors from the weights found.

**Parameters**`vectors` ((`n_vectors`, `n_features`) `ndarray`) – A set of vectors to project.

**Returns**`reconstructed` ((`n_vectors`, `n_features`) `ndarray`) – The reconstructed vectors.

**components**

The components matrix of the linear model.

**Type**(`n_available_components`, `n_features`) `ndarray`

**n\_components**

The number of bases of the model.

**Type**`int`

**n\_features**

The number of elements in each linear component.

**Type**`int`

## 2.7.4 MeanInstanceLinearModel

**class** `menpo.model.MeanInstanceLinearModel` (*components*, *mean\_vector*, *template\_instance*)

Bases: `MeanLinearModel`, `InstanceBackedModel`

Mixin of `MeanLinearModel` and `InstanceBackedModel` objects.

**Parameters**

• **components** ((`n_components`, `n_features`) `ndarray`) – The components array.

• **mean\_vector** ((`n_features`, ) `ndarray`) – The mean vector.

•**template\_instance** (*Vectorizable*) – The template instance.

**component** (*index, with\_mean=True, scale=1.0*)

Return a particular component of the linear model.

**Parameters**

- index** (*int*) – The component that is to be returned
- with\_mean** (*bool*, optional) – If `True`, the component will be blended with the mean vector before being returned. If not, the component is returned on it's own.
- scale** (*float*, optional) – A scale factor that should be applied to the component. Only valid in the case where `with_mean == True`. See [component\\_vector\(\)](#) for how this scale factor is interpreted.

**Returns****component** (*type(self.template\_instance)*) – The requested component.

**component\_vector** (*index, with\_mean=True, scale=1.0*)

A particular component of the model, in vectorized form.

**Parameters**

- index** (*int*) – The component that is to be returned
- with\_mean** (*bool*, optional) – If `True`, the component will be blended with the mean vector before being returned. If not, the component is returned on it's own.
- scale** (*float*, optional) – A scale factor that should be directly applied to the component. Only valid in the case where `with_mean == True`.

**Returns****component\_vector** (*(n\_features,) ndarray*) – The component vector.

**copy** ()

Generate an efficient copy of this object.

Note that Numpy arrays and other [Copyable](#) objects on `self` will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).

Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Return****type** (*self*) – A copy of this object

**instance** (*weights*)

Creates a new instance of the model using the first `len(weights)` components.

**Parameters****weights** (*(n\_weights,) ndarray or list*) – `weights[i]` is the linear contribution of the *i*'th component to the instance vector.

**Raises****ValueError** – If `n_weights > n_components`

**Returns****instance** (*type(self.template\_instance)*) – An instance of the model.

**instance\_vector** (*weights*)

Creates a new vector instance of the model by weighting together the components.

**Parameters****weights** (*(n\_weights,) ndarray or list*) – The weightings for the first *n\_weights* components that should be used.

`weights[j]` is the linear contribution of the *j*'th principal component to the instance vector.

**Returns****vector** (*(n\_features,) ndarray*) – The instance vector for the weighting provided.

**instance\_vectors** (*weights*)

Creates new vectorized instances of the model using all the components of the linear model.

**Parameters****weights** (*(n\_vectors, n\_weights) ndarray or list of lists*) – The weightings for all components of the linear model. All components will be used to produce the instance.

`weights[i, j]` is the linear contribution of the *j*'th principal component to the *i*'th

instance vector produced.

**Raises**`ValueError` – If `n_weights > n_available_components`

**Returns**`vectors` (`(n_vectors, n_features) ndarray`) – The instance vectors for the weighting provided.

**mean** ()

Return the mean of the model.

**Type**`Vectorizable`

**orthonormalize\_against\_inplace** (`linear_model`)

Enforces that the union of this model's components and another are both mutually orthonormal.

Both models keep its number of components unchanged or else a value error is raised.

**Parameters**`linear_model` (`LinearModel`) – A second linear model to orthonormalize this against.

**Raises**`ValueError` – The number of features must be greater or equal than the sum of the number of components in both linear models (`{ } < { }`)

**orthonormalize\_inplace** ()

Enforces that this model's components are orthonormalized, s.t.  
`component_vector(i).dot(component_vector(j)) = dirac_delta.`

**project** (`instance`)

Projects the *instance* onto the model, retrieving the optimal linear weightings.

**Parameters**`novel_instance` (`Vectorizable`) – A novel instance.

**Returns**`projected` (`(n_components, ) ndarray`) – A vector of optimal linear weightings.

**project\_out** (`instance`)

Returns a version of *instance* where all the basis of the model have been projected out.

**Parameters**`instance` (`Vectorizable`) – A novel instance of `Vectorizable`.

**Returns**`projected_out` (`self.instance_class`) – A copy of *instance*, with all basis of the model projected out.

**project\_out\_vector** (`vector`)

Returns a version of *vector* where all the basis of the model have been projected out.

**Parameters**`vector` (`(n_features, ) ndarray`) – A novel vector.

**Returns**`projected_out` (`(n_features, ) ndarray`) – A copy of *vector* with all basis of the model projected out.

**project\_out\_vectors** (`vectors`)

Returns a version of *vectors* where all the basis of the model have been projected out.

**Parameters**`vectors` (`(n_vectors, n_features) ndarray`) – A matrix of novel vectors.

**Returns**`projected_out` (`(n_vectors, n_features) ndarray`) – A copy of *vectors* with all basis of the model projected out.

**project\_vector** (`vector`)

Projects the *vector* onto the model, retrieving the optimal linear reconstruction weights.

**Parameters**`vector` (`(n_features, ) ndarray`) – A vectorized novel instance.

**Returns**`weights` (`(n_components, ) ndarray`) – A vector of optimal linear weights.

**project\_vectors** (`vectors`)

Projects each of the *vectors* onto the model, retrieving the optimal linear reconstruction weights for each instance.

**Parameters**`vectors` (`(n_samples, n_features) ndarray`) – Array of vectorized novel instances.

**Returns**`projected` (`(n_samples, n_components) ndarray`) – The matrix of optimal linear weights.

**reconstruct** (*instance*)

Projects a *instance* onto the linear space and rebuilds from the weights found.

Syntactic sugar for:

```
instance(project(instance))
```

but faster, as it avoids the conversion that takes place each time.

**Parameters***instance* (*Vectorizable*) – A novel instance of *Vectorizable*.

**Returns***reconstructed* (*self.instance\_class*) – The reconstructed object.

**reconstruct\_vector** (*vector*)

Project a *vector* onto the linear space and rebuild from the weights found.

**Parameters***vector* ((*n\_features*, ) *ndarray*) – A vectorized novel instance to project.

**Returns***reconstructed* ((*n\_features*, ) *ndarray*) – The reconstructed vector.

**reconstruct\_vectors** (*vectors*)

Projects the *vectors* onto the linear space and rebuilds vectors from the weights found.

**Parameters***vectors* ((*n\_vectors*, *n\_features*) *ndarray*) – A set of vectors to project.

**Returns***reconstructed* ((*n\_vectors*, *n\_features*) *ndarray*) – The reconstructed vectors.

**components**

The components matrix of the linear model.

**Type**(*n\_available\_components*, *n\_features*) *ndarray*

**n\_components**

The number of bases of the model.

**Type***int*

**n\_features**

The number of elements in each linear component.

**Type***int*

## 2.7.5 PCAModel

**class** `menpo.model.PCAModel` (*samples*, *centre=True*, *n\_samples=None*, *verbose=False*)

Bases: `MeanInstanceLinearModel`

A *MeanInstanceLinearModel* where components are Principal Components.

Principal Component Analysis (PCA) by eigenvalue decomposition of the data's scatter matrix. For details of the implementation of PCA, see [pca](#).

**Parameters**

- **samples** (*list* or *iterable* of *Vectorizable*) – List or iterable of samples to build the model from.

- **centre** (*bool*, optional) – When *True* (default) PCA is performed after mean centering the data. If *False* the data is assumed to be centred, and the mean will be 0.

- **n\_samples** (*int*, optional) – If provided then *samples* must be an iterator that yields *n\_samples*. If not provided then *samples* has to be a *list* (so we know how large the data matrix needs to be).

**component** (*index*, *with\_mean=True*, *scale=1.0*)

Return a particular component of the linear model.

**Parameters**



- index** (*int*) – The component that is to be returned
- with\_mean** (*bool*, optional) – If `True`, the component will be blended with the mean vector before being returned. If not, the component is returned on it's own.
- scale** (*float*, optional) – A scale factor that should be applied to the component. Only valid in the case where `with_mean == True`. See `component_vector()` for how this scale factor is interpreted.

**Returns**`component` (*type(self.template\_instance)*) – The requested component.

**component\_vector** (*index*, *with\_mean=True*, *scale=1.0*)

A particular component of the model, in vectorized form.

**Parameters**

- index** (*int*) – The component that is to be returned
- with\_mean** (*bool*, optional) – If `True`, the component will be blended with the mean vector before being returned. If not, the component is returned on it's own.
- scale** (*float*, optional) – A scale factor that should be applied to the component. Only valid in the case where `with_mean` is `True`. The scale is applied in units of standard deviations (so a scale of `1.0` *with\_mean* visualizes the mean plus 1 std. dev of the component in question).

**Returns**`component_vector` (*(n\_features,)* *ndarray*) – The component vector of the given index.

**copy** ()

Generate an efficient copy of this object.

Note that Numpy arrays and other *Copyable* objects on `self` will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).

Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Returns**`type(self)` – A copy of this object

**eigenvalues\_cumulative\_ratio** ()

Returns the cumulative ratio between the variance captured by the active components and the total amount of variance present on the original samples.

**Returns**`eigenvalues_cumulative_ratio` (*(n\_active\_components,)* *ndarray*) – Array of cumulative eigenvalues.

**eigenvalues\_ratio** ()

Returns the ratio between the variance captured by each active component and the total amount of variance present on the original samples.

**Returns**`eigenvalues_ratio` (*(n\_active\_components,)* *ndarray*) – The active eigenvalues array scaled by the original variance.

**increment** (*samples*, *n\_samples=None*, *forgetting\_factor=1.0*, *verbose=False*)

Update the eigenvectors, eigenvalues and mean vector of this model by performing incremental PCA on the given samples.

**Parameters**

- samples** (*list of Vectorizable*) – List of new samples to update the model from.
- n\_samples** (*int*, optional) – If provided then `samples` must be an iterator that yields `n_samples`. If not provided then `samples` has to be a list (so we know how large the data matrix needs to be).
- forgetting\_factor** (*[0.0, 1.0]* *float*, optional) – Forgetting factor that weights the relative contribution of new samples vs old samples. If `1.0`, all samples are weighted equally and, hence, the results is the exact same as performing



batch PCA on the concatenated list of old and new samples. If  $< 1.0$ , more emphasis is put on the new samples. See [1] for details.

---

## References

---

### `instance(weights)`

Creates a new instance of the model using the first `len(weights)` components.

**Parameters**`weights` ((`n_weights`,) *ndarray* or *list*) – `weights[i]` is the linear contribution of the  $i$ 'th component to the instance vector.

**Raises**`ValueError` – If `n_weights > n_components`

**Returns**`instance` (*type(self.template\_instance)*) – An instance of the model.

### `instance_vector(weights)`

Creates a new vector instance of the model by weighting together the components.

**Parameters**`weights` ((`n_weights`,) *ndarray* or *list*) – The weightings for the first `n_weights` components that should be used.

`weights[j]` is the linear contribution of the  $j$ 'th principal component to the instance vector.

**Returns**`vector` ((`n_features`,) *ndarray*) – The instance vector for the weighting provided.

### `instance_vectors(weights)`

Creates new vectorized instances of the model using the first components in a particular weighting.

**Parameters**`weights` ((`n_vectors`, `n_weights`) *ndarray* or *list of lists*) – The weightings for the first `n_weights` components that should be used per instance that is to be produced

`weights[i, j]` is the linear contribution of the  $j$ 'th principal component to the  $i$ 'th instance vector produced. Note that if `n_weights < n_components`, only the first `n_weight` components are used in the reconstruction (i.e. unspecified weights are implicitly 0).

**Returns**`vectors` ((`n_vectors`, `n_features`) *ndarray*) – The instance vectors for the weighting provided.

**Raises**`ValueError` – If `n_weights > n_components`

### `inverse_noise_variance()`

Returns the inverse of the noise variance.

**Returns**`inverse_noise_variance` (*float*) – Inverse of the noise variance.

**Raises**`ValueError` – If `noise_variance() == 0`

### `mean()`

Return the mean of the model.

**Type**`Vectorizable`

### `noise_variance()`

Returns the average variance captured by the inactive components, i.e. the sample noise assumed in a Probabilistic PCA formulation.

If all components are active, then `noise_variance == 0.0`.

**Returns**`noise_variance` (*float*) – The mean variance of the inactive components.

### `noise_variance_ratio()`

Returns the ratio between the noise variance and the total amount of variance present on the original samples.

**Returns**`noise_variance_ratio` (*float*) – The ratio between the noise variance and the variance present in the original samples.

### `original_variance()`

Returns the total amount of variance captured by the original model, i.e. the amount of variance present on the original samples.

**Returns**`optional_variance` (*float*) – The variance captured by the model.

**orthonormalize\_against\_inplace** (*linear\_model*)

Enforces that the union of this model's components and another are both mutually orthonormal.

Note that the model passed in is guaranteed to not have it's number of available components changed. This model, however, may loose some dimensionality due to reaching a degenerate state.

The removed components will always be trimmed from the end of components (i.e. the components which capture the least variance). If trimming is performed, `n_components` and `n_available_components` would be altered - see `trim_components()` for details.

**Parameters**`linear_model` (*LinearModel*) – A second linear model to orthonormalize this against.

**orthonormalize\_inplace** ()

Enforces that this model's components are orthonormalized, s.t.  
`component_vector(i).dot(component_vector(j)) = dirac_delta.`

**plot\_eigenvalues** (*figure\_id=None, new\_figure=False, render\_lines=True, line\_colour='b', line\_style='-', line\_width=2, render\_markers=True, marker\_style='o', marker\_size=6, marker\_face\_colour='b', marker\_edge\_colour='k', marker\_edge\_width=1.0, render\_axes=True, axes\_font\_name='sans-serif', axes\_font\_size=10, axes\_font\_style='normal', axes\_font\_weight='normal', figure\_size=(10, 6), render\_grid=True, grid\_line\_style='-', grid\_line\_width=0.5*)

Plot of the eigenvalues.

**Parameters**

- **figure\_id** (*object*, optional) – The id of the figure to be used.
- **new\_figure** (*bool*, optional) – If `True`, a new figure is created.
- **render\_lines** (*bool*, optional) – If `True`, the line will be rendered.
- **line\_colour** (*See Below, optional*) – The colour of the lines. Example options

```
{`r`, `g`, `b`, `c`, `m`, `k`, `w`}
or
`(3, )` `ndarray`
or
`list` of length `3`
```

- **line\_style** (`{-, --, -., :}`, optional) – The style of the lines.
- **line\_width** (*float*, optional) – The width of the lines.
- **render\_markers** (*bool*, optional) – If `True`, the markers will be rendered.
- **marker\_style** (*See Below, optional*) – The style of the markers. Example options

```
{`.`, `D`, `d`, `s`, `p`, `*`, `h`, `H`,
 `1`, `2`, `3`, `4`, `8`}
```

- **marker\_size** (*int*, optional) – The size of the markers in points<sup>2</sup>.
- **marker\_face\_colour** (*See Below, optional*) – The face (filling) colour of the markers. Example options

```
{`r`, `g`, `b`, `c`, `m`, `k`, `w`}
or
`(3, )` `ndarray`
```

```
or
`list` of length ``3``
```

• **marker\_edge\_colour** (*See Below, optional*) – The edge colour of the markers. Example options

```
{``r``, ``g``, ``b``, ``c``, ``m``, ``k``, ``w``}
or
``(3, )`` `ndarray`
or
`list` of length ``3``
```

• **marker\_edge\_width** (*float, optional*) – The width of the markers' edge.  
 • **render\_axes** (*bool, optional*) – If `True`, the axes will be rendered.  
 • **axes\_font\_name** (*See Below, optional*) – The font of the axes. Example options

```
{``serif``, ``sans-serif``, ``cursive``, ``fantasy``,
 ``monospace``}
```

• **axes\_font\_size** (*int, optional*) – The font size of the axes.  
 • **axes\_font\_style** (*{normal, italic, oblique}, optional*) – The font style of the axes.  
 • **axes\_font\_weight** (*See Below, optional*) – The font weight of the axes. Example options

```
{``ultralight``, ``light``, ``normal``, ``regular``,
 ``book``, ``medium``, ``roman``, ``semibold``,
 ``demibold``, ``demi``, ``bold``, ``heavy``,
 ``extra bold``, ``black``}
```

• **figure\_size** (*(float, float) or None, optional*) – The size of the figure in inches.  
 • **render\_grid** (*bool, optional*) – If `True`, the grid will be rendered.  
 • **grid\_line\_style** (*{-, --, -. , :}, optional*) – The style of the grid lines.  
 • **grid\_line\_width** (*float, optional*) – The width of the grid lines.

Returns `viewer` (*MatplotlibRenderer*) – The viewer object.

```
plot_eigenvalues_cumulative_ratio (figure_id=None, new_figure=False,
render_lines=True, line_colour='b',
line_style='-', line_width=2, render_markers=True, marker_style='o',
marker_size=6, marker_face_colour='b',
marker_edge_colour='k', marker_edge_width=1.0,
render_axes=True, axes_font_name='sans-serif',
axes_font_size=10, axes_font_style='normal',
axes_font_weight='normal', figure_size=(10,
6), render_grid=True, grid_line_style='-',
grid_line_width=0.5)
```

Plot of the cumulative variance ratio captured by the eigenvalues.

#### Parameters

• **figure\_id** (*object, optional*) – The id of the figure to be used.  
 • **new\_figure** (*bool, optional*) – If `True`, a new figure is created.  
 • **render\_lines** (*bool, optional*) – If `True`, the line will be rendered.  
 • **line\_colour** (*See Below, optional*) – The colour of the lines. Example options

```
{'r', 'g', 'b', 'c', 'm', 'k', 'w'}
or
(3, ) ndarray
or
list of length 3
```

- **line\_style** ({-, --, -., :}, optional) – The style of the lines.
- **line\_width** (float, optional) – The width of the lines.
- **render\_markers** (bool, optional) – If True, the markers will be rendered.
- **marker\_style** (See Below, optional) – The style of the markers. Example options

```
{'.', 'o', 'v', '^', '<', '>', '+',
 'x', 'D', 'd', 's', 'p', '*', 'h', 'H',
 '1', '2', '3', '4', '8'}
```

- **marker\_size** (int, optional) – The size of the markers in points<sup>2</sup>.
- **marker\_face\_colour** (See Below, optional) – The face (filling) colour of the markers. Example options

```
{'r', 'g', 'b', 'c', 'm', 'k', 'w'}
or
(3, ) ndarray
or
list of length 3
```

- **marker\_edge\_colour** (See Below, optional) – The edge colour of the markers. Example options

```
{'r', 'g', 'b', 'c', 'm', 'k', 'w'}
or
(3, ) ndarray
or
list of length 3
```

- **marker\_edge\_width** (float, optional) – The width of the markers' edge.
- **render\_axes** (bool, optional) – If True, the axes will be rendered.
- **axes\_font\_name** (See Below, optional) – The font of the axes. Example options

```
{'serif', 'sans-serif', 'cursive', 'fantasy',
 'monospace'}
```

- **axes\_font\_size** (int, optional) – The font size of the axes.
- **axes\_font\_style** ({normal, italic, oblique}, optional) – The font style of the axes.
- **axes\_font\_weight** (See Below, optional) – The font weight of the axes. Example options

```
{'ultralight', 'light', 'normal', 'regular',
 'book', 'medium', 'roman', 'semibold',
 'demibold', 'demi', 'bold', 'heavy',
 'extra bold', 'black'}
```

- **figure\_size** ((float, float) or None, optional) – The size of the figure in inches.
- **render\_grid** (bool, optional) – If True, the grid will be rendered.
- **grid\_line\_style** ({-, --, -., :}, optional) – The style of the grid lines.

•**grid\_line\_width** (*float*, optional) – The width of the grid lines.

Returns **viewer** (*MatplotlibRenderer*) – The viewer object.

**plot\_eigenvalues\_cumulative\_ratio\_widget** (*figure\_size=(10, 6)*, *style='coloured'*)

Plot of the cumulative variance ratio captured by the eigenvalues using *plot\_graph* widget.

#### Parameters

•**figure\_size** ((*float*, *float*) or *None*, optional) – The size of the figure in inches.

•**style** ({'coloured', 'minimal'}, optional) – If 'coloured', then the style of the widget will be coloured. If *minimal*, then the style is simple using black and white colours.

**plot\_eigenvalues\_ratio** (*figure\_id=None*, *new\_figure=False*, *render\_lines=True*, *line\_colour='b'*, *line\_style='-'*, *line\_width=2*, *render\_markers=True*, *marker\_style='o'*, *marker\_size=6*, *marker\_face\_colour='b'*, *marker\_edge\_colour='k'*, *marker\_edge\_width=1.0*, *render\_axes=True*, *axes\_font\_name='sans-serif'*, *axes\_font\_size=10*, *axes\_font\_style='normal'*, *axes\_font\_weight='normal'*, *figure\_size=(10, 6)*, *render\_grid=True*, *grid\_line\_style='-'*, *grid\_line\_width=0.5*)

Plot of the variance ratio captured by the eigenvalues.

#### Parameters

•**figure\_id** (*object*, optional) – The id of the figure to be used.

•**new\_figure** (*bool*, optional) – If *True*, a new figure is created.

•**render\_lines** (*bool*, optional) – If *True*, the line will be rendered.

•**line\_colour** (*See Below*, optional) – The colour of the lines. Example options

```
{'r', 'g', 'b', 'c', 'm', 'k', 'w'}
or
(3, ) ndarray
or
list of length 3
```

•**line\_style** ({'–', '--', '-.', ':'}, optional) – The style of the lines.

•**line\_width** (*float*, optional) – The width of the lines.

•**render\_markers** (*bool*, optional) – If *True*, the markers will be rendered.

•**marker\_style** (*See Below*, optional) – The style of the markers. Example options

```
{'.', 'o', 'v', '^', '<', '>', '+',
 'x', 'D', 'd', 's', 'p', '*', 'h', 'H',
 '1', '2', '3', '4', '8'}
```

•**marker\_size** (*int*, optional) – The size of the markers in points<sup>2</sup>.

•**marker\_face\_colour** (*See Below*, optional) – The face (filling) colour of the markers. Example options

```
{'r', 'g', 'b', 'c', 'm', 'k', 'w'}
or
(3, ) ndarray
or
list of length 3
```

•**marker\_edge\_colour** (*See Below*, optional) – The edge colour of the markers. Example options

```
{'r', 'g', 'b', 'c', 'm', 'k', 'w'}  
or  
(3, ) ndarray  
or  
list of length 3
```

- **marker\_edge\_width** (*float*, optional) – The width of the markers' edge.
- **render\_axes** (*bool*, optional) – If `True`, the axes will be rendered.
- **axes\_font\_name** (*See Below*, optional) – The font of the axes. Example options

```
{'serif', 'sans-serif', 'cursive', 'fantasy',  
 'monospace'}
```

- **axes\_font\_size** (*int*, optional) – The font size of the axes.
- **axes\_font\_style** (`{normal, italic, oblique}`, optional) – The font style of the axes.
- **axes\_font\_weight** (*See Below*, optional) – The font weight of the axes. Example options

```
{'ultralight', 'light', 'normal', 'regular',  
 'book', 'medium', 'roman', 'semibold',  
 'demibold', 'demi', 'bold', 'heavy',  
 'extra bold', 'black'}
```

- **figure\_size** (`(float, float)` or `None`, optional) – The size of the figure in inches.
- **render\_grid** (*bool*, optional) – If `True`, the grid will be rendered.
- **grid\_line\_style** (`{-, --, -., :}`, optional) – The style of the grid lines.
- **grid\_line\_width** (*float*, optional) – The width of the grid lines.

Returns `viewer` (*MatplotlibRenderer*) – The viewer object.

**plot\_eigenvalues\_ratio\_widget** (*figure\_size=(10, 6)*, *style='coloured'*)

Plot of the variance ratio captured by the eigenvalues using *plot\_graph* widget.

**Parameters**

- **figure\_size** (`(float, float)` or `None`, optional) – The size of the figure in inches.
- **style** (`{'coloured', 'minimal'}`, optional) – If `'coloured'`, then the style of the widget will be coloured. If `minimal`, then the style is simple using black and white colours.

**plot\_eigenvalues\_widget** (*figure\_size=(10, 6)*, *style='coloured'*)

Plot of the eigenvalues using *plot\_graph* widget.

**Parameters**

- **figure\_size** (`(float, float)` or `None`, optional) – The size of the figure in inches.
- **style** (`{'coloured', 'minimal'}`, optional) – If `'coloured'`, then the style of the widget will be coloured. If `minimal`, then the style is simple using black and white colours.

**project** (*instance*)

Projects the *instance* onto the model, retrieving the optimal linear weightings.

**Parameters** *novel\_instance* (*Vectorizable*) – A novel instance.

**Returns** *projected* (`(n_components, ) ndarray`) – A vector of optimal linear weightings.

**project\_out** (*instance*)

Returns a version of *instance* where all the basis of the model have been projected out.

**Parameters** *instance* (*Vectorizable*) – A novel instance of *Vectorizable*.

**Returnsprojected\_out** (*self.instance\_class*) – A copy of *instance*, with all basis of the model projected out.

**project\_out\_vector** (*vector*)

Returns a version of *vector* where all the basis of the model have been projected out.

**Parametersvector** ((*n\_features*,) *ndarray*) – A novel vector.

**Returnsprojected\_out** ((*n\_features*,) *ndarray*) – A copy of *vector* with all basis of the model projected out.

**project\_out\_vectors** (*vectors*)

Returns a version of *vectors* where all the basis of the model have been projected out.

**Parametersvectors** ((*n\_vectors*, *n\_features*) *ndarray*) – A matrix of novel vectors.

**Returnsprojected\_out** ((*n\_vectors*, *n\_features*) *ndarray*) – A copy of *vectors* with all basis of the model projected out.

**project\_vector** (*vector*)

Projects the *vector* onto the model, retrieving the optimal linear reconstruction weights.

**Parametersvector** ((*n\_features*,) *ndarray*) – A vectorized novel instance.

**Returnsweights** ((*n\_components*,) *ndarray*) – A vector of optimal linear weights.

**project\_vectors** (*vectors*)

Projects each of the *vectors* onto the model, retrieving the optimal linear reconstruction weights for each instance.

**Parametersvectors** ((*n\_samples*, *n\_features*) *ndarray*) – Array of vectorized novel instances.

**Returnsprojected** ((*n\_samples*, *n\_components*) *ndarray*) – The matrix of optimal linear weights.

**project\_whitened** (*instance*)

Projects the *instance* onto the whitened components, retrieving the whitened linear weightings.

**Parametersinstance** (*Vectorizable*) – A novel instance.

**Returnsprojected** ((*n\_components*,)) – A vector of whitened linear weightings

**project\_whitened\_vector** (*vector\_instance*)

Projects the *vector\_instance* onto the whitened components, retrieving the whitened linear weightings.

**Parametersvector\_instance** ((*n\_features*,) *ndarray*) – A novel vector.

**Returnsprojected** ((*n\_features*,) *ndarray*) – A vector of whitened linear weightings

**reconstruct** (*instance*)

Projects a *instance* onto the linear space and rebuilds from the weights found.

Syntactic sugar for:

```
instance(project(instance))
```

but faster, as it avoids the conversion that takes place each time.

**Parametersinstance** (*Vectorizable*) – A novel instance of *Vectorizable*.

**Returnsreconstructed** (*self.instance\_class*) – The reconstructed object.

**reconstruct\_vector** (*vector*)

Project a *vector* onto the linear space and rebuild from the weights found.

**Parametersvector** ((*n\_features*,) *ndarray*) – A vectorized novel instance to project.

**Returnsreconstructed** ((*n\_features*,) *ndarray*) – The reconstructed vector.

**reconstruct\_vectors** (*vectors*)

Projects the *vectors* onto the linear space and rebuilds vectors from the weights found.

**Parameters****vectors** ((n\_vectors, n\_features) *ndarray*) – A set of vectors to project.

**Returns****reconstructed** ((n\_vectors, n\_features) *ndarray*) – The reconstructed vectors.

**trim\_components** (*n\_components=None*)

Permanently trims the components down to a certain amount. The number of active components will be automatically reset to this particular value.

This will reduce *self.n\_components* down to *n\_components* (if *None*, *self.n\_active\_components* will be used), freeing up memory in the process.

Once the model is trimmed, the trimmed components cannot be recovered.

**Parameters****n\_components** (*int >= 1 or float > 0.0 or None*, optional) – The number of components that are kept or else the amount (ratio) of variance that is kept. If *None*, *self.n\_active\_components* is used.

---

#### Notes

In case *n\_components* is greater than the total number of components or greater than the amount of variance currently kept, this method does not perform any action.

---

**variance** ()

Returns the total amount of variance retained by the active components.

**Returns****variance** (*float*) – Total variance captured by the active components.

**variance\_ratio** ()

Returns the ratio between the amount of variance retained by the active components and the total amount of variance present on the original samples.

**Returns****variance\_ratio** (*float*) – Ratio of active components variance and total variance present in original samples.

**whitened\_components** ()

Returns the active components of the model whitened.

**Returns****whitened\_components** ((n\_active\_components, n\_features) *ndarray*) – The whitened components.

**components**

Returns the active components of the model.

**Type** (n\_active\_components, n\_features) *ndarray*

**eigenvalues**

Returns the eigenvalues associated to the active components of the model, i.e. the amount of variance captured by each active component.

**Type** (n\_active\_components,) *ndarray*

**n\_active\_components**

The number of components currently in use on this model.

**Type** *int*

**n\_components**

The number of bases of the model.

**Type** *int*

**n\_features**

The number of elements in each linear component.

**Type** *int*



## 2.8 menpo.shape

### 2.8.1 Base Classes

#### Shape

**class** `menpo.shape.base.Shape`

Bases: `Vectorizable`, `Transformable`, `Landmarkable`, `LandmarkableViewable`, `Viewable`

Abstract representation of shape. Shapes are `Transformable`, `Vectorizable`, `Landmarkable`, `LandmarkableViewable` and `Viewable`. This base class handles transforming landmarks when the shape is transformed. Therefore, implementations of `Shape` have to implement the abstract `_transform_self_inplace()` method that handles transforming the `Shape` itself.

**as\_vector** (*\*\*kwargs*)

Returns a flattened representation of the object as a single vector.

**Returns**`vector` (*(N,) ndarray*) – The core representation of the object, flattened into a single vector. Note that this is always a view back on to the original object, but is not writable.

**copy** ()

Generate an efficient copy of this object.

Note that Numpy arrays and other `Copyable` objects on `self` will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).

Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Returns**`type(self)` – A copy of this object

**from\_vector** (*vector*)

Build a new instance of the object from it's vectorized state.

`self` is used to fill out the missing state required to rebuild a full object from it's standardized flattened state. This is the default implementation, which is which is a `deepcopy` of the object followed by a call to `from_vector_inplace()`. This method can be overridden for a performance benefit if desired.

**Parameters**`vector` (*(n\_parameters,) ndarray*) – Flattened representation of the object.

**Returns**`object` (`type(self)`) – An new instance of this class.

**from\_vector\_inplace** (*vector*)

Update the state of this object from a vector form.

**Parameters**`vector` (*(n\_parameters,) ndarray*) – Flattened representation of this object

**has\_nan\_values** ()

Tests if the vectorized form of the object contains `nan` values or not. This is particularly useful for objects with unknown values that have been mapped to `nan` values.

**Returns**`has_nan_values` (*bool*) – If the vectorized object contains `nan` values.

**n\_dims** ()

The total number of dimensions.

**Type**`int`

**has\_landmarks**

Whether the object has landmarks.

**Type**`bool`

**landmarks**

The landmarks object.

Type *LandmarkManager*

**n\_landmark\_groups**

The number of landmark groups on this object.

Type *int*

**n\_parameters**

The length of the vector that this object produces.

Type *int*

## 2.8.2 PointCloud

### PointCloud

**class** `menpo.shape.PointCloud(points, copy=True)`

Bases: *Shape*

An N-dimensional point cloud. This is internally represented as an *ndarray* of shape `(n_points, n_dims)`. This class is important for dealing with complex functionality such as viewing and representing metadata such as landmarks.

Currently only 2D and 3D pointclouds are viewable.

#### Parameters

- **points** (`(n_points, n_dims) ndarray`) – The array representing the points.
- **copy** (*bool*, optional) – If `False`, the points will not be copied on assignment. Note that this will miss out on additional checks. Further note that we still demand that the array is C-contiguous - if it isn't, a copy will be generated anyway. In general this should only be used if you know what you are doing.

**\_view\_2d** (*figure\_id=None*, *new\_figure=False*, *image\_view=True*, *render\_markers=True*, *marker\_style='o'*, *marker\_size=20*, *marker\_face\_colour='r'*, *marker\_edge\_colour='k'*, *marker\_edge\_width=1.0*, *render\_axes=True*, *axes\_font\_name='sans-serif'*, *axes\_font\_size=10*, *axes\_font\_style='normal'*, *axes\_font\_weight='normal'*, *axes\_x\_limits=None*, *axes\_y\_limits=None*, *figure\_size=(10, 8)*, *label=None*, *\*\*kwargs*)

Visualization of the PointCloud in 2D.

#### Returns

- **figure\_id** (*object*, optional) – The id of the figure to be used.
- **new\_figure** (*bool*, optional) – If `True`, a new figure is created.
- **image\_view** (*bool*, optional) – If `True` the PointCloud will be viewed as if it is in the image coordinate system.
- **render\_lines** (*bool*, optional) – If `True`, the edges will be rendered.
- **line\_colour** (*See Below*, optional) – The colour of the lines. Example options:

```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

- **line\_style** (`{-, --, -. , :}`, optional) – The style of the lines.
- **line\_width** (*float*, optional) – The width of the lines.
- **render\_markers** (*bool*, optional) – If `True`, the markers will be rendered.
- **marker\_style** (*See Below*, optional) – The style of the markers. Example options

```
{., ,, o, v, ^, <, >, +, x, D, d, s, p, *, h, H, 1, 2, 3, 4, 8}
```

- **marker\_size** (*int*, optional) – The size of the markers in `points^2`.
- **marker\_face\_colour** (*See Below*, optional) – The face (filling) colour of the markers. Example options

```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

- **marker\_edge\_colour** (*See Below, optional*) – The edge colour of the markers. Example options

```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

- **marker\_edge\_width** (*float, optional*) – The width of the markers' edge.
- **render\_axes** (*bool, optional*) – If `True`, the axes will be rendered.
- **axes\_font\_name** (*See Below, optional*) – The font of the axes. Example options

```
{serif, sans-serif, cursive, fantasy, monospace}
```

- **axes\_font\_size** (*int, optional*) – The font size of the axes.
- **axes\_font\_style** (`{normal, italic, oblique}`, *optional*) – The font style of the axes.
- **axes\_font\_weight** (*See Below, optional*) – The font weight of the axes. Example options

```
{ultralight, light, normal, regular, book, medium, roman,
semibold, demibold, demi, bold, heavy, extra bold, black}
```

- **axes\_x\_limits** (*((float, float) tuple or None, optional)*) – The limits of the x axis.
- **axes\_y\_limits** (*((float, float) tuple or None, optional)*) – The limits of the y axis.
- **figure\_size** (*((float, float) tuple or None, optional)*) – The size of the figure in inches.
- **label** (*str, optional*) – The name entry in case of a legend.

**Returns** `viewer` (`PointGraphViewer2d`) – The viewer object.

```
_view_landmarks_2d (group=None, with_labels=None, without_labels=None, figure_id=None,
new_figure=False, image_view=True, render_lines=True, line_colour=None, line_style='-',
line_width=1, render_markers=True, marker_style='o', marker_size=20, marker_face_colour=None,
marker_edge_colour=None, marker_edge_width=1.0, render_numbering=False,
numbers_horizontal_align='center', numbers_vertical_align='bottom', numbers_font_name='sans-serif',
numbers_font_size=10, numbers_font_style='normal', numbers_font_weight='normal',
numbers_font_colour='k', render_legend=False, legend_title='', legend_font_name='sans-serif',
legend_font_style='normal', legend_font_size=10, legend_font_weight='normal',
legend_marker_scale=None, legend_location=2, legend_bbox_to_anchor=(1.05, 1.0),
legend_border_axes_pad=None, legend_n_columns=1, legend_horizontal_spacing=None,
legend_vertical_spacing=None, legend_border=True, legend_border_padding=None,
legend_shadow=False, legend_rounded_corners=False, render_axes=False,
axes_font_name='sans-serif', axes_font_size=10, axes_font_style='normal',
axes_font_weight='normal', axes_x_limits=None, axes_y_limits=None, figure_size=(10, 8))
```

Visualize the landmarks. This method will appear on the Image as `view_landmarks` if the Image is 2D.

#### Parameters

- group** (*str* or “None” optional) – The landmark group to be visualized. If None and there are more than one landmark groups, an error is raised.
- with\_labels** (None or *str* or *list* of *str*, optional) – If not None, only show the given label(s). Should **not** be used with the `without_labels` kwarg.
- without\_labels** (None or *str* or *list* of *str*, optional) – If not None, show all except the given label(s). Should **not** be used with the `with_labels` kwarg.
- figure\_id** (*object*, optional) – The id of the figure to be used.
- new\_figure** (*bool*, optional) – If True, a new figure is created.
- image\_view** (*bool*, optional) – If True the PointCloud will be viewed as if it is in the image coordinate system.
- render\_lines** (*bool*, optional) – If True, the edges will be rendered.
- line\_colour** (*See Below*, optional) – The colour of the lines. Example options:

```
{r, g, b, c, m, k, w}  
or  
(3, ) ndarray
```

- line\_style** ({`-`, `--`, `-.`, `:`}, optional) – The style of the lines.
- line\_width** (*float*, optional) – The width of the lines.
- render\_markers** (*bool*, optional) – If True, the markers will be rendered.
- marker\_style** (*See Below*, optional) – The style of the markers. Example options

```
{., ,, o, v, ^, <, >, +, x, D, d, s, p, *, h, H, 1, 2, 3, 4, 8}
```

- marker\_size** (*int*, optional) – The size of the markers in points<sup>2</sup>.
- marker\_face\_colour** (*See Below*, optional) – The face (filling) colour of the markers. Example options

```
{r, g, b, c, m, k, w}  
or  
(3, ) ndarray
```

- marker\_edge\_colour** (*See Below*, optional) – The edge colour of the markers. Example options

```
{r, g, b, c, m, k, w}  
or  
(3, ) ndarray
```

- marker\_edge\_width** (*float*, optional) – The width of the markers’ edge.
- render\_numbering** (*bool*, optional) – If True, the landmarks will be numbered.
- numbers\_horizontal\_align** ({`center`, `right`, `left`}, optional) – The horizontal alignment of the numbers’ texts.
- numbers\_vertical\_align** ({`center`, `top`, `bottom`, `baseline`}, optional) – The vertical alignment of the numbers’ texts.
- numbers\_font\_name** (*See Below*, optional) – The font of the numbers. Example options

```
{serif, sans-serif, cursive, fantasy, monospace}
```

- numbers\_font\_size** (*int*, optional) – The font size of the numbers.
- numbers\_font\_style** ({`normal`, `italic`, `oblique`}, optional) – The font style of the numbers.

•**numbers\_font\_weight** (*See Below, optional*) – The font weight of the numbers. Example options

```
{ultralight, light, normal, regular, book, medium, roman,
semibold, demibold, demi, bold, heavy, extra bold, black}
```

•**numbers\_font\_colour** (*See Below, optional*) – The font colour of the numbers. Example options

```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

•**render\_legend** (*bool, optional*) – If `True`, the legend will be rendered.

•**legend\_title** (*str, optional*) – The title of the legend.

•**legend\_font\_name** (*See below, optional*) – The font of the legend. Example options

```
{serif, sans-serif, cursive, fantasy, monospace}
```

•**legend\_font\_style** (*{normal, italic, oblique}, optional*) – The font style of the legend.

•**legend\_font\_size** (*int, optional*) – The font size of the legend.

•**legend\_font\_weight** (*See Below, optional*) – The font weight of the legend. Example options

```
{ultralight, light, normal, regular, book, medium, roman,
semibold, demibold, demi, bold, heavy, extra bold, black}
```

•**legend\_marker\_scale** (*float, optional*) – The relative size of the legend markers with respect to the original

•**legend\_location** (*int, optional*) – The location of the legend. The predefined values are:

'best'	0
'upper right'	1
'upper left'	2
'lower left'	3
'lower right'	4
'right'	5
'center left'	6
'center right'	7
'lower center'	8
'upper center'	9
'center'	10

•**legend\_bbox\_to\_anchor** (*((float, float) tuple, optional)*) – The bbox that the legend will be anchored.

•**legend\_border\_axes\_pad** (*float, optional*) – The pad between the axes and legend border.

•**legend\_n\_columns** (*int, optional*) – The number of the legend's columns.

•**legend\_horizontal\_spacing** (*float, optional*) – The spacing between the columns.

•**legend\_vertical\_spacing** (*float, optional*) – The vertical space between the legend entries.

•**legend\_border** (*bool, optional*) – If `True`, a frame will be drawn around the legend.

- **legend\_border\_padding** (*float*, optional) – The fractional whitespace inside the legend border.
- **legend\_shadow** (*bool*, optional) – If `True`, a shadow will be drawn behind legend.
- **legend\_rounded\_corners** (*bool*, optional) – If `True`, the frame’s corners will be rounded (fancybox).
- **render\_axes** (*bool*, optional) – If `True`, the axes will be rendered.
- **axes\_font\_name** (*See Below, optional*) – The font of the axes. Example options

```
{serif, sans-serif, cursive, fantasy, monospace}
```

- **axes\_font\_size** (*int*, optional) – The font size of the axes.
- **axes\_font\_style** ({*normal, italic, oblique*}, optional) – The font style of the axes.
- **axes\_font\_weight** (*See Below, optional*) – The font weight of the axes. Example options

```
{ultralight, light, normal, regular, book, medium, roman,
semibold, demibold, demi, bold, heavy, extra bold, black}
```

- **axes\_x\_limits** ((*float, float*) *tuple* or `None` optional) – The limits of the x axis.
- **axes\_y\_limits** ((*float, float*) *tuple* or `None` optional) – The limits of the y axis.
- **figure\_size** ((*float, float*) *tuple* or `None` optional) – The size of the figure in inches.

#### Raises

- `ValueError` – If both `with_labels` and `without_labels` are passed.
- `ValueError` – If the landmark manager doesn’t contain the provided group label.

**as\_vector** (*\*\*kwargs*)

Returns a flattened representation of the object as a single vector.

**Returns** `vector` ((*N,*) *ndarray*) – The core representation of the object, flattened into a single vector. Note that this is always a view back on to the original object, but is not writable.

**bounding\_box** ()

Return a bounding box from two corner points as a directed graph. The the first point (0) should be nearest the origin. In the case of an image, this ordering would appear as:

```
0<--3
|   ^
|   |
v   |
1-->2
```

In the case of a pointcloud, the ordering will appear as:

```
3<--2
|   ^
|   |
v   |
0-->1
```

**Returns** `bounding_box` (*PointDirectedGraph*) – The axis aligned bounding box of the `PointCloud`.

**bounds** (*boundary=0*)

The minimum to maximum extent of the `PointCloud`. An optional boundary argument can be provided to expand the bounds by a constant margin.

**Parameters****boundary** (*float*) – A optional padding distance that is added to the bounds. Default is 0, meaning the max/min of tightest possible containing square/cube/hypercube is returned.

**Returns**

- **min\_b** ((*n\_dims*,) *ndarray*) – The minimum extent of the `PointCloud` and boundary along each dimension
- **max\_b** ((*n\_dims*,) *ndarray*) – The maximum extent of the `PointCloud` and boundary along each dimension

**centre** ()

The mean of all the points in this `PointCloud` (centre of mass).

**Returns****centre** ((*n\_dims*) *ndarray*) – The mean of this `PointCloud`'s points.

**centre\_of\_bounds** ()

The centre of the absolute bounds of this `PointCloud`. Contrast with `centre()`, which is the mean point position.

**Returns****centre** (*n\_dims ndarray*) – The centre of the bounds of this `PointCloud`.

**copy** ()

Generate an efficient copy of this object.

Note that Numpy arrays and other `Copyable` objects on `self` will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).

Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Returns****type** (*self*) – A copy of this object

**distance\_to** (*pointcloud, \*\*kwargs*)

Returns a distance matrix between this `PointCloud` and another. By default the Euclidean distance is calculated - see `scipy.spatial.distance.cdist` for valid kwargs to change the metric and other properties.

**Parameters****pointcloud** (`PointCloud`) – The second pointcloud to compute distances between. This must be of the same dimension as this `PointCloud`.

**Returns****distance\_matrix** ((*n\_points*, *n\_points*) *ndarray*) – The symmetric pairwise distance matrix between the two `PointCloud`s s.t. `distance_matrix[i, j]` is the distance between the *i*'th point of this `PointCloud` and the *j*'th point of the input `PointCloud`.

**from\_mask** (*mask*)

A 1D boolean array with the same number of elements as the number of points in the `PointCloud`. This is then broadcast across the dimensions of the `PointCloud` and returns a new `PointCloud` containing only those points that were `True` in the mask.

**Parameters****mask** ((*n\_points*,) *ndarray*) – 1D array of booleans

**Returns****pointcloud** (`PointCloud`) – A new pointcloud that has been masked.

**Raises****ValueError** – Mask must have same number of points as pointcloud.

**from\_vector** (*vector*)

Build a new instance of the object from it's vectorized state.

`self` is used to fill out the missing state required to rebuild a full object from it's standardized flattened state. This is the default implementation, which is which is a `deepcopy` of the object followed by a call to `from_vector_inplace()`. This method can be overridden for a performance benefit if desired.

**Parameters****vector** ((*n\_parameters*,) *ndarray*) – Flattened representation of the object.

**Returns****object** (*type* (*self*)) – An new instance of this class.

**from\_vector\_inplace** (*vector*)

Updates the points of this *PointCloud* in-place with the reshaped points from the provided vector. Note that the vector should have the form `[x0, y0, x1, y1, ....., xn, yn]` for 2D.

**Parameters****vector** ((*n\_points*,) *ndarray*) – The vector from which to create the points' array.

**h\_points** ()

Convert poincloud to a homogeneous array: (*n\_dims* + 1, *n\_points*)

**Type***type*(self)

**has\_nan\_values** ()

Tests if the vectorized form of the object contains `nan` values or not. This is particularly useful for objects with unknown values that have been mapped to `nan` values.

**Returns****has\_nan\_values** (*bool*) – If the vectorized object contains `nan` values.

**norm** (*\*\*kwargs*)

Returns the norm of this *PointCloud*. This is a translation and rotation invariant measure of the point cloud's intrinsic size - in other words, it is always taken around the point cloud's centre.

By default, the Frobenius norm is taken, but this can be changed by setting *kwargs* - see `numpy.linalg.norm` for valid options.

**Returns****norm** (*float*) – The norm of this *PointCloud*

**range** (*boundary=0*)

The range of the extent of the *PointCloud*.

**Parameters****boundary** (*float*) – A optional padding distance that is used to extend the bounds from which the range is computed. Default is 0, no extension is performed.

**Returns****range** ((*n\_dims*,) *ndarray*) – The range of the *PointCloud* extent in each dimension.

**tojson** ()

Convert this *PointCloud* to a dictionary representation suitable for inclusion in the LJSON landmark format.

**Returns****json** (*dict*) – Dictionary with `points` keys.

**view\_widget** (*browser\_style='buttons', figure\_size=(10, 8), style='coloured'*)

Visualization of the *PointCloud* using the *visualize\_pointclouds* widget.

**Parameters**

• **browser\_style** ({*'buttons'*, *'slider'* }, optional) – It defines whether the selector of the objects will have the form of plus/minus buttons or a slider.

• **figure\_size** ((*int*, *int*), optional) – The initial size of the rendered figure.

• **style** ({*'coloured'*, *'minimal'* }, optional) – If *'coloured'*, then the style of the widget will be coloured. If *minimal*, then the style is simple using black and white colours.

**has\_landmarks**

Whether the object has landmarks.

**Type***bool*

**landmarks**

The landmarks object.

**Type***LandmarkManager*

**n\_dims**

The number of dimensions in the pointcloud.

**Type***int*

**n\_landmark\_groups**

The number of landmark groups on this object.



**Type***int***n\_parameters**

The length of the vector that this object produces.

**Type***int***n\_points**

The number of points in the pointcloud.

**Type***int*

## 2.8.3 Graphs

### UndirectedGraph

**class** `menpo.shape.UndirectedGraph` (*adjacency\_matrix*, *copy=True*, *skip\_checks=False*)Bases: `Graph`

Class for Undirected Graph definition and manipulation.

**Parameters**

- **adjacency\_matrix** ((*n\_vertices*, *n\_vertices*, ) *ndarray* or *csc\_matrix*) – The adjacency matrix of the graph. The non-edges must be represented with zeros and the edges can have a weight value.

**Note** *adjacency\_matrix* must be symmetric.

- **copy** (*bool*, optional) – If `False`, the *adjacency\_matrix* will not be copied on assignment.

- **skip\_checks** (*bool*, optional) – If `True`, no checks will be performed.

**Raises**

- `ValueError` – *adjacency\_matrix* must be either a `numpy.ndarray` or a `scipy.sparse.csr_matrix`.
- `ValueError` – Graph must have at least two vertices.
- `ValueError` – *adjacency\_matrix* must be square (*n\_vertices*, *n\_vertices*, ), ({*adjacency\_matrix.shape[0]*}, {*adjacency\_matrix.shape[1]*}) given instead.
- `ValueError` – The adjacency matrix of an undirected graph must be symmetric.

**Examples**

The following undirected graph

```

|---0---|
|       |
|       |
1-----2
|       |
|       |
3-----4
|
|
5

```

can be defined as

```

import numpy as np
adjacency_matrix = np.array([
    [0, 1, 1, 0, 0, 0],
    [1, 0, 1, 1, 0, 0],
    [1, 1, 0, 0, 1, 0],
    [0, 1, 0, 0, 1, 1],
    [0, 0, 1, 1, 0, 0],


```

```
[0, 0, 0, 1, 0, 0]])  
graph = UndirectedGraph(adjacency_matrix)
```

or

```
from scipy.sparse import csr_matrix  
adjacency_matrix = csr_matrix(  
    ([1] * 14,  
     ([0, 1, 0, 2, 1, 2, 1, 3, 2, 4, 3, 4, 3, 5],  
      [1, 0, 2, 0, 2, 1, 3, 1, 4, 2, 4, 3, 5, 3])),  
    shape=(6, 6))  
graph = UndirectedGraph(adjacency_matrix)
```

The adjacency matrix of the following graph with isolated vertices



can be defined as

```
import numpy as np  
adjacency_matrix = np.array([[0, 0, 1, 0, 0, 0],  
                             [0, 0, 0, 0, 0, 0],  
                             [1, 0, 0, 0, 1, 0],  
                             [0, 0, 0, 0, 1, 0],  
                             [0, 0, 1, 1, 0, 0],  
                             [0, 0, 0, 0, 0, 0]])  
graph = UndirectedGraph(adjacency_matrix)
```

or

```
from scipy.sparse import csr_matrix  
adjacency_matrix = csr_matrix(([1] * 6, ([0, 2, 2, 4, 3, 4],  
                                           [2, 0, 4, 2, 4, 3])),  
                              shape=(6, 6))  
graph = UndirectedGraph(adjacency_matrix)
```

**find\_all\_paths** (*start, end, path=[]*)

Returns a list of lists with all the paths (without cycles) found from start vertex to end vertex.

**Parameters**

- **start** (*int*) – The vertex from which the paths start.
- **end** (*int*) – The vertex from which the paths end.
- **path** (*list*, optional) – An existing path to append to.

**Returns** *paths* (*list of list*) – The list containing all the paths from start to end.

**find\_all\_shortest\_paths** (*algorithm='auto', unweighted=False*)

Returns the distances and predecessors arrays of the graph's shortest paths.

**Parameters**

- algorithm** (*'str', see below, optional*) – The algorithm to be used. Possible options are:

'dijkstra'	Dijkstra's algorithm with Fibonacci heaps
'bellman-ford'	Bellman-Ford algorithm
'johnson'	Johnson's algorithm
'floyd-warshall'	Floyd-Warshall algorithm
'auto'	Select the best among the above

- unweighted** (*bool, optional*) – If `True`, then find unweighted distances. That is, rather than finding the path between each vertex such that the sum of weights is minimized, find the path such that the number of edges is minimized.

#### Returns

- distances** ((*n\_vertices, n\_vertices, ndarray*)) – The matrix of distances between all graph vertices. `distances[i, j]` gives the shortest distance from vertex *i* to vertex *j* along the graph.
- predecessors** ((*n\_vertices, n\_vertices, ndarray*)) – The matrix of predecessors, which can be used to reconstruct the shortest paths. Each entry `predecessors[i, j]` gives the index of the previous vertex in the path from vertex *i* to vertex *j*. If no path exists between vertices *i* and *j*, then `predecessors[i, j] = -9999`.

**find\_path** (*start, end, method='bfs', skip\_checks=False*)

Returns a *list* with the first path (without cycles) found from the *start* vertex to the *end* vertex. It can employ either depth-first search or breadth-first search.

#### Parameters

- start** (*int*) – The vertex from which the path starts.
- end** (*int*) – The vertex to which the path ends.
- method** ({*bfs, dfs*}, *optional*) – The method to be used.
- skip\_checks** (*bool, optional*) – If `True`, then input arguments won't pass through checks. Useful for efficiency.

**Returns***path* (*list*) – The path's vertices.

**Raises**`ValueError` – Method must be either *bfs* or *dfs*.

**find\_shortest\_path** (*start, end, algorithm='auto', unweighted=False, skip\_checks=False*)

Returns a *list* with the shortest path (without cycles) found from *start* vertex to *end* vertex.

#### Parameters

- start** (*int*) – The vertex from which the path starts.
- end** (*int*) – The vertex to which the path ends.
- algorithm** (*'str', see below, optional*) – The algorithm to be used. Possible options are:

'dijkstra'	Dijkstra's algorithm with Fibonacci heaps
'bellman-ford'	Bellman-Ford algorithm
'johnson'	Johnson's algorithm
'floyd-warshall'	Floyd-Warshall algorithm
'auto'	Select the best among the above

- unweighted** (*bool, optional*) – If `True`, then find unweighted distances. That is, rather than finding the path such that the sum of weights is minimized, find the path such that the number of edges is minimized.
- skip\_checks** (*bool, optional*) – If `True`, then input arguments won't pass through checks. Useful for efficiency.

#### Returns

- path** (*list*) – The shortest path's vertices, including *start* and *end*. If there was not path connecting the vertices, then an empty *list* is returned.
- distance** (*int or float*) – The distance (cost) of the path from *start* to *end*.

**get\_adjacency\_list()**

Returns the adjacency list of the graph, i.e. a *list* of length `n_vertices` that for each vertex has a *list* of the vertex neighbours. If the graph is directed, the neighbours are children.

**Returns**`adjacency_list` (*list of list* of length `n_vertices`) – The adjacency list of the graph.

**has\_cycles()**

Checks if the graph has at least one cycle.

**Returns**`has_cycles` (*bool*) – True if the graph has cycles.

**has\_isolated\_vertices()**

Whether the graph has any isolated vertices, i.e. vertices with no edge connections.

**Returns**`has_isolated_vertices` (*bool*) – True if the graph has at least one isolated vertex.

**classmethod init\_from\_edges** (*edges, n\_vertices, skip\_checks=False*)

Initialize graph from edges array.

**Parameters**

- **edges** ((`n_edges, 2,` *ndarray*`)`) – The *ndarray* of edges, i.e. all the pairs of vertices that are connected with an edge.
- **n\_vertices** (*int*) – The total number of vertices, assuming that the numbering of vertices starts from 0. `edges` and `n_vertices` can be defined in a way to set isolated vertices.
- **skip\_checks** (*bool, optional*) – If `True`, no checks will be performed.

---

### Examples

The following undirected graph

```
|---0---|
|       |
|       |
1-----2
|       |
|       |
3-----4
|
|
5
```

can be defined as

```
from menpo.shape import UndirectedGraph
import numpy as np
edges = np.array([[0, 1], [1, 0], [0, 2], [2, 0], [1, 2], [2, 1],
                  [1, 3], [3, 1], [2, 4], [4, 2], [3, 4], [4, 3],
                  [3, 5], [5, 3]])
graph = UndirectedGraph.init_from_edges(edges, n_vertices=6)
```

Finally, the following graph with isolated vertices

```
      0---|
      |
      |
1      2
      |
      |
3-----4
```

can be defined as

```
from menpo.shape import UndirectedGraph
import numpy as np
edges = np.array([[0, 2], [2, 0], [2, 4], [4, 2], [3, 4], [4, 3]])
graph = UndirectedGraph.init_from_edges(edges, n_vertices=6)
```

**is\_edge** (*vertex\_1*, *vertex\_2*, *skip\_checks=False*)

Whether there is an edge between the provided vertices.

**Parameters**

- **vertex\_1** (*int*) – The first selected vertex. Parent if the graph is directed.
- **vertex\_2** (*int*) – The second selected vertex. Child if the graph is directed.
- **skip\_checks** (*bool*, optional) – If `False`, the given vertices will be checked.

**Returns** *is\_edge* (*bool*) – True if there is an edge connecting *vertex\_1* and *vertex\_2*.

**Raises** `ValueError` – The vertex must be between 0 and {*n\_vertices*-1}.

**is\_tree** ()

Checks if the graph is tree.

**Returns** *is\_true* (*bool*) – If the graph is a tree.

**isolated\_vertices** ()

Returns the isolated vertices of the graph (if any), i.e. the vertices that have no edge connections.

**Returns** *isolated\_vertices* (*list*) – A *list* of the isolated vertices. If there aren't any, it returns an empty *list*.

**minimum\_spanning\_tree** (*root\_vertex*)

Returns the minimum spanning tree of the graph using Kruskal's algorithm.

**Parameters** *root\_vertex* (*int*) – The vertex that will be set as root in the output MST.

**Returns** *mst* (*Tree*) – The computed minimum spanning tree.

**Raises** `ValueError` – Cannot compute minimum spanning tree of a graph with isolated vertices

**n\_neighbours** (*vertex*, *skip\_checks=False*)

Returns the number of neighbours of the selected vertex.

**Parameters**

- **vertex** (*int*) – The selected vertex.
- **skip\_checks** (*bool*, optional) – If `False`, the given vertex will be checked.

**Returns** *n\_neighbours* (*int*) – The number of neighbours.

**Raises** `ValueError` – The vertex must be between 0 and {*n\_vertices*-1}.

**n\_paths** (*start*, *end*)

Returns the number of all the paths (without cycles) existing from start vertex to end vertex.

**Parameters**

- **start** (*int*) – The vertex from which the paths start.
- **end** (*int*) – The vertex from which the paths end.

**Returns** *n\_paths* (*int*) – The paths' numbers.

**neighbours** (*vertex*, *skip\_checks=False*)

Returns the neighbours of the selected vertex.

**Parameters**

- **vertex** (*int*) – The selected vertex.
- **skip\_checks** (*bool*, optional) – If `False`, the given vertex will be checked.

**Returns** *neighbours* (*list*) – The list of neighbours.

**Raises** `ValueError` – The vertex must be between 0 and {*n\_vertices*-1}.

**n\_edges**

Returns the number of edges.

**Type***int*

**n\_vertices**

Returns the number of vertices.

**Type***int*

**vertices**

Returns the *list* of vertices.

**Type***list*

## DirectedGraph

**class** menpo.shape.DirectedGraph(*adjacency\_matrix*, *copy=True*, *skip\_checks=False*)

Bases: Graph

Class for Directed Graph definition and manipulation.

**Parameters**

- **adjacency\_matrix** ((*n\_vertices*, *n\_vertices*, ) *ndarray* or *csr\_matrix*) – The adjacency matrix of the graph in which the rows represent source vertices and columns represent destination vertices. The non-edges must be represented with zeros and the edges can have a weight value.
- **copy** (*bool*, optional) – If *False*, the *adjacency\_matrix* will not be copied on assignment.
- **skip\_checks** (*bool*, optional) – If *True*, no checks will be performed.

**Raises**

- *ValueError* – *adjacency\_matrix* must be either a *numpy.ndarray* or a *scipy.sparse.csr\_matrix*.
- *ValueError* – Graph must have at least two vertices.
- *ValueError* – *adjacency\_matrix* must be square (*n\_vertices*, *n\_vertices* ), ({*adjacency\_matrix.shape[0]*}, {*adjacency\_matrix.shape[1]*}) given instead.

---

**Examples**

The following directed graph

```
|-->0<--|
|         |
|         |
1<----->2
|         |
v         v
3----->4
|
v
5
```

can be defined as

```
import numpy as np
adjacency_matrix = np.array([[0, 0, 0, 0, 0, 0],
                             [1, 0, 1, 1, 0, 0],
                             [1, 1, 0, 0, 1, 0],
                             [0, 0, 0, 0, 1, 1],
                             [0, 0, 0, 0, 0, 0],
```

```
graph = DirectedGraph(adjacency_matrix)
```

or

```
from scipy.sparse import csr_matrix
adjacency_matrix = csr_matrix((([1] * 8, ([1, 2, 1, 2, 1, 2, 3, 3],
                                         [0, 0, 2, 1, 3, 4, 4, 5])),
                              shape=(6, 6))
graph = DirectedGraph(adjacency_matrix)
```

The following graph with isolated vertices

```

      0<--|
          |
          |
1       2
          |
          v
3----->4
5
```

can be defined as

```
import numpy as np
adjacency_matrix = np.array([[0, 0, 0, 0, 0, 0],
                             [0, 0, 0, 0, 0, 0],
                             [1, 0, 0, 0, 1, 0],
                             [0, 0, 0, 0, 1, 0],
                             [0, 0, 0, 0, 0, 0],
                             [0, 0, 0, 0, 0, 0]])
graph = DirectedGraph(adjacency_matrix)
```

or

```
from scipy.sparse import csr_matrix
adjacency_matrix = csr_matrix((([1] * 3, ([2, 2, 3], [0, 4, 4])),
                              shape=(6, 6))
graph = DirectedGraph(adjacency_matrix)
```

**children** (*vertex*, *skip\_checks=False*)

Returns the children of the selected vertex.

**Parameters**

- **vertex** (*int*) – The selected vertex.
- **skip\_checks** (*bool*, optional) – If `False`, the given vertex will be checked.

**Returns** *children* (*list*) – The list of children.

**Raises** `ValueError` – The vertex must be between 0 and {n\_vertices-1}.

**find\_all\_paths** (*start*, *end*, *path=[]*)

Returns a list of lists with all the paths (without cycles) found from start vertex to end vertex.

**Parameters**

- **start** (*int*) – The vertex from which the paths start.
- **end** (*int*) – The vertex from which the paths end.
- **path** (*list*, optional) – An existing path to append to.

**Returns** *paths* (*list of list*) – The list containing all the paths from start to end.

**find\_all\_shortest\_paths** (*algorithm*=*'auto'*, *unweighted*=*False*)

Returns the distances and predecessors arrays of the graph's shortest paths.

**Parameters**

- **algorithm** (*'str'*, *see below, optional*) – The algorithm to be used. Possible options are:

'dijkstra'	Dijkstra's algorithm with Fibonacci heaps
'bellman-ford'	Bellman-Ford algorithm
'johnson'	Johnson's algorithm
'floyd-warshall'	Floyd-Warshall algorithm
'auto'	Select the best among the above

- **unweighted** (*bool*, *optional*) – If `True`, then find unweighted distances. That is, rather than finding the path between each vertex such that the sum of weights is minimized, find the path such that the number of edges is minimized.

**Returns**

- **distances** ((*n\_vertices*, *n\_vertices*,) *ndarray*) – The matrix of distances between all graph vertices. `distances[i, j]` gives the shortest distance from vertex *i* to vertex *j* along the graph.
- **predecessors** ((*n\_vertices*, *n\_vertices*,) *ndarray*) – The matrix of predecessors, which can be used to reconstruct the shortest paths. Each entry `predecessors[i, j]` gives the index of the previous vertex in the path from vertex *i* to vertex *j*. If no path exists between vertices *i* and *j*, then `predecessors[i, j] = -9999`.

**find\_path** (*start*, *end*, *method*=*'bfs'*, *skip\_checks*=*False*)

Returns a *list* with the first path (without cycles) found from the *start* vertex to the *end* vertex. It can employ either depth-first search or breadth-first search.

**Parameters**

- **start** (*int*) – The vertex from which the path starts.
- **end** (*int*) – The vertex to which the path ends.
- **method** ({*bfs*, *dfs*}, *optional*) – The method to be used.
- **skip\_checks** (*bool*, *optional*) – If `True`, then input arguments won't pass through checks. Useful for efficiency.

**Returns** *path* (*list*) – The path's vertices.

**Raises** `ValueError` – Method must be either *bfs* or *dfs*.

**find\_shortest\_path** (*start*, *end*, *algorithm*=*'auto'*, *unweighted*=*False*, *skip\_checks*=*False*)

Returns a *list* with the shortest path (without cycles) found from *start* vertex to *end* vertex.

**Parameters**

- **start** (*int*) – The vertex from which the path starts.
- **end** (*int*) – The vertex to which the path ends.
- **algorithm** (*'str'*, *see below, optional*) – The algorithm to be used. Possible options are:

'dijkstra'	Dijkstra's algorithm with Fibonacci heaps
'bellman-ford'	Bellman-Ford algorithm
'johnson'	Johnson's algorithm
'floyd-warshall'	Floyd-Warshall algorithm
'auto'	Select the best among the above

- **unweighted** (*bool*, *optional*) – If `True`, then find unweighted distances. That is, rather than finding the path such that the sum of weights is minimized, find the path such that the number of edges is minimized.
- **skip\_checks** (*bool*, *optional*) – If `True`, then input arguments won't pass through checks. Useful for efficiency.

**Returns**

- **path** (*list*) – The shortest path's vertices, including *start* and *end*. If there



was not path connecting the vertices, then an empty *list* is returned.  
 • **distance** (*int* or *float*) – The distance (cost) of the path from *start* to *end*.

#### **get\_adjacency\_list()**

Returns the adjacency list of the graph, i.e. a *list* of length *n\_vertices* that for each vertex has a *list* of the vertex neighbours. If the graph is directed, the neighbours are children.

**Returns** *adjacency\_list* (*list* of *list* of length *n\_vertices*) – The adjacency list of the graph.

#### **has\_cycles()**

Checks if the graph has at least one cycle.

**Returns** *has\_cycles* (*bool*) – True if the graph has cycles.

#### **has\_isolated\_vertices()**

Whether the graph has any isolated vertices, i.e. vertices with no edge connections.

**Returns** *has\_isolated\_vertices* (*bool*) – True if the graph has at least one isolated vertex.

#### **init\_from\_edges(edges, n\_vertices, skip\_checks=False)**

Initialize graph from edges array.

##### **Parameters**

- **edges** ((*n\_edges*, 2, ) *ndarray*) – The *ndarray* of edges, i.e. all the pairs of vertices that are connected with an edge.
- **n\_vertices** (*int*) – The total number of vertices, assuming that the numbering of vertices starts from 0. *edges* and *n\_vertices* can be defined in a way to set isolated vertices.
- **skip\_checks** (*bool*, optional) – If True, no checks will be performed.

#### **Examples**

The following undirected graph

```
|---0---|
|         |
|         |
1-----2
|         |
|         |
3-----4
|
|
5
```

can be defined as

```
from menpo.shape import UndirectedGraph
import numpy as np
edges = np.array([[0, 1], [1, 0], [0, 2], [2, 0], [1, 2], [2, 1],
                  [1, 3], [3, 1], [2, 4], [4, 2], [3, 4], [4, 3],
                  [3, 5], [5, 3]])
graph = UndirectedGraph.init_from_edges(edges, n_vertices=6)
```

The following directed graph

```
|-->0<--|
|         |
|         |
1<----->2
|         |
```

```
  v      v
  3----->4
  |
  v
  5
```

can be represented as

```
from menpo.shape import DirectedGraph
import numpy as np
edges = np.array([[1, 0], [2, 0], [1, 2], [2, 1], [1, 3], [2, 4],
                  [3, 4], [3, 5]])
graph = DirectedGraph.init_from_edges(edges, n_vertices=6)
```

Finally, the following graph with isolated vertices

```
  0---|
      |
      |
  1    2
      |
      |
  3-----4
      |
      |
  5
```

can be defined as

```
from menpo.shape import UndirectedGraph
import numpy as np
edges = np.array([[0, 2], [2, 0], [2, 4], [4, 2], [3, 4], [4, 3]])
graph = UndirectedGraph.init_from_edges(edges, n_vertices=6)
```

**is\_edge** (*vertex\_1*, *vertex\_2*, *skip\_checks=False*)

Whether there is an edge between the provided vertices.

**Parameters**

- **vertex\_1** (*int*) – The first selected vertex. Parent if the graph is directed.
- **vertex\_2** (*int*) – The second selected vertex. Child if the graph is directed.
- **skip\_checks** (*bool*, optional) – If *False*, the given vertices will be checked.

**Returns** *is\_edge* (*bool*) – True if there is an edge connecting *vertex\_1* and *vertex\_2*.

**Raises** *ValueError* – The vertex must be between 0 and {*n\_vertices*-1}.

**is\_tree** ()

Checks if the graph is tree.

**Returns** *is\_true* (*bool*) – If the graph is a tree.

**isolated\_vertices** ()

Returns the isolated vertices of the graph (if any), i.e. the vertices that have no edge connections.

**Returns** *isolated\_vertices* (*list*) – A *list* of the isolated vertices. If there aren't any, it returns an empty *list*.

**n\_children** (*vertex*, *skip\_checks=False*)

Returns the number of children of the selected vertex.

**Parameters** *vertex* (*int*) – The selected vertex.

**Returns**

- **n\_children** (*int*) – The number of children.

- skip\_checks** (*bool*, optional) – If `False`, the given vertex will be checked.

**Raises**`ValueError` – The vertex must be in the range `[0, n_vertices - 1]`.

**n\_parents** (*vertex*, *skip\_checks=False*)

Returns the number of parents of the selected vertex.

**Parameters**

- vertex** (*int*) – The selected vertex.

- skip\_checks** (*bool*, optional) – If `False`, the given vertex will be checked.

**Returns**`n_parents` (*int*) – The number of parents.

**Raises**`ValueError` – The vertex must be in the range `[0, n_vertices - 1]`.

**n\_paths** (*start*, *end*)

Returns the number of all the paths (without cycles) existing from start vertex to end vertex.

**Parameters**

- start** (*int*) – The vertex from which the paths start.

- end** (*int*) – The vertex from which the paths end.

**Returns**`n_paths` (*int*) – The paths' numbers.

**parents** (*vertex*, *skip\_checks=False*)

Returns the parents of the selected vertex.

**Parameters**

- vertex** (*int*) – The selected vertex.

- skip\_checks** (*bool*, optional) – If `False`, the given vertex will be checked.

**Returns**`parents` (*list*) – The list of parents.

**Raises**`ValueError` – The vertex must be in the range `[0, n_vertices - 1]`.

**n\_edges**

Returns the number of edges.

**Type**`int`

**n\_vertices**

Returns the number of vertices.

**Type**`int`

**vertices**

Returns the *list* of vertices.

**Type**`list`

## Tree

**class** `menpo.shape.Tree` (*adjacency\_matrix*, *root\_vertex*, *copy=True*, *skip\_checks=False*)

Bases: `DirectedGraph`

Class for Tree definitions and manipulation.

**Parameters**

- adjacency\_matrix** ((*n\_vertices*, *n\_vertices*, ) *ndarray* or *csr\_matrix*) – The adjacency matrix of the tree in which the rows represent parents and columns represent children. The non-edges must be represented with zeros and the edges can have a weight value.

**Note**A tree must not have isolated vertices.

- root\_vertex** (*int*) – The vertex to be set as root.

- copy** (*bool*, optional) – If `False`, the `adjacency_matrix` will not be copied on assignment.

- skip\_checks** (*bool*, optional) – If `True`, no checks will be performed.

**Raises**


- `ValueError` – `adjacency_matrix` must be either a `numpy.ndarray` or a `scipy.sparse.csr_matrix`.

- `ValueError` – Graph must have at least two vertices.
  - `ValueError` – `adjacency_matrix` must be square (`n_vertices, n_vertices,` ), (`{adjacency_matrix.shape[0]}`, `{adjacency_matrix.shape[1]}`) given instead.
  - `ValueError` – The provided edges do not represent a tree.
  - `ValueError` – The `root_vertex` must be in the range `[0, n_vertices - 1]`.
  - `ValueError` – The combination of adjacency matrix and root vertex is not valid.
- BFS returns a different tree.

---

## Examples

The following tree



can be defined as

```
import numpy as np
adjacency_matrix = np.array([[0, 1, 1, 0, 0, 0, 0, 0, 0],
                             [0, 0, 0, 1, 1, 0, 0, 0, 0],
                             [0, 0, 0, 0, 0, 1, 0, 0, 0],
                             [0, 0, 0, 0, 0, 0, 1, 0, 0],
                             [0, 0, 0, 0, 0, 0, 0, 1, 0],
                             [0, 0, 0, 0, 0, 0, 0, 0, 1],
                             [0, 0, 0, 0, 0, 0, 0, 0, 0],
                             [0, 0, 0, 0, 0, 0, 0, 0, 0],
                             [0, 0, 0, 0, 0, 0, 0, 0, 0]])

tree = Tree(adjacency_matrix, root_vertex=0)
```

or

```
from scipy.sparse import csr_matrix
adjacency_matrix = csr_matrix(([1] * 8, ([0, 0, 1, 1, 2, 3, 4, 5],
                                         [1, 2, 3, 4, 5, 6, 7, 8])),
                              shape=(9, 9))
tree = Tree(adjacency_matrix, root_vertex=0)
```

---

**children** (*vertex*, *skip\_checks=False*)

Returns the children of the selected vertex.

**Parameters**

- vertex** (*int*) – The selected vertex.
- skip\_checks** (*bool*, optional) – If `False`, the given vertex will be checked.

**Returns**`children` (*list*) – The list of children.

**Raises**`ValueError` – The vertex must be between 0 and `{n_vertices-1}`.

**depth\_of\_vertex** (*vertex*, *skip\_checks=False*)

Returns the depth of the specified vertex.

**Parameters**

- vertex** (*int*) – The selected vertex.

•**skip\_checks** (*bool*, optional) – If `False`, the given vertex will be checked.

**Returns**`depth` (*int*) – The depth of the selected vertex.

**Raises**`ValueError` – The vertex must be in the range `[0, n_vertices - 1]`.

**find\_all\_paths** (*start, end, path=[]*)

Returns a list of lists with all the paths (without cycles) found from start vertex to end vertex.

**Parameters**

•**start** (*int*) – The vertex from which the paths start.

•**end** (*int*) – The vertex from which the paths end.

•**path** (*list*, optional) – An existing path to append to.

**Returns**`paths` (*list of list*) – The list containing all the paths from start to end.

**find\_all\_shortest\_paths** (*algorithm='auto', unweighted=False*)

Returns the distances and predecessors arrays of the graph's shortest paths.

**Parameters**

•**algorithm** (*'str', see below, optional*) – The algorithm to be used. Possible options are:

'dijkstra'	Dijkstra's algorithm with Fibonacci heaps
'bellman-ford'	Bellman-Ford algorithm
'johnson'	Johnson's algorithm
'floyd-warshall'	Floyd-Warshall algorithm
'auto'	Select the best among the above

•**unweighted** (*bool*, optional) – If `True`, then find unweighted distances. That is, rather than finding the path between each vertex such that the sum of weights is minimized, find the path such that the number of edges is minimized.

**Returns**

•**distances** ((*n\_vertices, n\_vertices, ndarray*) – The matrix of distances between all graph vertices. `distances[i, j]` gives the shortest distance from vertex *i* to vertex *j* along the graph.

•**predecessors** ((*n\_vertices, n\_vertices, ndarray*) – The matrix of predecessors, which can be used to reconstruct the shortest paths. Each entry `predecessors[i, j]` gives the index of the previous vertex in the path from vertex *i* to vertex *j*. If no path exists between vertices *i* and *j*, then `predecessors[i, j] = -9999`.

**find\_path** (*start, end, method='bfs', skip\_checks=False*)

Returns a *list* with the first path (without cycles) found from the `start` vertex to the `end` vertex. It can employ either depth-first search or breadth-first search.

**Parameters**

•**start** (*int*) – The vertex from which the path starts.

•**end** (*int*) – The vertex to which the path ends.

•**method** ({*bfs, dfs*}, optional) – The method to be used.

•**skip\_checks** (*bool*, optional) – If `True`, then input arguments won't pass through checks. Useful for efficiency.

**Returns**`path` (*list*) – The path's vertices.

**Raises**`ValueError` – Method must be either `bfs` or `dfs`.

**find\_shortest\_path** (*start, end, algorithm='auto', unweighted=False, skip\_checks=False*)

Returns a *list* with the shortest path (without cycles) found from `start` vertex to end vertex.

**Parameters**

•**start** (*int*) – The vertex from which the path starts.

•**end** (*int*) – The vertex to which the path ends.

•**algorithm** (*'str', see below, optional*) – The algorithm to be used. Possible options are:

'dijkstra'	Dijkstra's algorithm with Fibonacci heaps
'bellman-ford'	Bellman-Ford algorithm
'johnson'	Johnson's algorithm
'floyd-warshall'	Floyd-Warshall algorithm
'auto'	Select the best among the above

- **unweighted** (*bool*, optional) – If `True`, then find unweighted distances. That is, rather than finding the path such that the sum of weights is minimized, find the path such that the number of edges is minimized.
- **skip\_checks** (*bool*, optional) – If `True`, then input arguments won't pass through checks. Useful for efficiency.

#### Returns

- **path** (*list*) – The shortest path's vertices, including `start` and `end`. If there was not path connecting the vertices, then an empty *list* is returned.
- **distance** (*int* or *float*) – The distance (cost) of the path from `start` to `end`.

#### `get_adjacency_list()`

Returns the adjacency list of the graph, i.e. a *list* of length `n_vertices` that for each vertex has a *list* of the vertex neighbours. If the graph is directed, the neighbours are children.

**Returns**`adjacency_list` (*list* of *list* of length `n_vertices`) – The adjacency list of the graph.

#### `has_cycles()`

Checks if the graph has at least one cycle.

**Returns**`has_cycles` (*bool*) – `True` if the graph has cycles.

#### `has_isolated_vertices()`

Whether the graph has any isolated vertices, i.e. vertices with no edge connections.

**Returns**`has_isolated_vertices` (*bool*) – `True` if the graph has at least one isolated vertex.

#### `init_from_edges(edges, n_vertices, skip_checks=False)`

Initialize graph from edges array.

##### Parameters

- **edges** ((`n_edges`, 2, ) *ndarray*) – The *ndarray* of edges, i.e. all the pairs of vertices that are connected with an edge.
- **n\_vertices** (*int*) – The total number of vertices, assuming that the numbering of vertices starts from 0. `edges` and `n_vertices` can be defined in a way to set isolated vertices.
- **skip\_checks** (*bool*, optional) – If `True`, no checks will be performed.

---

#### Examples

The following undirected graph

```
|---0---|
|       |
|       |
1-----2
|       |
|       |
3-----4
|
|
5
```

can be defined as

```
from menpo.shape import UndirectedGraph
import numpy as np
```

```
edges = np.array([[0, 1], [1, 0], [0, 2], [2, 0], [1, 2], [2, 1],
                  [1, 3], [3, 1], [2, 4], [4, 2], [3, 4], [4, 3],
                  [3, 5], [5, 3]])
graph = UndirectedGraph.init_from_edges(edges, n_vertices=6)
```

The following directed graph

```
|-->0<--|
|         |
|         |
1<----->2
|         |
v         v
3----->4
|
v
5
```

can be represented as

```
from menpo.shape import DirectedGraph
import numpy as np
edges = np.array([[1, 0], [2, 0], [1, 2], [2, 1], [1, 3], [2, 4],
                  [3, 4], [3, 5]])
graph = DirectedGraph.init_from_edges(edges, n_vertices=6)
```

Finally, the following graph with isolated vertices

```
0---|
|
|
1    2
|
|
3-----4
|
5
```

can be defined as

```
from menpo.shape import UndirectedGraph
import numpy as np
edges = np.array([[0, 2], [2, 0], [2, 4], [4, 2], [3, 4], [4, 3]])
graph = UndirectedGraph.init_from_edges(edges, n_vertices=6)
```

**is\_edge** (*vertex\_1*, *vertex\_2*, *skip\_checks=False*)

Whether there is an edge between the provided vertices.

**Parameters**

- **vertex\_1** (*int*) – The first selected vertex. Parent if the graph is directed.
- **vertex\_2** (*int*) – The second selected vertex. Child if the graph is directed.
- **skip\_checks** (*bool*, optional) – If `False`, the given vertices will be checked.

**Returns** *is\_edge* (*bool*) – True if there is an edge connecting *vertex\_1* and *vertex\_2*.

**Raises** `ValueError` – The vertex must be between 0 and {n\_vertices-1}.

**is\_leaf** (*vertex*, *skip\_checks=False*)

Whether the vertex is a leaf.

**Parameters**

- **vertex** (*int*) – The selected vertex.
- **skip\_checks** (*bool*, optional) – If `False`, the given vertex will be checked.

**Returns** **is\_leaf** (*bool*) – If `True`, then selected vertex is a leaf.

**Raises** `ValueError` – The vertex must be in the range `[0, n_vertices - 1]`.

**is\_tree** ()

Checks if the graph is tree.

**Returns** **is\_true** (*bool*) – If the graph is a tree.

**isolated\_vertices** ()

Returns the isolated vertices of the graph (if any), i.e. the vertices that have no edge connections.

**Returns** **isolated\_vertices** (*list*) – A *list* of the isolated vertices. If there aren't any, it returns an empty *list*.

**n\_children** (*vertex*, *skip\_checks=False*)

Returns the number of children of the selected vertex.

**Parameters** **vertex** (*int*) – The selected vertex.

**Returns**

- **n\_children** (*int*) – The number of children.
- **skip\_checks** (*bool*, optional) – If `False`, the given vertex will be checked.

**Raises** `ValueError` – The vertex must be in the range `[0, n_vertices - 1]`.

**n\_parents** (*vertex*, *skip\_checks=False*)

Returns the number of parents of the selected vertex.

**Parameters**

- **vertex** (*int*) – The selected vertex.
- **skip\_checks** (*bool*, optional) – If `False`, the given vertex will be checked.

**Returns** **n\_parents** (*int*) – The number of parents.

**Raises** `ValueError` – The vertex must be in the range `[0, n_vertices - 1]`.

**n\_paths** (*start*, *end*)

Returns the number of all the paths (without cycles) existing from start vertex to end vertex.

**Parameters**

- **start** (*int*) – The vertex from which the paths start.
- **end** (*int*) – The vertex from which the paths end.

**Returns** **n\_paths** (*int*) – The paths' numbers.

**n\_vertices\_at\_depth** (*depth*)

Returns the number of vertices at the specified depth.

**Parameters** **depth** (*int*) – The selected depth.

**Returns** **n\_vertices** (*int*) – The number of vertices that lie in the specified depth.

**parent** (*vertex*, *skip\_checks=False*)

Returns the parent of the selected vertex.

**Parameters**

- **vertex** (*int*) – The selected vertex.
- **skip\_checks** (*bool*, optional) – If `False`, the given vertex will be checked.

**Returns** **parent** (*int*) – The parent vertex.

**Raises** `ValueError` – The vertex must be in the range `[0, n_vertices - 1]`.

**parents** (*vertex*, *skip\_checks=False*)

Returns the parents of the selected vertex.

**Parameters**

- **vertex** (*int*) – The selected vertex.
- **skip\_checks** (*bool*, optional) – If `False`, the given vertex will be checked.



**Returns***parents* (*list*) – The list of parents.

**Raises***ValueError* – The vertex must be in the range `[0, n_vertices - 1]`.

**vertices\_at\_depth** (*depth*)

Returns a list of vertices at the specified depth.

**Parameters***depth* (*int*) – The selected depth.

**Returns***vertices* (*list*) – The vertices that lie in the specified depth.

**leaves**

Returns a *list* with the all leaves of the tree.

**Type***list*

**maximum\_depth**

Returns the maximum depth of the tree.

**Type***int*

**n\_edges**

Returns the number of edges.

**Type***int*

**n\_leaves**

Returns the number of leaves of the tree.

**Type***int*

**n\_vertices**

Returns the number of vertices.

**Type***int*

**vertices**

Returns the *list* of vertices.

**Type***list*

## 2.8.4 PointGraphs

Mix-ins of Graphs and *PointCloud* for graphs with geometry.

### PointUndirectedGraph

**class** `menpo.shape.PointUndirectedGraph` (*points*, *adjacency\_matrix*, *copy=True*, *skip\_checks=False*)

Bases: `PointGraph`, `UndirectedGraph`

Class for defining an Undirected Graph with geometry.

**Parameters**

• **points** ((*n\_vertices*, *n\_dims*, ) *ndarray*) – The array of point locations.

• **adjacency\_matrix** ((*n\_vertices*, *n\_vertices*, ) *ndarray* or *csr\_matrix*) – The adjacency matrix of the graph. The non-edges must be represented with zeros and the edges can have a weight value.

**Note** *adjacency\_matrix* must be symmetric.

• **copy** (*bool*, optional) – If `False`, the *adjacency\_matrix* will not be copied on assignment.

• **skip\_checks** (*bool*, optional) – If `True`, no checks will be performed.

**Raises**

• *ValueError* – A point for each graph vertex needs to be passed. Got *n\_points* points instead of *n\_vertices*.

• *ValueError* – *adjacency\_matrix* must be either a `numpy.ndarray` or a `scipy.sparse.csr_matrix`.

- `ValueError` – Graph must have at least two vertices.
  - `ValueError` – `adjacency_matrix` must be square (`n_vertices, n_vertices,` ), (`{adjacency_matrix.shape[0]}`, `{adjacency_matrix.shape[1]}`) given instead.
  - `ValueError` – The adjacency matrix of an undirected graph must be symmetric.
- 

### Examples

The following undirected graph

```
|---0---|
|       |
|       |
1-----2
|       |
|       |
3-----4
|       |
|       |
5
```

can be defined as

```
import numpy as np
adjacency_matrix = np.array([[0, 1, 1, 0, 0, 0],
                             [1, 0, 1, 1, 0, 0],
                             [1, 1, 0, 0, 1, 0],
                             [0, 1, 0, 0, 1, 1],
                             [0, 0, 1, 1, 0, 0],
                             [0, 0, 0, 1, 0, 0]])
points = np.array([[10, 30], [0, 20], [20, 20], [0, 10], [20, 10],
                   [0, 0]])
graph = PointUndirectedGraph(points, adjacency_matrix)
```

or

```
from scipy.sparse import csr_matrix
adjacency_matrix = csr_matrix(
    ([1] * 14,
     ([0, 1, 0, 2, 1, 2, 1, 3, 2, 4, 3, 4, 3, 5],
      [1, 0, 2, 0, 2, 1, 3, 1, 4, 2, 4, 3, 5, 3])),
    shape=(6, 6))
points = np.array([[10, 30], [0, 20], [20, 20], [0, 10], [20, 10],
                   [0, 0]])
graph = PointUndirectedGraph(points, adjacency_matrix)
```

The adjacency matrix of the following graph with isolated vertices

```
      0---|
      |
      |
1      2
      |
      |
3-----4
      |
5
```

---

can be defined as

```
import numpy as np
adjacency_matrix = np.array([[0, 0, 1, 0, 0, 0],
                             [0, 0, 0, 0, 0, 0],
                             [1, 0, 0, 0, 1, 0],
                             [0, 0, 0, 0, 1, 0],
                             [0, 0, 1, 1, 0, 0],
                             [0, 0, 0, 0, 0, 0]])
points = np.array([[10, 30], [0, 20], [20, 20], [0, 10], [20, 10],
                   [0, 0]])
graph = PointUndirectedGraph(points, adjacency_matrix)
```

or

```
from scipy.sparse import csr_matrix
adjacency_matrix = csr_matrix(([1] * 6, ([0, 2, 2, 4, 3, 4],
                                         [2, 0, 4, 2, 4, 3])),
                              shape=(6, 6))
points = np.array([[10, 30], [0, 20], [20, 20], [0, 10], [20, 10],
                   [0, 0]])
graph = PointUndirectedGraph(points, adjacency_matrix)
```

**\_view\_2d** (*figure\_id=None*, *new\_figure=False*, *image\_view=True*, *render\_lines=True*,  
*line\_colour='r'*, *line\_style='-'*, *line\_width=1.0*, *render\_markers=True*,  
*marker\_style='o'*, *marker\_size=20*, *marker\_face\_colour='k'*, *marker\_edge\_colour='k'*,  
*marker\_edge\_width=1.0*, *render\_axes=True*, *axes\_font\_name='sans-serif'*,  
*axes\_font\_size=10*, *axes\_font\_style='normal'*, *axes\_font\_weight='normal'*,  
*axes\_x\_limits=None*, *axes\_y\_limits=None*, *figure\_size=(10, 8)*, *label=None*)

Visualization of the PointGraph in 2D.

#### Returns

- **figure\_id** (*object*, optional) – The id of the figure to be used.
- **new\_figure** (*bool*, optional) – If `True`, a new figure is created.
- **image\_view** (*bool*, optional) – If `True` the PointGraph will be viewed as if it is in the image coordinate system.
- **render\_lines** (*bool*, optional) – If `True`, the edges will be rendered.
- **line\_colour** (*See Below*, optional) – The colour of the lines. Example options:

```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

- **line\_style** (*{-, --, -. , :}*, optional) – The style of the lines.
- **line\_width** (*float*, optional) – The width of the lines.
- **render\_markers** (*bool*, optional) – If `True`, the markers will be rendered.
- **marker\_style** (*See Below*, optional) – The style of the markers. Example options

```
{., ,, o, v, ^, <, >, +, x, D, d, s, p, *, h, H, 1, 2, 3, 4, 8}
```

- **marker\_size** (*int*, optional) – The size of the markers in `points^2`.
- **marker\_face\_colour** (*See Below*, optional) – The face (filling) colour of the markers. Example options

```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

- **marker\_edge\_colour** (*See Below*, optional) – The edge colour of the markers. Example options

```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

- **marker\_edge\_width** (*float*, optional) – The width of the markers’ edge.
- **render\_axes** (*bool*, optional) – If `True`, the axes will be rendered.
- **axes\_font\_name** (*See Below*, optional) – The font of the axes. Example options

```
{serif, sans-serif, cursive, fantasy, monospace}
```

- **axes\_font\_size** (*int*, optional) – The font size of the axes.
- **axes\_font\_style** (`{normal, italic, oblique}`, optional) – The font style of the axes.
- **axes\_font\_weight** (*See Below*, optional) – The font weight of the axes. Example options

```
{ultralight, light, normal, regular, book, medium, roman,
semibold, demibold, demi, bold, heavy, extra bold, black}
```

- **axes\_x\_limits** (`((float, float) tuple or None`, optional) – The limits of the x axis.
- **axes\_y\_limits** (`((float, float) tuple or None`, optional) – The limits of the y axis.
- **figure\_size** (`((float, float) tuple or None`, optional) – The size of the figure in inches.
- **label** (*str*, optional) – The name entry in case of a legend.

**Returns** `viewer` (`PointGraphViewer2d`) – The viewer object.

```
_view_landmarks_2d(group=None, with_labels=None, without_labels=None, figure_id=None, new_figure=False, image_view=True, render_lines=True, line_colour=None, line_style='-', line_width=1, render_markers=True, marker_style='o', marker_size=20, marker_face_colour=None, marker_edge_colour=None, marker_edge_width=1.0, render_numbering=False, numbers_horizontal_align='center', numbers_vertical_align='bottom', numbers_font_name='sans-serif', numbers_font_size=10, numbers_font_style='normal', numbers_font_weight='normal', numbers_font_colour='k', render_legend=False, legend_title='', legend_font_name='sans-serif', legend_font_style='normal', legend_font_size=10, legend_font_weight='normal', legend_marker_scale=None, legend_location=2, legend_bbox_to_anchor=(1.05, 1.0), legend_border_axes_pad=None, legend_n_columns=1, legend_horizontal_spacing=None, legend_vertical_spacing=None, legend_border=True, legend_border_padding=None, legend_shadow=False, legend_rounded_corners=False, render_axes=False, axes_font_name='sans-serif', axes_font_size=10, axes_font_style='normal', axes_font_weight='normal', axes_x_limits=None, axes_y_limits=None, figure_size=(10, 8))
```

Visualize the landmarks. This method will appear on the `Image` as `view_landmarks` if the `Image` is 2D.

#### Parameters

- **group** (*str* or `“None”`, optional) – The landmark group to be visualized. If `None` and there are more than one landmark groups, an error is raised.
- **with\_labels** (`None` or *str* or *list* of *str*, optional) – If not `None`, only show the given label(s). Should **not** be used with the `without_labels` kwarg.
- **without\_labels** (`None` or *str* or *list* of *str*, optional) – If not `None`, show all except the given label(s). Should **not** be used with the `with_labels` kwarg.
- **figure\_id** (*object*, optional) – The id of the figure to be used.

- **new\_figure** (*bool*, optional) – If `True`, a new figure is created.
- **image\_view** (*bool*, optional) – If `True` the PointCloud will be viewed as if it is in the image coordinate system.
- **render\_lines** (*bool*, optional) – If `True`, the edges will be rendered.
- **line\_colour** (*See Below, optional*) – The colour of the lines. Example options:

```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

- **line\_style** (`{-, --, -. , :}`, optional) – The style of the lines.
- **line\_width** (*float*, optional) – The width of the lines.
- **render\_markers** (*bool*, optional) – If `True`, the markers will be rendered.
- **marker\_style** (*See Below, optional*) – The style of the markers. Example options

```
{., ,, o, v, ^, <, >, +, x, D, d, s, p, *, h, H, 1, 2, 3, 4, 8}
```

- **marker\_size** (*int*, optional) – The size of the markers in points<sup>2</sup>.
- **marker\_face\_colour** (*See Below, optional*) – The face (filling) colour of the markers. Example options

```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

- **marker\_edge\_colour** (*See Below, optional*) – The edge colour of the markers. Example options

```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

- **marker\_edge\_width** (*float*, optional) – The width of the markers' edge.
- **render\_numbering** (*bool*, optional) – If `True`, the landmarks will be numbered.
- **numbers\_horizontal\_align** (`{center, right, left}`, optional) – The horizontal alignment of the numbers' texts.
- **numbers\_vertical\_align** (`{center, top, bottom, baseline}`, optional) – The vertical alignment of the numbers' texts.
- **numbers\_font\_name** (*See Below, optional*) – The font of the numbers. Example options

```
{serif, sans-serif, cursive, fantasy, monospace}
```

- **numbers\_font\_size** (*int*, optional) – The font size of the numbers.
- **numbers\_font\_style** (`{normal, italic, oblique}`, optional) – The font style of the numbers.
- **numbers\_font\_weight** (*See Below, optional*) – The font weight of the numbers. Example options

```
{ultralight, light, normal, regular, book, medium, roman,
semibold, demibold, demi, bold, heavy, extra bold, black}
```

- **numbers\_font\_colour** (*See Below, optional*) – The font colour of the numbers. Example options

```
{r, g, b, c, m, k, w}  
or  
(3, ) ndarray
```

- **render\_legend** (*bool*, optional) – If `True`, the legend will be rendered.
- **legend\_title** (*str*, optional) – The title of the legend.
- **legend\_font\_name** (*See below, optional*) – The font of the legend. Example options

```
{serif, sans-serif, cursive, fantasy, monospace}
```

- **legend\_font\_style** (*{normal, italic, oblique}*, optional) – The font style of the legend.
- **legend\_font\_size** (*int*, optional) – The font size of the legend.
- **legend\_font\_weight** (*See Below, optional*) – The font weight of the legend. Example options

```
{ultralight, light, normal, regular, book, medium, roman,  
semibold, demibold, demi, bold, heavy, extra bold, black}
```

- **legend\_marker\_scale** (*float*, optional) – The relative size of the legend markers with respect to the original
- **legend\_location** (*int*, optional) – The location of the legend. The predefined values are:

'best'	0
'upper right'	1
'upper left'	2
'lower left'	3
'lower right'	4
'right'	5
'center left'	6
'center right'	7
'lower center'	8
'upper center'	9
'center'	10

- **legend\_bbox\_to\_anchor** (*(float, float) tuple*, optional) – The bbox that the legend will be anchored.
- **legend\_border\_axes\_pad** (*float*, optional) – The pad between the axes and legend border.
- **legend\_n\_columns** (*int*, optional) – The number of the legend's columns.
- **legend\_horizontal\_spacing** (*float*, optional) – The spacing between the columns.
- **legend\_vertical\_spacing** (*float*, optional) – The vertical space between the legend entries.
- **legend\_border** (*bool*, optional) – If `True`, a frame will be drawn around the legend.
- **legend\_border\_padding** (*float*, optional) – The fractional whitespace inside the legend border.
- **legend\_shadow** (*bool*, optional) – If `True`, a shadow will be drawn behind legend.
- **legend\_rounded\_corners** (*bool*, optional) – If `True`, the frame's corners will be rounded (`fancybox`).
- **render\_axes** (*bool*, optional) – If `True`, the axes will be rendered.
- **axes\_font\_name** (*See Below, optional*) – The font of the axes. Example options

```
{serif, sans-serif, cursive, fantasy, monospace}
```

- **axes\_font\_size** (*int*, optional) – The font size of the axes.
- **axes\_font\_style** ({*normal*, *italic*, *oblique*}, optional) – The font style of the axes.
- **axes\_font\_weight** (*See Below*, optional) – The font weight of the axes.  
Example options

```
{ultralight, light, normal, regular, book, medium, roman, semibold, demibold, demi, bold, heavy, extra bold, black}
```

- **axes\_x\_limits** ((*float*, *float*) *tuple* or *None* optional) – The limits of the x axis.
- **axes\_y\_limits** ((*float*, *float*) *tuple* or *None* optional) – The limits of the y axis.
- **figure\_size** ((*float*, *float*) *tuple* or *None* optional) – The size of the figure in inches.

#### Raises

- *ValueError* – If both `with_labels` and `without_labels` are passed.
- *ValueError* – If the landmark manager doesn't contain the provided group label.

**as\_vector** (*\*\*kwargs*)

Returns a flattened representation of the object as a single vector.

**Returns** *vector* ((*N*,) *ndarray*) – The core representation of the object, flattened into a single vector. Note that this is always a view back on to the original object, but is not writable.

**bounding\_box** ()

Return a bounding box from two corner points as a directed graph. The the first point (0) should be nearest the origin. In the case of an image, this ordering would appear as:

```
0<--3
|   ^
|   |
v   |
1-->2
```

In the case of a pointcloud, the ordering will appear as:

```
3<--2
|   ^
|   |
v   |
0-->1
```

**Returns** *bounding\_box* (*PointDirectedGraph*) – The axis aligned bounding box of the *PointCloud*.

**bounds** (*boundary=0*)

The minimum to maximum extent of the *PointCloud*. An optional boundary argument can be provided to expand the bounds by a constant margin.

**Parameters** *boundary* (*float*) – A optional padding distance that is added to the bounds. Default is 0, meaning the max/min of tightest possible containing square/cube/hypercube is returned.

#### Returns

- **min\_b** ((*n\_dims*,) *ndarray*) – The minimum extent of the *PointCloud* and boundary along each dimension

- max\_b** ((n\_dims,) ndarray) – The maximum extent of the *PointCloud* and boundary along each dimension

**centre** ()

The mean of all the points in this *PointCloud* (centre of mass).

**Returns** **centre** ((n\_dims) ndarray) – The mean of this *PointCloud*’s points.

**centre\_of\_bounds** ()

The centre of the absolute bounds of this *PointCloud*. Contrast with *centre* (), which is the mean point position.

**Returns** **centre** (n\_dims ndarray) – The centre of the bounds of this *PointCloud*.

**copy** ()

Generate an efficient copy of this object.

Note that Numpy arrays and other *Copyable* objects on *self* will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).

Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Returns** **type** (self) – A copy of this object

**distance\_to** (pointcloud, \*\*kwargs)

Returns a distance matrix between this *PointCloud* and another. By default the Euclidean distance is calculated - see *scipy.spatial.distance.cdist* for valid kwargs to change the metric and other properties.

**Parameters** **pointcloud** (*PointCloud*) – The second pointcloud to compute distances between. This must be of the same dimension as this *PointCloud*.

**Returns** **distance\_matrix** ((n\_points, n\_points) ndarray) – The symmetric pairwise distance matrix between the two *PointCloud*s s.t. *distance\_matrix*[i, j] is the distance between the i’th point of this *PointCloud* and the j’th point of the input *PointCloud*.

**find\_all\_paths** (start, end, path=[])

Returns a list of lists with all the paths (without cycles) found from start vertex to end vertex.

**Parameters**

•**start** (int) – The vertex from which the paths start.

•**end** (int) – The vertex from which the paths end.

•**path** (list, optional) – An existing path to append to.

**Returns** **paths** (list of list) – The list containing all the paths from start to end.

**find\_all\_shortest\_paths** (algorithm='auto', unweighted=False)

Returns the distances and predecessors arrays of the graph’s shortest paths.

**Parameters**

•**algorithm** ('str', see below, optional) – The algorithm to be used. Possible options are:

'dijkstra'	Dijkstra’s algorithm with Fibonacci heaps
'bellman-ford'	Bellman-Ford algorithm
'johnson'	Johnson’s algorithm
'floyd-warshall'	Floyd-Warshall algorithm
'auto'	Select the best among the above

•**unweighted** (bool, optional) – If *True*, then find unweighted distances. That is, rather than finding the path between each vertex such that the sum of weights is minimized, find the path such that the number of edges is minimized.

**Returns**

•**distances** ((n\_vertices, n\_vertices,) ndarray) – The matrix of distances between all graph vertices. *distances*[i, j] gives the shortest distance from vertex i to vertex j along the graph.



•**predecessors** ((*n\_vertices*, *n\_vertices*,) *ndarray*) – The matrix of predecessors, which can be used to reconstruct the shortest paths. Each entry `predecessors[i, j]` gives the index of the previous vertex in the path from vertex *i* to vertex *j*. If no path exists between vertices *i* and *j*, then `predecessors[i, j] = -9999`.

**find\_path** (*start*, *end*, *method*='bfs', *skip\_checks*=False)

Returns a *list* with the first path (without cycles) found from the *start* vertex to the *end* vertex. It can employ either depth-first search or breadth-first search.

**Parameters**

- start** (*int*) – The vertex from which the path starts.
- end** (*int*) – The vertex to which the path ends.
- method** ({bfs, dfs}, optional) – The method to be used.
- skip\_checks** (*bool*, optional) – If *True*, then input arguments won't pass through checks. Useful for efficiency.

**Returns** *path* (*list*) – The path's vertices.

**Raises** *ValueError* – Method must be either bfs or dfs.

**find\_shortest\_path** (*start*, *end*, *algorithm*='auto', *unweighted*=False, *skip\_checks*=False)

Returns a *list* with the shortest path (without cycles) found from *start* vertex to *end* vertex.

**Parameters**

- start** (*int*) – The vertex from which the path starts.
- end** (*int*) – The vertex to which the path ends.
- algorithm** ('str', see below, optional) – The algorithm to be used. Possible options are:

'dijkstra'	Dijkstra's algorithm with Fibonacci heaps
'bellman-ford'	Bellman-Ford algorithm
'johnson'	Johnson's algorithm
'floyd-warshall'	Floyd-Warshall algorithm
'auto'	Select the best among the above

- unweighted** (*bool*, optional) – If *True*, then find unweighted distances. That is, rather than finding the path such that the sum of weights is minimized, find the path such that the number of edges is minimized.
- skip\_checks** (*bool*, optional) – If *True*, then input arguments won't pass through checks. Useful for efficiency.

**Returns**

- path** (*list*) – The shortest path's vertices, including *start* and *end*. If there was not path connecting the vertices, then an empty *list* is returned.
- distance** (*int* or *float*) – The distance (cost) of the path from *start* to *end*.

**from\_mask** (*mask*)

A 1D boolean array with the same number of elements as the number of points in the *PointUndirectedGraph*. This is then broadcast across the dimensions of the *PointUndirectedGraph* and returns a new *PointUndirectedGraph* containing only those points that were *True* in the mask.

**Parameters** *mask* ((*n\_vertices*,) *ndarray*) – 1D array of booleans

**Returns** *pointgraph* (*PointUndirectedGraph*) – A new pointgraph that has been masked.

**Raises** *ValueError* – Mask must be a 1D boolean array of the same number of entries as points in this *PointUndirectedGraph*.

**from\_vector** (*vector*)

Build a new instance of the object from it's vectorized state.

*self* is used to fill out the missing state required to rebuild a full object from it's standardized flattened state. This is the default implementation, which is which is a *deepcopy* of the object followed by a call to *from\_vector\_inplace()*. This method can be overridden for a performance benefit if desired.

**Parameters**`vector` ((`n_parameters`,) *ndarray*) – Flattened representation of the object.

**Returns**`object` (`type(self)`) – An new instance of this class.

**from\_vector\_inplace** (*vector*)

Updates the points of this `PointCloud` in-place with the reshaped points from the provided vector. Note that the vector should have the form [`x0`, `y0`, `x1`, `y1`, ..., `xn`, `yn`] for 2D.

**Parameters**`vector` ((`n_points`,) *ndarray*) – The vector from which to create the points' array.

**get\_adjacency\_list** ()

Returns the adjacency list of the graph, i.e. a *list* of length `n_vertices` that for each vertex has a *list* of the vertex neighbours. If the graph is directed, the neighbours are children.

**Returns**`adjacency_list` (*list of list* of length `n_vertices`) – The adjacency list of the graph.

**h\_points** ()

Convert poincloud to a homogeneous array: (`n_dims + 1`, `n_points`)

**Type**`type(self)`

**has\_cycles** ()

Checks if the graph has at least one cycle.

**Returns**`has_cycles` (*bool*) – True if the graph has cycles.

**has\_isolated\_vertices** ()

Whether the graph has any isolated vertices, i.e. vertices with no edge connections.

**Returns**`has_isolated_vertices` (*bool*) – True if the graph has at least one isolated vertex.

**has\_nan\_values** ()

Tests if the vectorized form of the object contains `nan` values or not. This is particularly useful for objects with unknown values that have been mapped to `nan` values.

**Returns**`has_nan_values` (*bool*) – If the vectorized object contains `nan` values.

**classmethod init\_from\_edges** (*points*, *edges*, *copy=True*, *skip\_checks=False*)

Construct a `PointUndirectedGraph` from edges array.

**Parameters**

• **points** ((`n_vertices`, `n_dims`, ) *ndarray*) – The array of point locations.

• **edges** ((`n_edges`, 2, ) *ndarray*) – The *ndarray* of edges, i.e. all the pairs of vertices that are connected with an edge.

• **copy** (*bool*, optional) – If `False`, the `adjacency_matrix` will not be copied on assignment.

• **skip\_checks** (*bool*, optional) – If `True`, no checks will be performed.

---

## Examples


The following undirected graph

```
|---0---|
|       |
|       |
1-----2
|       |
|       |
3-----4
|
|
5
```

can be defined as

```
from menpo.shape import PointUndirectedGraph
import numpy as np
points = np.array([[10, 30], [0, 20], [20, 20], [0, 10], [20, 10],
                  [0, 0]])
edges = np.array([[0, 1], [1, 0], [0, 2], [2, 0], [1, 2], [2, 1],
                  [1, 3], [3, 1], [2, 4], [4, 2], [3, 4], [4, 3],
                  [3, 5], [5, 3]])
graph = PointUndirectedGraph.init_from_edges(points, edges)
```

Finally, the following graph with isolated vertices



can be defined as

```
from menpo.shape import PointUndirectedGraph
import numpy as np
points = np.array([[10, 30], [0, 20], [20, 20], [0, 10], [20, 10],
                  [0, 0]])
edges = np.array([[0, 2], [2, 0], [2, 4], [4, 2], [3, 4], [4, 3]])
graph = PointUndirectedGraph.init_from_edges(points, edges)
```

**is\_edge** (*vertex\_1*, *vertex\_2*, *skip\_checks=False*)

Whether there is an edge between the provided vertices.

**Parameters**

- **vertex\_1** (*int*) – The first selected vertex. Parent if the graph is directed.
- **vertex\_2** (*int*) – The second selected vertex. Child if the graph is directed.
- **skip\_checks** (*bool*, optional) – If *False*, the given vertices will be checked.

**Returns** *is\_edge* (*bool*) – True if there is an edge connecting *vertex\_1* and *vertex\_2*.

**Raises** *ValueError* – The vertex must be between 0 and {*n\_vertices*-1}.

**is\_tree** ()

Checks if the graph is tree.

**Returns** *is\_true* (*bool*) – If the graph is a tree.

**isolated\_vertices** ()

Returns the isolated vertices of the graph (if any), i.e. the vertices that have no edge connections.

**Returns** *isolated\_vertices* (*list*) – A *list* of the isolated vertices. If there aren't any, it returns an empty *list*.

**minimum\_spanning\_tree** (*root\_vertex*)

Returns the minimum spanning tree of the graph using Kruskal's algorithm.

**Parameters** *root\_vertex* (*int*) – The vertex that will be set as root in the output MST.

**Returns** *mst* (*PointTree*) – The computed minimum spanning tree with the *points* of *self*.

**Raises** *ValueError* – Cannot compute minimum spanning tree of a graph with isolated vertices

**n\_neighbours** (*vertex*, *skip\_checks=False*)

Returns the number of neighbours of the selected vertex.

**Parameters**

- **vertex** (*int*) – The selected vertex.
- **skip\_checks** (*bool*, optional) – If `False`, the given vertex will be checked.

**Returns****n\_neighbours** (*int*) – The number of neighbours.

**Raises**`ValueError` – The vertex must be between 0 and {n\_vertices-1}.

**n\_paths** (*start*, *end*)

Returns the number of all the paths (without cycles) existing from start vertex to end vertex.

**Parameters**

- **start** (*int*) – The vertex from which the paths start.
- **end** (*int*) – The vertex from which the paths end.

**Returns****paths** (*int*) – The paths' numbers.

**neighbours** (*vertex*, *skip\_checks=False*)

Returns the neighbours of the selected vertex.

**Parameters**

- **vertex** (*int*) – The selected vertex.
- **skip\_checks** (*bool*, optional) – If `False`, the given vertex will be checked.

**Returns****neighbours** (*list*) – The list of neighbours.

**Raises**`ValueError` – The vertex must be between 0 and {n\_vertices-1}.

**norm** (*\*\*kwargs*)

Returns the norm of this `PointCloud`. This is a translation and rotation invariant measure of the point cloud's intrinsic size - in other words, it is always taken around the point cloud's centre.

By default, the Frobenius norm is taken, but this can be changed by setting `kwargs` - see `numpy.linalg.norm` for valid options.

**Returns****norm** (*float*) – The norm of this `PointCloud`

**range** (*boundary=0*)

The range of the extent of the `PointCloud`.

**Parameters****boundary** (*float*) – A optional padding distance that is used to extend the bounds from which the range is computed. Default is 0, no extension is performed.

**Returns****range** ((*n\_dims*,) *ndarray*) – The range of the `PointCloud` extent in each dimension.

**tojson** ()

Convert this `PointGraph` to a dictionary representation suitable for inclusion in the LJSON landmark format.

**Returns****json** (*dict*) – Dictionary with `points` and `connectivity` keys.

**view\_widget** (*browser\_style='buttons'*, *figure\_size=(10, 8)*, *style='coloured'*)

Visualization of the `PointGraph` using the `visualize_pointclouds` widget.

**Parameters**

- **browser\_style** ({*'buttons'*, *'slider'*}, optional) – It defines whether the selector of the objects will have the form of plus/minus buttons or a slider.
- **figure\_size** ((*int*, *int*) *tuple*, optional) – The initial size of the rendered figure.
- **style** ({*'coloured'*, *'minimal'*}, optional) – If *'coloured'*, then the style of the widget will be coloured. If *minimal*, then the style is simple using black and white colours.

**has\_landmarks**

Whether the object has landmarks.

**Type***bool*

**landmarks**

The landmarks object.

**Type***LandmarkManager*

**n\_dims**

The number of dimensions in the pointcloud.

**Type***int*

**n\_edges**

Returns the number of edges.

**Type***int*

**n\_landmark\_groups**

The number of landmark groups on this object.

**Type***int*

**n\_parameters**

The length of the vector that this object produces.

**Type***int*

**n\_points**

The number of points in the pointcloud.

**Type***int*

**n\_vertices**

Returns the number of vertices.

**Type***int*

**vertices**

Returns the *list* of vertices.

**Type***list*

## PointDirectedGraph

**class** `menpo.shape.PointDirectedGraph` (*points*, *adjacency\_matrix*, *copy=True*, *skip\_checks=False*)

Bases: `PointGraph`, `DirectedGraph`

Class for defining a directed graph with geometry.

### Parameters

- **points** ((*n\_vertices*, *n\_dims*) *ndarray*) – The array representing the points.
- **adjacency\_matrix** ((*n\_vertices*, *n\_vertices*, ) *ndarray* or *csr\_matrix*) – The adjacency matrix of the graph in which the rows represent source vertices and columns represent destination vertices. The non-edges must be represented with zeros and the edges can have a weight value.
- **copy** (*bool*, optional) – If `False`, the *adjacency\_matrix* will not be copied on assignment.
- **skip\_checks** (*bool*, optional) – If `True`, no checks will be performed.

### Raises

- `ValueError` – A point for each graph vertex needs to be passed. Got {*n\_points*} points instead of {*n\_vertices*}.
- `ValueError` – *adjacency\_matrix* must be either a `numpy.ndarray` or a `scipy.sparse.csr_matrix`.
- `ValueError` – Graph must have at least two vertices.
- `ValueError` – *adjacency\_matrix* must be square (*n\_vertices*, *n\_vertices*, ), ({*adjacency\_matrix.shape[0]*}, {*adjacency\_matrix.shape[1]*}) given instead.

---

### Examples

The following directed graph

```
|-->0<--|
|         |
|         |
1<----->2
|         |
v         v
3----->4
|
v
5
```

can be defined as

```
import numpy as np
adjacency_matrix = np.array([[0, 0, 0, 0, 0, 0],
                             [1, 0, 1, 1, 0, 0],
                             [1, 1, 0, 0, 1, 0],
                             [0, 0, 0, 0, 1, 1],
                             [0, 0, 0, 0, 0, 0],
                             [0, 0, 0, 0, 0, 0]])
points = np.array([[10, 30], [0, 20], [20, 20], [0, 10], [20, 10],
                   [0, 0]])
graph = PointDirectedGraph(points, adjacency_matrix)
```

or

```
from scipy.sparse import csr_matrix
adjacency_matrix = csr_matrix(([1] * 8, ([1, 2, 1, 2, 1, 2, 3, 3],
                                         [0, 0, 2, 1, 3, 4, 4, 5])),
                              shape=(6, 6))
points = np.array([[10, 30], [0, 20], [20, 20], [0, 10], [20, 10],
                   [0, 0]])
graph = PointDirectedGraph(points, adjacency_matrix)
```

The following graph with isolated vertices

```
    0<--|
      |
      |
1      2
      |
      v
    3----->4
5
```

can be defined as

```
import numpy as np
adjacency_matrix = np.array([[0, 0, 0, 0, 0, 0],
                             [0, 0, 0, 0, 0, 0],
                             [1, 0, 0, 0, 1, 0],
                             [0, 0, 0, 0, 1, 0],
                             [0, 0, 0, 0, 0, 0],
                             [0, 0, 0, 0, 0, 0],
```

```

        [0, 0, 0, 0, 0, 0])
points = np.array([[10, 30], [0, 20], [20, 20], [0, 10], [20, 10],
                  [0, 0]])
graph = PointDirectedGraph(points, adjacency_matrix)

```

or

```

from scipy.sparse import csr_matrix
adjacency_matrix = csr_matrix(([1] * 3, ([2, 2, 3], [0, 4, 4])),
                              shape=(6, 6))
points = np.array([[10, 30], [0, 20], [20, 20], [0, 10], [20, 10],
                  [0, 0]])
graph = PointDirectedGraph(points, adjacency_matrix)

```

**\_view\_2d** (*figure\_id=None*, *new\_figure=False*, *image\_view=True*, *render\_lines=True*,  
*line\_colour='r'*, *line\_style='-'*, *line\_width=1.0*, *render\_markers=True*,  
*marker\_style='o'*, *marker\_size=20*, *marker\_face\_colour='k'*, *marker\_edge\_colour='k'*,  
*marker\_edge\_width=1.0*, *render\_axes=True*, *axes\_font\_name='sans-serif'*,  
*axes\_font\_size=10*, *axes\_font\_style='normal'*, *axes\_font\_weight='normal'*,  
*axes\_x\_limits=None*, *axes\_y\_limits=None*, *figure\_size=(10, 8)*, *label=None*)

Visualization of the PointGraph in 2D.

#### Returns

- **figure\_id** (*object*, optional) – The id of the figure to be used.
- **new\_figure** (*bool*, optional) – If `True`, a new figure is created.
- **image\_view** (*bool*, optional) – If `True` the PointGraph will be viewed as if it is in the image coordinate system.
- **render\_lines** (*bool*, optional) – If `True`, the edges will be rendered.
- **line\_colour** (*See Below*, optional) – The colour of the lines. Example options:

```

{r, g, b, c, m, k, w}
or
(3, ) ndarray

```

- **line\_style** (*{-, --, -. , :}*, optional) – The style of the lines.
- **line\_width** (*float*, optional) – The width of the lines.
- **render\_markers** (*bool*, optional) – If `True`, the markers will be rendered.
- **marker\_style** (*See Below*, optional) – The style of the markers. Example options

```

{., ,, o, v, ^, <, >, +, x, D, d, s, p, *, h, H, 1, 2, 3, 4, 8}

```

- **marker\_size** (*int*, optional) – The size of the markers in `points^2`.
- **marker\_face\_colour** (*See Below*, optional) – The face (filling) colour of the markers. Example options

```

{r, g, b, c, m, k, w}
or
(3, ) ndarray

```

- **marker\_edge\_colour** (*See Below*, optional) – The edge colour of the markers. Example options

```

{r, g, b, c, m, k, w}
or
(3, ) ndarray

```

- **marker\_edge\_width** (*float*, optional) – The width of the markers' edge.
- **render\_axes** (*bool*, optional) – If `True`, the axes will be rendered.

•**axes\_font\_name** (*See Below, optional*) – The font of the axes. Example options

```
{serif, sans-serif, cursive, fantasy, monospace}
```

•**axes\_font\_size** (*int, optional*) – The font size of the axes.

•**axes\_font\_style** ({*normal, italic, oblique*}, *optional*) – The font style of the axes.

•**axes\_font\_weight** (*See Below, optional*) – The font weight of the axes. Example options

```
{ultralight, light, normal, regular, book, medium, roman,
semibold, demibold, demi, bold, heavy, extra bold, black}
```

•**axes\_x\_limits** ((*float, float*) *tuple* or *None*, *optional*) – The limits of the x axis.

•**axes\_y\_limits** ((*float, float*) *tuple* or *None*, *optional*) – The limits of the y axis.

•**figure\_size** ((*float, float*) *tuple* or *None*, *optional*) – The size of the figure in inches.

•**label** (*str, optional*) – The name entry in case of a legend.

**Returns** `viewer` (`PointGraphViewer2d`) – The viewer object.

```
_view_landmarks_2d(group=None, with_labels=None, without_labels=None, figure_id=None, new_figure=False, image_view=True, render_lines=True, line_colour=None, line_style='-', line_width=1, render_markers=True, marker_style='o', marker_size=20, marker_face_colour=None, marker_edge_colour=None, marker_edge_width=1.0, render_numbering=False, numbers_horizontal_align='center', numbers_vertical_align='bottom', numbers_font_name='sans-serif', numbers_font_size=10, numbers_font_style='normal', numbers_font_weight='normal', numbers_font_colour='k', render_legend=False, legend_title='', legend_font_name='sans-serif', legend_font_style='normal', legend_font_size=10, legend_font_weight='normal', legend_marker_scale=None, legend_location=2, legend_bbox_to_anchor=(1.05, 1.0), legend_border_axes_pad=None, legend_n_columns=1, legend_horizontal_spacing=None, legend_vertical_spacing=None, legend_border=True, legend_border_padding=None, legend_shadow=False, legend_rounded_corners=False, render_axes=False, axes_font_name='sans-serif', axes_font_size=10, axes_font_style='normal', axes_font_weight='normal', axes_x_limits=None, axes_y_limits=None, figure_size=(10, 8))
```

Visualize the landmarks. This method will appear on the Image as `view_landmarks` if the Image is 2D.

#### Parameters

•**group** (*str* or *“None”* *optional*) – The landmark group to be visualized. If *None* and there are more than one landmark groups, an error is raised.

•**with\_labels** (*None* or *str* or *list* of *str*, *optional*) – If not *None*, only show the given label(s). Should **not** be used with the `without_labels` kwarg.

•**without\_labels** (*None* or *str* or *list* of *str*, *optional*) – If not *None*, show all except the given label(s). Should **not** be used with the `with_labels` kwarg.

•**figure\_id** (*object*, *optional*) – The id of the figure to be used.

•**new\_figure** (*bool*, *optional*) – If *True*, a new figure is created.

•**image\_view** (*bool*, *optional*) – If *True* the PointCloud will be viewed as if it is in the image coordinate system.

•**render\_lines** (*bool*, *optional*) – If *True*, the edges will be rendered.

•**line\_colour** (*See Below, optional*) – The colour of the lines. Example options:



```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

- **line\_style** ({`-`, `--`, `-.`, `:`}, optional) – The style of the lines.
- **line\_width** (*float*, optional) – The width of the lines.
- **render\_markers** (*bool*, optional) – If `True`, the markers will be rendered.
- **marker\_style** (*See Below, optional*) – The style of the markers. Example options

```
{., ,, o, v, ^, <, >, +, x, D, d, s, p, *, h, H, 1, 2, 3, 4, 8}
```

- **marker\_size** (*int*, optional) – The size of the markers in points<sup>2</sup>.
- **marker\_face\_colour** (*See Below, optional*) – The face (filling) colour of the markers. Example options

```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

- **marker\_edge\_colour** (*See Below, optional*) – The edge colour of the markers. Example options

```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

- **marker\_edge\_width** (*float*, optional) – The width of the markers' edge.
- **render\_numbering** (*bool*, optional) – If `True`, the landmarks will be numbered.
- **numbers\_horizontal\_align** ({`center`, `right`, `left`}, optional) – The horizontal alignment of the numbers' texts.
- **numbers\_vertical\_align** ({`center`, `top`, `bottom`, `baseline`}, optional) – The vertical alignment of the numbers' texts.
- **numbers\_font\_name** (*See Below, optional*) – The font of the numbers. Example options

```
{serif, sans-serif, cursive, fantasy, monospace}
```

- **numbers\_font\_size** (*int*, optional) – The font size of the numbers.
- **numbers\_font\_style** ({`normal`, `italic`, `oblique`}, optional) – The font style of the numbers.
- **numbers\_font\_weight** (*See Below, optional*) – The font weight of the numbers. Example options

```
{ultralight, light, normal, regular, book, medium, roman,  
semibold, demibold, demi, bold, heavy, extra bold, black}
```

- **numbers\_font\_colour** (*See Below, optional*) – The font colour of the numbers. Example options

```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

- **render\_legend** (*bool*, optional) – If `True`, the legend will be rendered.
- **legend\_title** (*str*, optional) – The title of the legend.

- legend\_font\_name** (*See below, optional*) – The font of the legend. Example options

```
{serif, sans-serif, cursive, fantasy, monospace}
```

- legend\_font\_style** ({normal, italic, oblique}, optional) – The font style of the legend.
- legend\_font\_size** (int, optional) – The font size of the legend.
- legend\_font\_weight** (*See Below, optional*) – The font weight of the legend. Example options

```
{ultralight, light, normal, regular, book, medium, roman, semibold, demibold, demi, bold, heavy, extra bold, black}
```

- legend\_marker\_scale** (float, optional) – The relative size of the legend markers with respect to the original
- legend\_location** (int, optional) – The location of the legend. The predefined values are:

'best'	0
'upper right'	1
'upper left'	2
'lower left'	3
'lower right'	4
'right'	5
'center left'	6
'center right'	7
'lower center'	8
'upper center'	9
'center'	10

- legend\_bbox\_to\_anchor** ((float, float) tuple, optional) – The bbox that the legend will be anchored.
- legend\_border\_axes\_pad** (float, optional) – The pad between the axes and legend border.
- legend\_n\_columns** (int, optional) – The number of the legend's columns.
- legend\_horizontal\_spacing** (float, optional) – The spacing between the columns.
- legend\_vertical\_spacing** (float, optional) – The vertical space between the legend entries.
- legend\_border** (bool, optional) – If True, a frame will be drawn around the legend.
- legend\_border\_padding** (float, optional) – The fractional whitespace inside the legend border.
- legend\_shadow** (bool, optional) – If True, a shadow will be drawn behind legend.
- legend\_rounded\_corners** (bool, optional) – If True, the frame's corners will be rounded (fancybox).
- render\_axes** (bool, optional) – If True, the axes will be rendered.
- axes\_font\_name** (*See Below, optional*) – The font of the axes. Example options

```
{serif, sans-serif, cursive, fantasy, monospace}
```

- axes\_font\_size** (int, optional) – The font size of the axes.
- axes\_font\_style** ({normal, italic, oblique}, optional) – The font style of the axes.

•**axes\_font\_weight** (*See Below, optional*) – The font weight of the axes.  
Example options

```
{ultralight, light, normal, regular, book, medium, roman,
semibold, demibold, demi, bold, heavy, extra bold, black}
```

•**axes\_x\_limits** ((float, float) tuple or None optional) – The limits of the x axis.

•**axes\_y\_limits** ((float, float) tuple or None optional) – The limits of the y axis.

•**figure\_size** ((float, float) tuple or None optional) – The size of the figure in inches.

#### Raises

•**ValueError** – If both `with_labels` and `without_labels` are passed.

•**ValueError** – If the landmark manager doesn't contain the provided group label.

**as\_vector** (\*\*kwargs)

Returns a flattened representation of the object as a single vector.

**Returns** **vector** ((N,) ndarray) – The core representation of the object, flattened into a single vector. Note that this is always a view back on to the original object, but is not writable.

**bounding\_box** ()

Return a bounding box from two corner points as a directed graph. The the first point (0) should be nearest the origin. In the case of an image, this ordering would appear as:

```
0<--3
|   ^
|   |
v   |
1-->2
```

In the case of a pointcloud, the ordering will appear as:

```
3<--2
|   ^
|   |
v   |
0-->1
```

**Returns** **bounding\_box** (*PointDirectedGraph*) – The axis aligned bounding box of the *PointCloud*.

**bounds** (boundary=0)

The minimum to maximum extent of the *PointCloud*. An optional boundary argument can be provided to expand the bounds by a constant margin.

**Parameters** **boundary** (*float*) – A optional padding distance that is added to the bounds. Default is 0, meaning the max/min of tightest possible containing square/cube/hypercube is returned.

#### Returns

•**min\_b** ((n\_dims,) ndarray) – The minimum extent of the *PointCloud* and boundary along each dimension

•**max\_b** ((n\_dims,) ndarray) – The maximum extent of the *PointCloud* and boundary along each dimension

**centre** ()

The mean of all the points in this *PointCloud* (centre of mass).

**Returns** **centre** ((n\_dims) ndarray) – The mean of this *PointCloud*'s points.

**centre\_of\_bounds** ()

The centre of the absolute bounds of this PointCloud. Contrast with `centre()`, which is the mean point position.

**Returns**`centre` (`n_dims ndarray`) – The centre of the bounds of this PointCloud.

**children** (`vertex`, `skip_checks=False`)

Returns the children of the selected vertex.

**Parameters**

•**vertex** (`int`) – The selected vertex.

•**skip\_checks** (`bool`, optional) – If `False`, the given vertex will be checked.

**Returns**`children` (`list`) – The list of children.

**Raises**`ValueError` – The vertex must be between 0 and `{n_vertices-1}`.

**copy** ()

Generate an efficient copy of this object.

Note that Numpy arrays and other `Copyable` objects on `self` will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).

Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Returns**`type(self)` – A copy of this object

**distance\_to** (`pointcloud`, `**kwargs`)

Returns a distance matrix between this PointCloud and another. By default the Euclidean distance is calculated - see `scipy.spatial.distance.cdist` for valid kwargs to change the metric and other properties.

**Parameters**`pointcloud` (`PointCloud`) – The second pointcloud to compute distances between. This must be of the same dimension as this PointCloud.

**Returns**`distance_matrix` (`(n_points, n_points) ndarray`) – The symmetric pairwise distance matrix between the two PointClouds s.t. `distance_matrix[i, j]` is the distance between the *i*'th point of this PointCloud and the *j*'th point of the input PointCloud.

**find\_all\_paths** (`start`, `end`, `path=[]`)

Returns a list of lists with all the paths (without cycles) found from start vertex to end vertex.

**Parameters**

•**start** (`int`) – The vertex from which the paths start.

•**end** (`int`) – The vertex from which the paths end.

•**path** (`list`, optional) – An existing path to append to.

**Returns**`paths` (`list of list`) – The list containing all the paths from start to end.

**find\_all\_shortest\_paths** (`algorithm='auto'`, `unweighted=False`)

Returns the distances and predecessors arrays of the graph's shortest paths.

**Parameters**

•**algorithm** (`'str'`, *see below*, optional) – The algorithm to be used. Possible options are:

'dijkstra'	Dijkstra's algorithm with Fibonacci heaps
'bellman-ford'	Bellman-Ford algorithm
'johnson'	Johnson's algorithm
'floyd-warshall'	Floyd-Warshall algorithm
'auto'	Select the best among the above

•**unweighted** (`bool`, optional) – If `True`, then find unweighted distances. That is, rather than finding the path between each vertex such that the sum of weights is minimized, find the path such that the number of edges is minimized.

**Returns**

•**distances** (`(n_vertices, n_vertices,) ndarray`) – The matrix of distances between all graph vertices. `distances[i, j]` gives the shortest dis-

tance from vertex *i* to vertex *j* along the graph.

• **predecessors** ((*n\_vertices*, *n\_vertices*,) *ndarray*) – The matrix of predecessors, which can be used to reconstruct the shortest paths. Each entry `predecessors[i, j]` gives the index of the previous vertex in the path from vertex *i* to vertex *j*. If no path exists between vertices *i* and *j*, then `predecessors[i, j] = -9999`.

**find\_path** (*start*, *end*, *method*='bfs', *skip\_checks*=False)

Returns a *list* with the first path (without cycles) found from the *start* vertex to the *end* vertex. It can employ either depth-first search or breadth-first search.

**Parameters**

- **start** (*int*) – The vertex from which the path starts.
- **end** (*int*) – The vertex to which the path ends.
- **method** ({bfs, dfs}, optional) – The method to be used.
- **skip\_checks** (*bool*, optional) – If *True*, then input arguments won't pass through checks. Useful for efficiency.

**Returns** *path* (*list*) – The path's vertices.

**Raises** *ValueError* – Method must be either bfs or dfs.

**find\_shortest\_path** (*start*, *end*, *algorithm*='auto', *unweighted*=False, *skip\_checks*=False)

Returns a *list* with the shortest path (without cycles) found from *start* vertex to *end* vertex.

**Parameters**

- **start** (*int*) – The vertex from which the path starts.
- **end** (*int*) – The vertex to which the path ends.
- **algorithm** ('str', see below, optional) – The algorithm to be used. Possible options are:

'dijkstra'	Dijkstra's algorithm with Fibonacci heaps
'bellman-ford'	Bellman-Ford algorithm
'johnson'	Johnson's algorithm
'floyd-warshall'	Floyd-Warshall algorithm
'auto'	Select the best among the above

- **unweighted** (*bool*, optional) – If *True*, then find unweighted distances. That is, rather than finding the path such that the sum of weights is minimized, find the path such that the number of edges is minimized.
- **skip\_checks** (*bool*, optional) – If *True*, then input arguments won't pass through checks. Useful for efficiency.

**Returns**

- **path** (*list*) – The shortest path's vertices, including *start* and *end*. If there was not path connecting the vertices, then an empty *list* is returned.
- **distance** (*int* or *float*) – The distance (cost) of the path from *start* to *end*.

**from\_mask** (*mask*)

A 1D boolean array with the same number of elements as the number of points in the *PointDirectedGraph*. This is then broadcast across the dimensions of the *PointDirectedGraph* and returns a new *PointDirectedGraph* containing only those points that were *True* in the mask.

**Parameters** *mask* ((*n\_points*,) *ndarray*) – 1D array of booleans

**Returns** *pointgraph* (*PointDirectedGraph*) – A new pointgraph that has been masked.

**Raises** *ValueError* – Mask must be a 1D boolean array of the same number of entries as points in this *PointDirectedGraph*.

**from\_vector** (*vector*)

Build a new instance of the object from it's vectorized state.

*self* is used to fill out the missing state required to rebuild a full object from it's standardized flattened state. This is the default implementation, which is which is a *deepcopy* of the object followed by a call to *from\_vector\_inplace()*. This method can be overridden for a performance benefit if desired.

**Parameters**`vector` ((`n_parameters`,) *ndarray*) – Flattened representation of the object.

**Returns**`object` (`type(self)`) – An new instance of this class.

**from\_vector\_inplace** (*vector*)

Updates the points of this PointCloud in-place with the reshaped points from the provided vector. Note that the vector should have the form [`x0`, `y0`, `x1`, `y1`, ..., `xn`, `yn`] for 2D.

**Parameters**`vector` ((`n_points`,) *ndarray*) – The vector from which to create the points' array.

**get\_adjacency\_list** ()

Returns the adjacency list of the graph, i.e. a *list* of length `n_vertices` that for each vertex has a *list* of the vertex neighbours. If the graph is directed, the neighbours are children.

**Returns**`adjacency_list` (*list of list* of length `n_vertices`) – The adjacency list of the graph.

**h\_points** ()

Convert poincloud to a homogeneous array: (`n_dims + 1`, `n_points`)

**GetType**`type(self)`

**has\_cycles** ()

Checks if the graph has at least one cycle.

**Returns**`has_cycles` (*bool*) – True if the graph has cycles.

**has\_isolated\_vertices** ()

Whether the graph has any isolated vertices, i.e. vertices with no edge connections.

**Returns**`has_isolated_vertices` (*bool*) – True if the graph has at least one isolated vertex.

**has\_nan\_values** ()

Tests if the vectorized form of the object contains `nan` values or not. This is particularly useful for objects with unknown values that have been mapped to `nan` values.

**Returns**`has_nan_values` (*bool*) – If the vectorized object contains `nan` values.

**init\_from\_edges** (*points*, *edges*, *copy=True*, *skip\_checks=False*)

Construct a PointGraph from edges array.

**Parameters**

- **points** ((`n_vertices`, `n_dims`, ) *ndarray*) – The array of point locations.

- **edges** ((`n_edges`, 2, ) *ndarray*) – The *ndarray* of edges, i.e. all the pairs of vertices that are connected with an edge.

- **copy** (*bool*, optional) – If `False`, the `adjacency_matrix` will not be copied on assignment.

- **skip\_checks** (*bool*, optional) – If `True`, no checks will be performed.

---

## Examples

The following undirected graph

```
|---0---|
|       |
|       |
1-----2
|       |
|       |
3-----4
|
|
5
```

can be defined as

```
from menpo.shape import PointUndirectedGraph
import numpy as np
points = np.array([[10, 30], [0, 20], [20, 20], [0, 10], [20, 10],
                  [0, 0]])
edges = np.array([[0, 1], [1, 0], [0, 2], [2, 0], [1, 2], [2, 1],
                  [1, 3], [3, 1], [2, 4], [4, 2], [3, 4], [4, 3],
                  [3, 5], [5, 3]])
graph = PointUndirectedGraph.init_from_edges(points, edges)
```

The following directed graph

```
|-->0<--|
|         |
|         |
1<----->2
|         |
v         v
3----->4
|
v
5
```

can be represented as

```
from menpo.shape import PointDirectedGraph
import numpy as np
points = np.array([[10, 30], [0, 20], [20, 20], [0, 10], [20, 10],
                  [0, 0]])
edges = np.array([[1, 0], [2, 0], [1, 2], [2, 1], [1, 3], [2, 4],
                  [3, 4], [3, 5]])
graph = PointDirectedGraph.init_from_edges(points, edges)
```

Finally, the following graph with isolated vertices

```
0---|
|
|
1   2
|
|
3-----4
|
5
```

can be defined as

```
from menpo.shape import PointUndirectedGraph
import numpy as np
points = np.array([[10, 30], [0, 20], [20, 20], [0, 10], [20, 10],
                  [0, 0]])
edges = np.array([[0, 2], [2, 0], [2, 4], [4, 2], [3, 4], [4, 3]])
graph = PointUndirectedGraph.init_from_edges(points, edges)
```

**is\_edge** (*vertex\_1*, *vertex\_2*, *skip\_checks=False*)

Whether there is an edge between the provided vertices.

**Parameters**

- **vertex\_1** (*int*) – The first selected vertex. Parent if the graph is directed.
- **vertex\_2** (*int*) – The second selected vertex. Child if the graph is directed.
- **skip\_checks** (*bool*, optional) – If `False`, the given vertices will be checked.

**Returns** **is\_edge** (*bool*) – True if there is an edge connecting *vertex\_1* and *vertex\_2*.

**Raises** `ValueError` – The vertex must be between 0 and {*n\_vertices*-1}.

**is\_tree** ()

Checks if the graph is tree.

**Returns** **is\_true** (*bool*) – If the graph is a tree.

**isolated\_vertices** ()

Returns the isolated vertices of the graph (if any), i.e. the vertices that have no edge connections.

**Returns** **isolated\_vertices** (*list*) – A *list* of the isolated vertices. If there aren't any, it returns an empty *list*.

**n\_children** (*vertex*, *skip\_checks=False*)

Returns the number of children of the selected vertex.

**Parameters** **vertex** (*int*) – The selected vertex.

**Returns**

- **n\_children** (*int*) – The number of children.
- **skip\_checks** (*bool*, optional) – If `False`, the given vertex will be checked.

**Raises** `ValueError` – The vertex must be in the range [0, *n\_vertices* - 1].

**n\_parents** (*vertex*, *skip\_checks=False*)

Returns the number of parents of the selected vertex.

**Parameters**

- **vertex** (*int*) – The selected vertex.
- **skip\_checks** (*bool*, optional) – If `False`, the given vertex will be checked.

**Returns** **n\_parents** (*int*) – The number of parents.

**Raises** `ValueError` – The vertex must be in the range [0, *n\_vertices* - 1].

**n\_paths** (*start*, *end*)

Returns the number of all the paths (without cycles) existing from start vertex to end vertex.

**Parameters**

- **start** (*int*) – The vertex from which the paths start.
- **end** (*int*) – The vertex from which the paths end.

**Returns** **n\_paths** (*int*) – The paths' numbers.

**norm** (*\*\*kwargs*)

Returns the norm of this `PointCloud`. This is a translation and rotation invariant measure of the point cloud's intrinsic size - in other words, it is always taken around the point cloud's centre.

By default, the Frobenius norm is taken, but this can be changed by setting `kwargs` - see `numpy.linalg.norm` for valid options.

**Returns** **norm** (*float*) – The norm of this `PointCloud`

**parents** (*vertex*, *skip\_checks=False*)

Returns the parents of the selected vertex.

**Parameters**

- **vertex** (*int*) – The selected vertex.
- **skip\_checks** (*bool*, optional) – If `False`, the given vertex will be checked.

**Returns** **parents** (*list*) – The list of parents.

**Raises** `ValueError` – The vertex must be in the range [0, *n\_vertices* - 1].

**range** (*boundary=0*)



The range of the extent of the `PointCloud`.

**Parameters**`boundary` (*float*) – A optional padding distance that is used to extend the bounds from which the range is computed. Default is 0, no extension is performed.

**Returns**`range` ((*n\_dims*,) *ndarray*) – The range of the `PointCloud` extent in each dimension.

**relative\_location\_edge** (*parent*, *child*)

Returns the relative location between the provided vertices. That is if vertex *j* is the parent and vertex *i* is its child and vector *l* denotes the coordinates of a vertex, then

$$\begin{aligned} l_i - l_j &= [[x_i], [y_i]] - [[x_j], [y_j]] = \\ &= [[x_i - x_j], [y_i - y_j]] \end{aligned}$$

**Parameters**

•**parent** (*int*) – The first selected vertex which is considered as the parent.

•**child** (*int*) – The second selected vertex which is considered as the child.

**Returns**`relative_location` ((2,) *ndarray*) – The relative location vector.

**Raises**`ValueError` – Vertices *parent* and *child* are not connected with an edge.

**relative\_locations** ()

Returns the relative location between the vertices of each edge. If vertex *j* is the parent and vertex *i* is its child and vector *l* denotes the coordinates of a vertex, then:

$$\begin{aligned} l_i - l_j &= [[x_i], [y_i]] - [[x_j], [y_j]] = \\ &= [[x_i - x_j], [y_i - y_j]] \end{aligned}$$

**Returns**`relative_locations` ((*n\_vertexes*, 2) *ndarray*) – The relative locations vector.

**tojson** ()

Convert this `PointGraph` to a dictionary representation suitable for inclusion in the LJSON landmark format.

**Returns**`json` (*dict*) – Dictionary with `points` and `connectivity` keys.

**view\_widget** (*browser\_style*=`'buttons'`, *figure\_size*=(10, 8), *style*=`'coloured'`)

Visualization of the `PointGraph` using the `visualize_pointclouds` widget.

**Parameters**

•**browser\_style** ({`'buttons'`, `'slider'` }, optional) – It defines whether the selector of the objects will have the form of plus/minus buttons or a slider.

•**figure\_size** ((*int*, *int*) *tuple*, optional) – The initial size of the rendered figure.

•**style** ({`'coloured'`, `'minimal'` }, optional) – If `'coloured'`, then the style of the widget will be coloured. If `minimal`, then the style is simple using black and white colours.

**has\_landmarks**

Whether the object has landmarks.

**Type***bool*

**landmarks**

The landmarks object.

**Type**`LandmarkManager`

**n\_dims**

The number of dimensions in the pointcloud.

**Type***int*

**n\_edges**

Returns the number of edges.

**Type***int*

**n\_landmark\_groups**

The number of landmark groups on this object.

**Type***int*

**n\_parameters**

The length of the vector that this object produces.

**Type***int*

**n\_points**

The number of points in the pointcloud.

**Type***int*

**n\_vertices**

Returns the number of vertices.

**Type***int*

**vertices**

Returns the *list* of vertices.

**Type***list*

## PointTree

**class** menpo.shape.**PointTree** (*points, adjacency\_matrix, root\_vertex, copy=True, skip\_checks=False*)

Bases: PointDirectedGraph, Tree

Class for defining a Tree with geometry.

### Parameters

- **points** ((*n\_vertices, n\_dims*) *ndarray*) – The array representing the points.
- **adjacency\_matrix** ((*n\_vertices, n\_vertices,* ) *ndarray* or *csr\_matrix*) – The adjacency matrix of the tree in which the rows represent parents and columns represent children. The non-edges must be represented with zeros and the edges can have a weight value.  
**Note**A tree must not have isolated vertices.
- **root\_vertex** (*int*) – The vertex to be set as root.
- **copy** (*bool*, optional) – If *False*, the *adjacency\_matrix* will not be copied on assignment.
- **skip\_checks** (*bool*, optional) – If *True*, no checks will be performed.


### Raises

- **ValueError** – A point for each graph vertex needs to be passed. Got {*n\_points*} points instead of {*n\_vertices*}.
- **ValueError** – *adjacency\_matrix* must be either a *numpy.ndarray* or a *scipy.sparse.csr\_matrix*.
- **ValueError** – Graph must have at least two vertices.
- **ValueError** – *adjacency\_matrix* must be square (*n\_vertices, n\_vertices,* ), ({*adjacency\_matrix.shape[0]*}, {*adjacency\_matrix.shape[1]*}) given instead.
- **ValueError** – The provided edges do not represent a tree.
- **ValueError** – The *root\_vertex* must be in the range [*0, n\_vertices - 1*].
- **ValueError** – The combination of *adjacency\_matrix* and *root\_vertex* is not valid. BFS returns a different tree.

---

### Examples

The following tree



can be defined as

```
import numpy as np
adjacency_matrix = np.array([[0, 1, 1, 0, 0, 0, 0, 0, 0],
                             [0, 0, 0, 1, 1, 0, 0, 0, 0],
                             [0, 0, 0, 0, 0, 1, 0, 0, 0],
                             [0, 0, 0, 0, 0, 0, 1, 0, 0],
                             [0, 0, 0, 0, 0, 0, 0, 1, 0],
                             [0, 0, 0, 0, 0, 0, 0, 0, 1],
                             [0, 0, 0, 0, 0, 0, 0, 0, 0],
                             [0, 0, 0, 0, 0, 0, 0, 0, 0],
                             [0, 0, 0, 0, 0, 0, 0, 0, 0]])
points = np.array([[30, 30], [10, 20], [50, 20], [0, 10], [20, 10],
                   [50, 10], [0, 0], [20, 0], [50, 0]])
tree = PointTree(points, adjacency_matrix, root_vertex=0)
```

or

```
from scipy.sparse import csr_matrix
adjacency_matrix = csr_matrix(([1] * 8, ([0, 0, 1, 1, 2, 3, 4, 5],
                                         [1, 2, 3, 4, 5, 6, 7, 8])),
                              shape=(9, 9))
points = np.array([[30, 30], [10, 20], [50, 20], [0, 10], [20, 10],
                   [50, 10], [0, 0], [20, 0], [50, 0]])
tree = PointTree(points, adjacency_matrix, root_vertex=0)
```

```
_view_2d (figure_id=None, new_figure=False, image_view=True, render_lines=True,
          line_colour='r', line_style='-', line_width=1.0, render_markers=True,
          marker_style='o', marker_size=20, marker_face_colour='k', marker_edge_colour='k',
          marker_edge_width=1.0, render_axes=True, axes_font_name='sans-serif',
          axes_font_size=10, axes_font_style='normal', axes_font_weight='normal',
          axes_x_limits=None, axes_y_limits=None, figure_size=(10, 8), label=None)
```

Visualization of the PointGraph in 2D.

#### Returns

- **figure\_id** (*object*, optional) – The id of the figure to be used.
- **new\_figure** (*bool*, optional) – If `True`, a new figure is created.
- **image\_view** (*bool*, optional) – If `True` the PointGraph will be viewed as if it is in the image coordinate system.
- **render\_lines** (*bool*, optional) – If `True`, the edges will be rendered.
- **line\_colour** (*See Below*, optional) – The colour of the lines. Example options:

```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

- line\_style** ({`-`, `--`, `-.`, `:`}, optional) – The style of the lines.
- line\_width** (*float*, optional) – The width of the lines.
- render\_markers** (*bool*, optional) – If `True`, the markers will be rendered.
- marker\_style** (*See Below, optional*) – The style of the markers. Example options

```
{., ,, o, v, ^, <, >, +, x, D, d, s, p, *, h, H, 1, 2, 3, 4, 8}
```

- marker\_size** (*int*, optional) – The size of the markers in points<sup>2</sup>.
- marker\_face\_colour** (*See Below, optional*) – The face (filling) colour of the markers. Example options

```
{r, g, b, c, m, k, w}  
or  
(3, ) ndarray
```

- marker\_edge\_colour** (*See Below, optional*) – The edge colour of the markers. Example options

```
{r, g, b, c, m, k, w}  
or  
(3, ) ndarray
```

- marker\_edge\_width** (*float*, optional) – The width of the markers' edge.
- render\_axes** (*bool*, optional) – If `True`, the axes will be rendered.
- axes\_font\_name** (*See Below, optional*) – The font of the axes. Example options

```
{serif, sans-serif, cursive, fantasy, monospace}
```

- axes\_font\_size** (*int*, optional) – The font size of the axes.
- axes\_font\_style** ({`normal`, `italic`, `oblique`}, optional) – The font style of the axes.
- axes\_font\_weight** (*See Below, optional*) – The font weight of the axes. Example options

```
{ultralight, light, normal, regular, book, medium, roman,  
semibold, demibold, demi, bold, heavy, extra bold, black}
```

- axes\_x\_limits** ((*float*, *float*) *tuple* or `None`, optional) – The limits of the x axis.
- axes\_y\_limits** ((*float*, *float*) *tuple* or `None`, optional) – The limits of the y axis.
- figure\_size** ((*float*, *float*) *tuple* or `None`, optional) – The size of the figure in inches.
- label** (*str*, optional) – The name entry in case of a legend.

**Returns**viewer (`PointGraphViewer2d`) – The viewer object.

```
_view_landmarks_2d (group=None, with_labels=None, without_labels=None, figure_id=None, new_figure=False, image_view=True, render_lines=True, line_colour=None, line_style='-', line_width=1, render_markers=True, marker_style='o', marker_size=20, marker_face_colour=None, marker_edge_colour=None, marker_edge_width=1.0, render_numbering=False, numbers_horizontal_align='center', numbers_vertical_align='bottom', numbers_font_name='sans-serif', numbers_font_size=10, numbers_font_style='normal', numbers_font_weight='normal', numbers_font_colour='k', render_legend=False, legend_title='', legend_font_name='sans-serif', legend_font_style='normal', legend_font_size=10, legend_font_weight='normal', legend_marker_scale=None, legend_location=2, legend_bbox_to_anchor=(1.05, 1.0), legend_border_axes_pad=None, legend_n_columns=1, legend_horizontal_spacing=None, legend_vertical_spacing=None, legend_border=True, legend_border_padding=None, legend_shadow=False, legend_rounded_corners=False, render_axes=False, axes_font_name='sans-serif', axes_font_size=10, axes_font_style='normal', axes_font_weight='normal', axes_x_limits=None, axes_y_limits=None, figure_size=(10, 8))
```

Visualize the landmarks. This method will appear on the Image as `view_landmarks` if the Image is 2D.

#### Parameters

- **group** (*str* or “None” optional) – The landmark group to be visualized. If None and there are more than one landmark groups, an error is raised.
- **with\_labels** (None or *str* or *list* of *str*, optional) – If not None, only show the given label(s). Should **not** be used with the `without_labels` kwarg.
- **without\_labels** (None or *str* or *list* of *str*, optional) – If not None, show all except the given label(s). Should **not** be used with the `with_labels` kwarg.
- **figure\_id** (*object*, optional) – The id of the figure to be used.
- **new\_figure** (*bool*, optional) – If True, a new figure is created.
- **image\_view** (*bool*, optional) – If True the PointCloud will be viewed as if it is in the image coordinate system.
- **render\_lines** (*bool*, optional) – If True, the edges will be rendered.
- **line\_colour** (*See Below*, optional) – The colour of the lines. Example options:

```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

- **line\_style** (`{-, --, -. , :}`, optional) – The style of the lines.
- **line\_width** (*float*, optional) – The width of the lines.
- **render\_markers** (*bool*, optional) – If True, the markers will be rendered.
- **marker\_style** (*See Below*, optional) – The style of the markers. Example options

```
{., ,, o, v, ^, <, >, +, x, D, d, s, p, *, h, H, 1, 2, 3, 4, 8}
```

- **marker\_size** (*int*, optional) – The size of the markers in points<sup>2</sup>.
- **marker\_face\_colour** (*See Below*, optional) – The face (filling) colour of the markers. Example options

```
{r, g, b, c, m, k, w}
or
```

```
(3, ) ndarray
```

•**marker\_edge\_colour** (*See Below, optional*) – The edge colour of the markers. Example options

```
{r, g, b, c, m, k, w}  
or  
(3, ) ndarray
```

•**marker\_edge\_width** (*float, optional*) – The width of the markers' edge.  
•**render\_numbering** (*bool, optional*) – If True, the landmarks will be numbered.  
•**numbers\_horizontal\_align** ({center, right, left}, optional) – The horizontal alignment of the numbers' texts.  
•**numbers\_vertical\_align** ({center, top, bottom, baseline}, optional) – The vertical alignment of the numbers' texts.  
•**numbers\_font\_name** (*See Below, optional*) – The font of the numbers. Example options

```
{serif, sans-serif, cursive, fantasy, monospace}
```

•**numbers\_font\_size** (*int, optional*) – The font size of the numbers.  
•**numbers\_font\_style** ({normal, italic, oblique}, optional) – The font style of the numbers.  
•**numbers\_font\_weight** (*See Below, optional*) – The font weight of the numbers. Example options

```
{ultralight, light, normal, regular, book, medium, roman,  
semibold, demibold, demi, bold, heavy, extra bold, black}
```

•**numbers\_font\_colour** (*See Below, optional*) – The font colour of the numbers. Example options

```
{r, g, b, c, m, k, w}  
or  
(3, ) ndarray
```

•**render\_legend** (*bool, optional*) – If True, the legend will be rendered.  
•**legend\_title** (*str, optional*) – The title of the legend.  
•**legend\_font\_name** (*See below, optional*) – The font of the legend. Example options

```
{serif, sans-serif, cursive, fantasy, monospace}
```

•**legend\_font\_style** ({normal, italic, oblique}, optional) – The font style of the legend.  
•**legend\_font\_size** (*int, optional*) – The font size of the legend.  
•**legend\_font\_weight** (*See Below, optional*) – The font weight of the legend. Example options

```
{ultralight, light, normal, regular, book, medium, roman,  
semibold, demibold, demi, bold, heavy, extra bold, black}
```

•**legend\_marker\_scale** (*float, optional*) – The relative size of the legend markers with respect to the original  
•**legend\_location** (*int, optional*) – The location of the legend. The predefined values are:

'best'	0
'upper right'	1
'upper left'	2
'lower left'	3
'lower right'	4
'right'	5
'center left'	6
'center right'	7
'lower center'	8
'upper center'	9
'center'	10

- **legend\_bbox\_to\_anchor** ((*float, float*) tuple, optional) – The bbox that the legend will be anchored.
- **legend\_border\_axes\_pad** (*float*, optional) – The pad between the axes and legend border.
- **legend\_n\_columns** (*int*, optional) – The number of the legend's columns.
- **legend\_horizontal\_spacing** (*float*, optional) – The spacing between the columns.
- **legend\_vertical\_spacing** (*float*, optional) – The vertical space between the legend entries.
- **legend\_border** (*bool*, optional) – If `True`, a frame will be drawn around the legend.
- **legend\_border\_padding** (*float*, optional) – The fractional whitespace inside the legend border.
- **legend\_shadow** (*bool*, optional) – If `True`, a shadow will be drawn behind legend.
- **legend\_rounded\_corners** (*bool*, optional) – If `True`, the frame's corners will be rounded (fancybox).
- **render\_axes** (*bool*, optional) – If `True`, the axes will be rendered.
- **axes\_font\_name** (*See Below, optional*) – The font of the axes. Example options

```
{serif, sans-serif, cursive, fantasy, monospace}
```

- **axes\_font\_size** (*int*, optional) – The font size of the axes.
- **axes\_font\_style** ({*normal, italic, oblique*}, optional) – The font style of the axes.
- **axes\_font\_weight** (*See Below, optional*) – The font weight of the axes. Example options

```
{ultralight, light, normal, regular, book, medium, roman, semibold, demibold, demi, bold, heavy, extra bold, black}
```

- **axes\_x\_limits** ((*float, float*) tuple or `None` optional) – The limits of the x axis.
- **axes\_y\_limits** ((*float, float*) tuple or `None` optional) – The limits of the y axis.
- **figure\_size** ((*float, float*) tuple or `None` optional) – The size of the figure in inches.

#### Raises

- `ValueError` – If both `with_labels` and `without_labels` are passed.
- `ValueError` – If the landmark manager doesn't contain the provided group label.

**as\_vector** (\*\**kwargs*)

Returns a flattened representation of the object as a single vector.

**Returns**`vector` ( $(N,)$  `ndarray`) – The core representation of the object, flattened into a single vector. Note that this is always a view back on to the original object, but is not writable.

**bounding\_box** ()

Return a bounding box from two corner points as a directed graph. The the first point (0) should be nearest the origin. In the case of an image, this ordering would appear as:

```
0<--3
|   ^
|   |
v   |
1-->2
```

In the case of a pointcloud, the ordering will appear as:

```
3<--2
|   ^
|   |
v   |
0-->1
```

**Returns**`bounding_box` (`PointDirectedGraph`) – The axis aligned bounding box of the `PointCloud`.

**bounds** (`boundary=0`)

The minimum to maximum extent of the `PointCloud`. An optional boundary argument can be provided to expand the bounds by a constant margin.

**Parameters**`boundary` (`float`) – A optional padding distance that is added to the bounds. Default is 0, meaning the max/min of tightest possible containing square/cube/hypercube is returned.

**Returns**

- min\_b** ( $(n\_dims,)$  `ndarray`) – The minimum extent of the `PointCloud` and boundary along each dimension
- max\_b** ( $(n\_dims,)$  `ndarray`) – The maximum extent of the `PointCloud` and boundary along each dimension

**centre** ()

The mean of all the points in this `PointCloud` (centre of mass).

**Returns**`centre` ( $(n\_dims)$  `ndarray`) – The mean of this `PointCloud`'s points.

**centre\_of\_bounds** ()

The centre of the absolute bounds of this `PointCloud`. Contrast with `centre()`, which is the mean point position.

**Returns**`centre` ( $n\_dims$  `ndarray`) – The centre of the bounds of this `PointCloud`.

**children** (`vertex`, `skip_checks=False`)

Returns the children of the selected vertex.

**Parameters**

- vertex** (`int`) – The selected vertex.
- skip\_checks** (`bool`, optional) – If `False`, the given vertex will be checked.

**Returns**`children` (`list`) – The list of children.

**Raises**`ValueError` – The vertex must be between 0 and  $\{n\_vertices-1\}$ .

**copy** ()

Generate an efficient copy of this object.

Note that Numpy arrays and other `Copyable` objects on `self` will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).



Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Return**`type(self)` – A copy of this object

**depth\_of\_vertex** (*vertex*, *skip\_checks=False*)

Returns the depth of the specified vertex.

**Parameters**

•**vertex** (*int*) – The selected vertex.

•**skip\_checks** (*bool*, optional) – If `False`, the given vertex will be checked.

**Returns**`depth` (*int*) – The depth of the selected vertex.

**Raises**`ValueError` – The vertex must be in the range `[0, n_vertices - 1]`.

**distance\_to** (*pointcloud*, *\*\*kwargs*)

Returns a distance matrix between this `PointCloud` and another. By default the Euclidean distance is calculated - see `scipy.spatial.distance.cdist` for valid `kwargs` to change the metric and other properties.

**Parameters**`pointcloud` (*PointCloud*) – The second pointcloud to compute distances between. This must be of the same dimension as this `PointCloud`.

**Returns**`distance_matrix` ((*n\_points*, *n\_points*) *ndarray*) – The symmetric pairwise distance matrix between the two `PointCloud`s s.t. `distance_matrix[i, j]` is the distance between the *i*'th point of this `PointCloud` and the *j*'th point of the input `PointCloud`.

**find\_all\_paths** (*start*, *end*, *path=[]*)

Returns a list of lists with all the paths (without cycles) found from start vertex to end vertex.

**Parameters**

•**start** (*int*) – The vertex from which the paths start.

•**end** (*int*) – The vertex from which the paths end.

•**path** (*list*, optional) – An existing path to append to.

**Returns**`paths` (*list of list*) – The list containing all the paths from start to end.

**find\_all\_shortest\_paths** (*algorithm='auto'*, *unweighted=False*)

Returns the distances and predecessors arrays of the graph's shortest paths.

**Parameters**

•**algorithm** (*'str'*, see below, optional) – The algorithm to be used. Possible options are:

'dijkstra'	Dijkstra's algorithm with Fibonacci heaps
'bellman-ford'	Bellman-Ford algorithm
'johnson'	Johnson's algorithm
'floyd-warshall'	Floyd-Warshall algorithm
'auto'	Select the best among the above

•**unweighted** (*bool*, optional) – If `True`, then find unweighted distances. That is, rather than finding the path between each vertex such that the sum of weights is minimized, find the path such that the number of edges is minimized.

**Returns**

•**distances** ((*n\_vertices*, *n\_vertices*,) *ndarray*) – The matrix of distances between all graph vertices. `distances[i, j]` gives the shortest distance from vertex *i* to vertex *j* along the graph.

•**predecessors** ((*n\_vertices*, *n\_vertices*,) *ndarray*) – The matrix of predecessors, which can be used to reconstruct the shortest paths. Each entry `predecessors[i, j]` gives the index of the previous vertex in the path from vertex *i* to vertex *j*. If no path exists between vertices *i* and *j*, then `predecessors[i, j] = -9999`.

**find\_path** (*start*, *end*, *method='bfs'*, *skip\_checks=False*)

Returns a *list* with the first path (without cycles) found from the `start` vertex to the `end` vertex. It can employ either depth-first search or breadth-first search.

**Parameters**

- **start** (*int*) – The vertex from which the path starts.
- **end** (*int*) – The vertex to which the path ends.
- **method** (*{bfs, dfs}*, optional) – The method to be used.
- **skip\_checks** (*bool*, optional) – If `True`, then input arguments won't pass through checks. Useful for efficiency.

**Returns**`path` (*list*) – The path's vertices.

**Raises**`ValueError` – Method must be either `bfs` or `dfs`.

**find\_shortest\_path** (*start, end, algorithm='auto', unweighted=False, skip\_checks=False*)

Returns a *list* with the shortest path (without cycles) found from `start` vertex to `end` vertex.

**Parameters**

- **start** (*int*) – The vertex from which the path starts.
- **end** (*int*) – The vertex to which the path ends.
- **algorithm** (*'str'*, *see below, optional*) – The algorithm to be used. Possible options are:

'dijkstra'	Dijkstra's algorithm with Fibonacci heaps
'bellman-ford'	Bellman-Ford algorithm
'johnson'	Johnson's algorithm
'floyd-warshall'	Floyd-Warshall algorithm
'auto'	Select the best among the above

- **unweighted** (*bool*, optional) – If `True`, then find unweighted distances. That is, rather than finding the path such that the sum of weights is minimized, find the path such that the number of edges is minimized.
- **skip\_checks** (*bool*, optional) – If `True`, then input arguments won't pass through checks. Useful for efficiency.

**Returns**

- **path** (*list*) – The shortest path's vertices, including `start` and `end`. If there was not path connecting the vertices, then an empty *list* is returned.
- **distance** (*int or float*) – The distance (cost) of the path from `start` to `end`.

**from\_mask** (*mask*)

A 1D boolean array with the same number of elements as the number of points in the *PointTree*. This is then broadcast across the dimensions of the *PointTree* and returns a new *PointTree* containing only those points that were `True` in the mask.

**Parameters**`mask` (*(n\_points,) ndarray*) – 1D array of booleans

**Returns**`pointtree` (*PointTree*) – A new pointtree that has been masked.

**Raises**

- `ValueError` – Mask must be a 1D boolean array of the same number of entries as points in this *PointTree*.
- `ValueError` – Cannot remove root vertex.

**from\_vector** (*vector*)

Build a new instance of the object from it's vectorized state.

`self` is used to fill out the missing state required to rebuild a full object from it's standardized flattened state. This is the default implementation, which is which is a `deepcopy` of the object followed by a call to `from_vector_inplace()`. This method can be overridden for a performance benefit if desired.

**Parameters**`vector` (*(n\_parameters,) ndarray*) – Flattened representation of the object.

**Returns**`object` (*type(self)*) – An new instance of this class.

**from\_vector\_inplace** (*vector*)

Updates the points of this *PointCloud* in-place with the reshaped points from the provided vector. Note that the vector should have the form `[x0, y0, x1, y1, ....., xn, yn]` for 2D.

**Parameters**`vector` ((`n_points`,) *ndarray*) – The vector from which to create the points' array.

**get\_adjacency\_list**()  
Returns the adjacency list of the graph, i.e. a *list* of length `n_vertices` that for each vertex has a *list* of the vertex neighbours. If the graph is directed, the neighbours are children.

**Returns**`adjacency_list` (*list* of *list* of length `n_vertices`) – The adjacency list of the graph.

**h\_points**()  
Convert poincloud to a homogeneous array: (`n_dims + 1`, `n_points`)

**Type**`type(self)`

**has\_cycles**()  
Checks if the graph has at least one cycle.

**Returns**`has_cycles` (*bool*) – True if the graph has cycles.

**has\_isolated\_vertices**()  
Whether the graph has any isolated vertices, i.e. vertices with no edge connections.

**Returns**`has_isolated_vertices` (*bool*) – True if the graph has at least one isolated vertex.

**has\_nan\_values**()  
Tests if the vectorized form of the object contains `nan` values or not. This is particularly useful for objects with unknown values that have been mapped to `nan` values.

**Returns**`has_nan_values` (*bool*) – If the vectorized object contains `nan` values.


**classmethod** `init_from_edges` (*points*, *edges*, *root\_vertex*, *copy=True*, *skip\_checks=False*)  
Construct a *PointTree* from edges array.

**Parameters**

- **points** ((`n_vertices`, `n_dims`, ) *ndarray*) – The array of point locations.
- **edges** ((`n_edges`, 2, ) *ndarray*) – The *ndarray* of edges, i.e. all the pairs of vertices that are connected with an edge.
- **root\_vertex** (*int*) – That vertex that will be set as root.
- **copy** (*bool*, optional) – If `False`, the `adjacency_matrix` will not be copied on assignment.
- **skip\_checks** (*bool*, optional) – If `True`, no checks will be performed.

## Examples

The following tree



can be defined as

```

from menpo.shape import PointTree
import numpy as np
points = np.array([[30, 30], [10, 20], [50, 20], [0, 10], [20, 10],
                  [50, 10], [0, 0], [20, 0], [50, 0]])

```

```
edges = np.array([[0, 1], [0, 2], [1, 3], [1, 4], [2, 5], [3, 6],
                  [4, 7], [5, 8]])
tree = PointTree.init_from_edges(points, edges, root_vertex=0)
```

**is\_edge** (*vertex\_1*, *vertex\_2*, *skip\_checks=False*)

Whether there is an edge between the provided vertices.

**Parameters**

- **vertex\_1** (*int*) – The first selected vertex. Parent if the graph is directed.
- **vertex\_2** (*int*) – The second selected vertex. Child if the graph is directed.
- **skip\_checks** (*bool*, optional) – If `False`, the given vertices will be checked.

**Returns** *is\_edge* (*bool*) – True if there is an edge connecting *vertex\_1* and *vertex\_2*.

**Raises** `ValueError` – The vertex must be between 0 and {*n\_vertices*-1}.

**is\_leaf** (*vertex*, *skip\_checks=False*)

Whether the vertex is a leaf.

**Parameters**

- **vertex** (*int*) – The selected vertex.
- **skip\_checks** (*bool*, optional) – If `False`, the given vertex will be checked.

**Returns** *is\_leaf* (*bool*) – If `True`, then selected vertex is a leaf.

**Raises** `ValueError` – The vertex must be in the range [0, *n\_vertices* - 1].

**is\_tree** ()

Checks if the graph is tree.

**Returns** *is\_true* (*bool*) – If the graph is a tree.

**isolated\_vertices** ()

Returns the isolated vertices of the graph (if any), i.e. the vertices that have no edge connections.

**Returns** *isolated\_vertices* (*list*) – A *list* of the isolated vertices. If there aren't any, it returns an empty *list*.

**n\_children** (*vertex*, *skip\_checks=False*)

Returns the number of children of the selected vertex.

**Parameters** **vertex** (*int*) – The selected vertex.

**Returns**

- **n\_children** (*int*) – The number of children.
- **skip\_checks** (*bool*, optional) – If `False`, the given vertex will be checked.

**Raises** `ValueError` – The vertex must be in the range [0, *n\_vertices* - 1].

**n\_parents** (*vertex*, *skip\_checks=False*)

Returns the number of parents of the selected vertex.

**Parameters**

- **vertex** (*int*) – The selected vertex.
- **skip\_checks** (*bool*, optional) – If `False`, the given vertex will be checked.

**Returns** *n\_parents* (*int*) – The number of parents.

**Raises** `ValueError` – The vertex must be in the range [0, *n\_vertices* - 1].

**n\_paths** (*start*, *end*)

Returns the number of all the paths (without cycles) existing from start vertex to end vertex.

**Parameters**

- **start** (*int*) – The vertex from which the paths start.
- **end** (*int*) – The vertex from which the paths end.

**Returns** *n\_paths* (*int*) – The paths' numbers.

**n\_vertices\_at\_depth** (*depth*)

Returns the number of vertices at the specified depth.

**Parameters** **depth** (*int*) – The selected depth.

**Returns** *n\_vertices* (*int*) – The number of vertices that lie in the specified depth.

**norm** (*\*\*kwargs*)

Returns the norm of this *PointCloud*. This is a translation and rotation invariant measure of the point cloud's intrinsic size - in other words, it is always taken around the point cloud's centre.

By default, the Frobenius norm is taken, but this can be changed by setting *kwargs* - see `numpy.linalg.norm` for valid options.

**Returns***norm* (*float*) - The norm of this *PointCloud*

**parent** (*vertex*, *skip\_checks=False*)

Returns the parent of the selected vertex.

**Parameters**

- vertex** (*int*) - The selected vertex.
- skip\_checks** (*bool*, optional) - If *False*, the given vertex will be checked.

**Returns***parent* (*int*) - The parent vertex.

**Raises***ValueError* - The vertex must be in the range `[0, n_vertices - 1]`.

**parents** (*vertex*, *skip\_checks=False*)

Returns the parents of the selected vertex.

**Parameters**

- vertex** (*int*) - The selected vertex.
- skip\_checks** (*bool*, optional) - If *False*, the given vertex will be checked.

**Returns***parents* (*list*) - The list of parents.

**Raises***ValueError* - The vertex must be in the range `[0, n_vertices - 1]`.

**range** (*boundary=0*)

The range of the extent of the *PointCloud*.

**Parameters***boundary* (*float*) - A optional padding distance that is used to extend the bounds from which the range is computed. Default is 0, no extension is performed.

**Returns***range* ((*n\_dims*,) *ndarray*) - The range of the *PointCloud* extent in each dimension.

**relative\_location\_edge** (*parent*, *child*)

Returns the relative location between the provided vertices. That is if vertex *j* is the parent and vertex *i* is its child and vector *l* denotes the coordinates of a vertex, then

$$\begin{aligned} l_i - l_j &= [[x_i], [y_i]] - [[x_j], [y_j]] = \\ &= [[x_i - x_j], [y_i - y_j]] \end{aligned}$$

**Parameters**

- parent** (*int*) - The first selected vertex which is considered as the parent.
- child** (*int*) - The second selected vertex which is considered as the child.

**Returns***relative\_location* ((*2*,) *ndarray*) - The relative location vector.

**Raises***ValueError* - Vertices *parent* and *child* are not connected with an edge.

**relative\_locations** ()

Returns the relative location between the vertices of each edge. If vertex *j* is the parent and vertex *i* is its child and vector *l* denotes the coordinates of a vertex, then:

$$\begin{aligned} l_i - l_j &= [[x_i], [y_i]] - [[x_j], [y_j]] = \\ &= [[x_i - x_j], [y_i - y_j]] \end{aligned}$$

**Returns***relative\_locations* ((*n\_vertices*, *2*) *ndarray*) - The relative locations vector.

**tojson** ()

Convert this *PointGraph* to a dictionary representation suitable for inclusion in the LJSON landmark format.

**Returns***json* (*dict*) - Dictionary with *points* and *connectivity* keys.

**vertices\_at\_depth** (*depth*)

Returns a list of vertices at the specified depth.

**Parameters****depth** (*int*) – The selected depth.

**Returns****vertices** (*list*) – The vertices that lie in the specified depth.

**view\_widget** (*browser\_style='buttons', figure\_size=(10, 8), style='coloured'*)

Visualization of the PointGraph using the *visualize\_pointclouds* widget.

**Parameters**

• **browser\_style** ({'buttons', 'slider'}, optional) – It defines whether the selector of the objects will have the form of plus/minus buttons or a slider.

• **figure\_size** ((*int*, *int*) *tuple*, optional) – The initial size of the rendered figure.

• **style** ({'coloured', 'minimal'}, optional) – If 'coloured', then the style of the widget will be coloured. If *minimal*, then the style is simple using black and white colours.

**has\_landmarks**

Whether the object has landmarks.

**Type***bool*

**landmarks**

The landmarks object.

**Type***LandmarkManager*

**leaves**

Returns a *list* with the all leaves of the tree.

**Type***list*

**maximum\_depth**

Returns the maximum depth of the tree.

**Type***int*

**n\_dims**

The number of dimensions in the pointcloud.

**Type***int*

**n\_edges**

Returns the number of edges.

**Type***int*

**n\_landmark\_groups**

The number of landmark groups on this object.

**Type***int*

**n\_leaves**

Returns the number of leaves of the tree.

**Type***int*

**n\_parameters**

The length of the vector that this object produces.

**Type***int*

**n\_points**

The number of points in the pointcloud.

**Type***int*

**n\_vertices**

Returns the number of vertices.

**Type***int*

**vertices**Returns the *list* of vertices.**Typelist**

## 2.8.5 Triangular Meshes

### TriMesh

**class** menpo.shape.TriMesh (points, trilst=None, copy=True)

Bases: PointCloud

A *PointCloud* with a connectivity defined by a triangle list. These are designed to be explicitly 2D or 3D.**Parameters**

- **points** ((n\_points, n\_dims) ndarray) – The array representing the points.
- **trilst** ((M, 3) ndarray or None, optional) – The triangle list. If *None*, a Delaunay triangulation of the points will be used instead.
- **copy** (bool, optional) – If *False*, the points will not be copied on assignment. Any trilst will also not be copied. In general this should only be used if you know what you are doing.

**\_view\_2d** (figure\_id=None, new\_figure=False, image\_view=True, render\_lines=True, line\_colour='r', line\_style='-', line\_width=1.0, render\_markers=True, marker\_style='o', marker\_size=20, marker\_face\_colour='k', marker\_edge\_colour='k', marker\_edge\_width=1.0, render\_axes=True, axes\_font\_name='sans-serif', axes\_font\_size=10, axes\_font\_style='normal', axes\_font\_weight='normal', axes\_x\_limits=None, axes\_y\_limits=None, figure\_size=(10, 8), label=None)

Visualization of the TriMesh in 2D.

**Returns**

- **figure\_id** (object, optional) – The id of the figure to be used.
- **new\_figure** (bool, optional) – If *True*, a new figure is created.
- **image\_view** (bool, optional) – If *True* the TriMesh will be viewed as if it is in the image coordinate system.
- **render\_lines** (bool, optional) – If *True*, the edges will be rendered.
- **line\_colour** (See Below, optional) – The colour of the lines. Example options:

```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

- **line\_style** ({-, --, -. , :}, optional) – The style of the lines.
- **line\_width** (float, optional) – The width of the lines.
- **render\_markers** (bool, optional) – If *True*, the markers will be rendered.
- **marker\_style** (See Below, optional) – The style of the markers. Example options

```
{., ,, o, v, ^, <, >, +, x, D, d, s, p, *, h, H, 1, 2, 3, 4, 8}
```

- **marker\_size** (int, optional) – The size of the markers in points<sup>2</sup>.
- **marker\_face\_colour** (See Below, optional) – The face (filling) colour of the markers. Example options

```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

- **marker\_edge\_colour** (See Below, optional) – The edge colour of the markers. Example options

```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

- **marker\_edge\_width** (*float*, optional) – The width of the markers’ edge.
- **render\_axes** (*bool*, optional) – If `True`, the axes will be rendered.
- **axes\_font\_name** (*See Below*, optional) – The font of the axes. Example options

```
{serif, sans-serif, cursive, fantasy, monospace}
```

- **axes\_font\_size** (*int*, optional) – The font size of the axes.
- **axes\_font\_style** (`{normal, italic, oblique}`, optional) – The font style of the axes.
- **axes\_font\_weight** (*See Below*, optional) – The font weight of the axes. Example options

```
{ultralight, light, normal, regular, book, medium, roman,
semibold, demibold, demi, bold, heavy, extra bold, black}
```

- **axes\_x\_limits** (`((float, float) tuple or None`, optional) – The limits of the x axis.
- **axes\_y\_limits** (`((float, float) tuple or None`, optional) – The limits of the y axis.
- **figure\_size** (`((float, float) tuple or None`, optional) – The size of the figure in inches.
- **label** (*str*, optional) – The name entry in case of a legend.

**Returns** `viewer` (`PointGraphViewer2d`) – The viewer object.

```
_view_landmarks_2d(group=None, with_labels=None, without_labels=None, figure_id=None, new_figure=False, image_view=True, render_lines=True, line_colour=None, line_style='-', line_width=1, render_markers=True, marker_style='o', marker_size=20, marker_face_colour=None, marker_edge_colour=None, marker_edge_width=1.0, render_numbering=False, numbers_horizontal_align='center', numbers_vertical_align='bottom', numbers_font_name='sans-serif', numbers_font_size=10, numbers_font_style='normal', numbers_font_weight='normal', numbers_font_colour='k', render_legend=False, legend_title='', legend_font_name='sans-serif', legend_font_style='normal', legend_font_size=10, legend_font_weight='normal', legend_marker_scale=None, legend_location=2, legend_bbox_to_anchor=(1.05, 1.0), legend_border_axes_pad=None, legend_n_columns=1, legend_horizontal_spacing=None, legend_vertical_spacing=None, legend_border=True, legend_border_padding=None, legend_shadow=False, legend_rounded_corners=False, render_axes=False, axes_font_name='sans-serif', axes_font_size=10, axes_font_style='normal', axes_font_weight='normal', axes_x_limits=None, axes_y_limits=None, figure_size=(10, 8))
```

Visualize the landmarks. This method will appear on the `Image` as `view_landmarks` if the `Image` is 2D.

#### Parameters

- **group** (*str* or `“None”`, optional) – The landmark group to be visualized. If `None` and there are more than one landmark groups, an error is raised.
- **with\_labels** (`None` or *str* or *list* of *str*, optional) – If not `None`, only show the given label(s). Should **not** be used with the `without_labels` kwarg.
- **without\_labels** (`None` or *str* or *list* of *str*, optional) – If not `None`, show all except the given label(s). Should **not** be used with the `with_labels` kwarg.
- **figure\_id** (*object*, optional) – The id of the figure to be used.



- **new\_figure** (*bool*, optional) – If `True`, a new figure is created.
- **image\_view** (*bool*, optional) – If `True` the `PointCloud` will be viewed as if it is in the image coordinate system.
- **render\_lines** (*bool*, optional) – If `True`, the edges will be rendered.
- **line\_colour** (*See Below, optional*) – The colour of the lines. Example options:

```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

- **line\_style** (`{-, --, -. , :}`, optional) – The style of the lines.
- **line\_width** (*float*, optional) – The width of the lines.
- **render\_markers** (*bool*, optional) – If `True`, the markers will be rendered.
- **marker\_style** (*See Below, optional*) – The style of the markers. Example options

```
{., ,, o, v, ^, <, >, +, x, D, d, s, p, *, h, H, 1, 2, 3, 4, 8}
```

- **marker\_size** (*int*, optional) – The size of the markers in `points^2`.
- **marker\_face\_colour** (*See Below, optional*) – The face (filling) colour of the markers. Example options

```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

- **marker\_edge\_colour** (*See Below, optional*) – The edge colour of the markers. Example options

```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

- **marker\_edge\_width** (*float*, optional) – The width of the markers' edge.
- **render\_numbering** (*bool*, optional) – If `True`, the landmarks will be numbered.
- **numbers\_horizontal\_align** (`{center, right, left}`, optional) – The horizontal alignment of the numbers' texts.
- **numbers\_vertical\_align** (`{center, top, bottom, baseline}`, optional) – The vertical alignment of the numbers' texts.
- **numbers\_font\_name** (*See Below, optional*) – The font of the numbers. Example options

```
{serif, sans-serif, cursive, fantasy, monospace}
```

- **numbers\_font\_size** (*int*, optional) – The font size of the numbers.
- **numbers\_font\_style** (`{normal, italic, oblique}`, optional) – The font style of the numbers.
- **numbers\_font\_weight** (*See Below, optional*) – The font weight of the numbers. Example options

```
{ultralight, light, normal, regular, book, medium, roman,
semibold, demibold, demi, bold, heavy, extra bold, black}
```

- **numbers\_font\_colour** (*See Below, optional*) – The font colour of the numbers. Example options

```
{r, g, b, c, m, k, w}  
or  
(3, ) ndarray
```

- **render\_legend** (*bool*, optional) – If `True`, the legend will be rendered.
- **legend\_title** (*str*, optional) – The title of the legend.
- **legend\_font\_name** (*See below, optional*) – The font of the legend. Example options

```
{serif, sans-serif, cursive, fantasy, monospace}
```

- **legend\_font\_style** (*{normal, italic, oblique}*, optional) – The font style of the legend.
- **legend\_font\_size** (*int*, optional) – The font size of the legend.
- **legend\_font\_weight** (*See Below, optional*) – The font weight of the legend. Example options

```
{ultralight, light, normal, regular, book, medium, roman,  
semibold, demibold, demi, bold, heavy, extra bold, black}
```

- **legend\_marker\_scale** (*float*, optional) – The relative size of the legend markers with respect to the original
- **legend\_location** (*int*, optional) – The location of the legend. The predefined values are:

'best'	0
'upper right'	1
'upper left'	2
'lower left'	3
'lower right'	4
'right'	5
'center left'	6
'center right'	7
'lower center'	8
'upper center'	9
'center'	10

- **legend\_bbox\_to\_anchor** (*(float, float) tuple*, optional) – The bbox that the legend will be anchored.
- **legend\_border\_axes\_pad** (*float*, optional) – The pad between the axes and legend border.
- **legend\_n\_columns** (*int*, optional) – The number of the legend's columns.
- **legend\_horizontal\_spacing** (*float*, optional) – The spacing between the columns.
- **legend\_vertical\_spacing** (*float*, optional) – The vertical space between the legend entries.
- **legend\_border** (*bool*, optional) – If `True`, a frame will be drawn around the legend.
- **legend\_border\_padding** (*float*, optional) – The fractional whitespace inside the legend border.
- **legend\_shadow** (*bool*, optional) – If `True`, a shadow will be drawn behind legend.
- **legend\_rounded\_corners** (*bool*, optional) – If `True`, the frame's corners will be rounded (`fancybox`).
- **render\_axes** (*bool*, optional) – If `True`, the axes will be rendered.
- **axes\_font\_name** (*See Below, optional*) – The font of the axes. Example options

```
{serif, sans-serif, cursive, fantasy, monospace}
```

- **axes\_font\_size** (*int*, optional) – The font size of the axes.
- **axes\_font\_style** ({*normal*, *italic*, *oblique*}, optional) – The font style of the axes.
- **axes\_font\_weight** (*See Below*, optional) – The font weight of the axes.  
Example options

```
{ultralight, light, normal, regular, book, medium, roman, semibold, demibold, demi, bold, heavy, extra bold, black}
```

- **axes\_x\_limits** ((*float*, *float*) *tuple* or *None* optional) – The limits of the x axis.
- **axes\_y\_limits** ((*float*, *float*) *tuple* or *None* optional) – The limits of the y axis.
- **figure\_size** ((*float*, *float*) *tuple* or *None* optional) – The size of the figure in inches.

#### Raises

- *ValueError* – If both `with_labels` and `without_labels` are passed.
- *ValueError* – If the landmark manager doesn't contain the provided group label.

**as\_pointgraph** (*copy=True*, *skip\_checks=False*)

Converts the *TriMesh* to a *PointUndirectedGraph*.

#### Parameters

- **copy** (*bool*, optional) – If *True*, the graph will be a copy.
- **skip\_checks** (*bool*, optional) – If *True*, no checks will be performed.

**Returns** *pointgraph* (*PointUndirectedGraph*) – The point graph.

**as\_vector** (*\*\*kwargs*)

Returns a flattened representation of the object as a single vector.

**Returns** *vector* ((*N*,) *ndarray*) – The core representation of the object, flattened into a single vector. Note that this is always a view back on to the original object, but is not writable.

**boundary\_tri\_index** ()

Boolean index into triangles that are at the edge of the *TriMesh*

**Returns** *boundary\_tri\_index* ((*n\_tris*,) *ndarray*) – For each triangle (ABC), returns whether any of it's edges is not also an edge of another triangle (and so this triangle exists on the boundary of the *TriMesh*)

**bounding\_box** ()

Return a bounding box from two corner points as a directed graph. The the first point (0) should be nearest the origin. In the case of an image, this ordering would appear as:

```
0<--3
|   ^
|   |
v   |
1-->2
```

In the case of a pointcloud, the ordering will appear as:

```
3<--2
|   ^
|   |
v   |
0-->1
```

**Returns**`bounding_box` (*PointCloud*) – The axis aligned bounding box of the *PointCloud*.

**bounds** (*boundary=0*)

The minimum to maximum extent of the *PointCloud*. An optional boundary argument can be provided to expand the bounds by a constant margin.

**Parameters**`boundary` (*float*) – A optional padding distance that is added to the bounds. Default is 0, meaning the max/min of tightest possible containing square/cube/hypercube is returned.

**Returns**

- **min\_b** ((*n\_dims*,) *ndarray*) – The minimum extent of the *PointCloud* and boundary along each dimension
- **max\_b** ((*n\_dims*,) *ndarray*) – The maximum extent of the *PointCloud* and boundary along each dimension

**centre** ()

The mean of all the points in this *PointCloud* (centre of mass).

**Returns**`centre` ((*n\_dims*) *ndarray*) – The mean of this *PointCloud*’s points.

**centre\_of\_bounds** ()

The centre of the absolute bounds of this *PointCloud*. Contrast with `centre()`, which is the mean point position.

**Returns**`centre` (*n\_dims ndarray*) – The centre of the bounds of this *PointCloud*.

**copy** ()

Generate an efficient copy of this object.

Note that Numpy arrays and other *Copyable* objects on `self` will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).

Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Returns**`type(self)` – A copy of this object

**distance\_to** (*pointcloud, \*\*kwargs*)

Returns a distance matrix between this *PointCloud* and another. By default the Euclidean distance is calculated - see `scipy.spatial.distance.cdist` for valid kwargs to change the metric and other properties.

**Parameters**`pointcloud` (*PointCloud*) – The second pointcloud to compute distances between. This must be of the same dimension as this *PointCloud*.

**Returns**`distance_matrix` ((*n\_points*, *n\_points*) *ndarray*) – The symmetric pairwise distance matrix between the two *PointCloud*s s.t. `distance_matrix[i, j]` is the distance between the *i*’th point of this *PointCloud* and the *j*’th point of the input *PointCloud*.

**edge\_indices** ()

An unordered index into points that rebuilds the edges of this *TriMesh*.

Note that there will be two edges present in cases where two triangles ‘share’ an edge. Consider `unique_edge_indices()` for a single index for each physical edge on the *TriMesh*.

**Returns**`edge_indices` ((*n\_tris* \* 3, 2) *ndarray*) – For each triangle (ABC), returns the pair of point indices that rebuild AB, AC, BC. All edge indices are concatenated for a total of *n\_tris* \* 3 `edge_indices`. The ordering is done so that all AB vectors are first in the returned list, followed by BC, then CA.

**edge\_lengths** ()

The length of each edge in this *TriMesh*.

Note that there will be two edges present in cases where two triangles ‘share’ an edge. Consider `unique_edge_indices()` for a single index for each physical edge on the *TriMesh*. The ordering

matches the case for edges and `edge_indices`.

**Returns**`edge_lengths` `((n_tris * 3, ) ndarray)` – Scalar euclidean lengths for each edge in this *TriMesh*.

**edge\_vectors** `()`

A vector of edges of each triangle face.

Note that there will be two edges present in cases where two triangles ‘share’ an edge. Consider `unique_edge_vectors()` for a single vector for each physical edge on the *TriMesh*.

**Returns**`edges` `((n_tris * 3, n_dims) ndarray)` – For each triangle (ABC), returns the edge vectors AB, BC, CA. All edges are concatenated for a total of `n_tris * 3` edges. The ordering is done so that all AB vectors are first in the returned list, followed by BC, then CA.

**from\_mask** `(mask)`

A 1D boolean array with the same number of elements as the number of points in the *TriMesh*. This is then broadcast across the dimensions of the mesh and returns a new mesh containing only those points that were True in the mask.

**Parameters**`mask` `((n_points,) ndarray)` – 1D array of booleans

**Returns**`mesh` (*TriMesh*) – A new mesh that has been masked.

**from\_vector** `(vector)`

Build a new instance of the object from it’s vectorized state.

`self` is used to fill out the missing state required to rebuild a full object from it’s standardized flattened state. This is the default implementation, which is which is a `deepcopy` of the object followed by a call to `from_vector_inplace()`. This method can be overridden for a performance benefit if desired.

**Parameters**`vector` `((n_parameters,) ndarray)` – Flattened representation of the object.

**Returns**`object` `(type(self))` – An new instance of this class.

**from\_vector\_inplace** `(vector)`

Updates the points of this *PointCloud* in-place with the reshaped points from the provided vector. Note that the vector should have the form `[x0, y0, x1, y1, ....., xn, yn]` for 2D.

**Parameters**`vector` `((n_points,) ndarray)` – The vector from which to create the points’ array.

**h\_points** `()`

Convert poincloud to a homogeneous array: `(n_dims + 1, n_points)`

**Types**`type(self)`

**has\_nan\_values** `()`

Tests if the vectorized form of the object contains `nan` values or not. This is particularly useful for objects with unknown values that have been mapped to `nan` values.

**Returns**`has_nan_values` `(bool)` – If the vectorized object contains `nan` values.

**mean\_edge\_length** `(unique=True)`

The mean length of each edge in this *TriMesh*.

**Parameters**`unique` `(bool, optional)` – If True, each shared edge will only be counted once towards the average. If false, shared edges will be counted twice.

**Returns**`mean_edge_length` `(float)` – The mean length of each edge in this *TriMesh*

**mean\_tri\_area** `()`

The mean area of each triangle face in this *TriMesh*.

**Returns**`mean_tri_area` `(float)` – The mean area of each triangle face in this *TriMesh*

**Raises**`ValueError` – If mesh is not 3D

**norm** `(**kwargs)`

Returns the norm of this *PointCloud*. This is a translation and rotation invariant measure of the point

cloud's intrinsic size - in other words, it is always taken around the point cloud's centre.

By default, the Frobenius norm is taken, but this can be changed by setting `kwargs` - see `numpy.linalg.norm` for valid options.

**Returns**`norm` (*float*) – The norm of this *PointCloud*

**range** (*boundary=0*)

The range of the extent of the *PointCloud*.

**Parameters**`boundary` (*float*) – A optional padding distance that is used to extend the bounds from which the range is computed. Default is 0, no extension is performed.

**Returns**`range` ((*n\_dims*,) *ndarray*) – The range of the *PointCloud* extent in each dimension.

**tojson** ()

Convert this *TriMesh* to a dictionary representation suitable for inclusion in the LJSON landmark format. Note that this enforces a simpler representation, and as such is not suitable for a permanent serialization of a *TriMesh* (to be clear, *TriMesh*'s serialized as part of a landmark set will be rebuilt as a *PointUndirectedGraph*).

**Returns**`json` (*dict*) – Dictionary with `points` and `connectivity` keys.

**tri\_areas** ()

The area of each triangle face.

**Returns**`areas` ((*n\_tris*,) *ndarray*) – Area of each triangle, ordered as the trilst is

**Raises**`ValueError` – If mesh is not 2D or 3D

**tri\_normals** ()

Compute the triangle face normals from the current set of points and triangle list. Only valid for 3D dimensional meshes.

**Returns**`normals` ((*n\_tris*, 3) *ndarray*) – Normal at each triangle face.

**Raises**`ValueError` – If mesh is not 3D

**unique\_edge\_indicies** ()

An unordered index into points that rebuilds the unique edges of this *TriMesh*.

Note that each physical edge will only be counted once in this method (i.e. edges shared between neighbouring triangles are only counted once not twice). The ordering should be considered random.

**Returns**`unique_edge_indicies` ((*n\_unique\_edges*, 2) *ndarray*) – Return a point index that rebuilds all edges present in this *TriMesh* only once.

**unique\_edge\_lengths** ()

The length of each edge in this *TriMesh*.

Note that each physical edge will only be counted once in this method (i.e. edges shared between neighbouring triangles are only counted once not twice). The ordering should be considered random.

**Returns**`edge_lengths` ((*n\_tris* \* 3, ) *ndarray*) – Scalar euclidean lengths for each edge in this *TriMesh*.

**unique\_edge\_vectors** ()

An unordered vector of unique edges for the whole *TriMesh*.

Note that each physical edge will only be counted once in this method (i.e. edges shared between neighbouring triangles are only counted once not twice). The ordering should be considered random.

**Returns**`unique_edge_vectors` ((*n\_unique\_edges*, *n\_dims*) *ndarray*) – Vectors for each unique edge in this *TriMesh*.

**vertex\_normals** ()

Compute the per-vertex normals from the current set of points and triangle list. Only valid for 3D dimensional meshes.

**Returns**`normals` ((*n\_points*, 3) *ndarray*) – Normal at each point.

**Raises**`ValueError` – If mesh is not 3D

**view\_widget** (*browser\_style='buttons', figure\_size=(10, 8), style='coloured'*)

Visualization of the TriMesh using the *visualize\_pointclouds* widget.

**Parameters**

- **browser\_style** ({'buttons', 'slider'}, optional) – It defines whether the selector of the objects will have the form of plus/minus buttons or a slider.
- **figure\_size** ((*int*, *int*) *tuple*, optional) – The initial size of the rendered figure.
- **style** ({'coloured', 'minimal'}, optional) – If 'coloured', then the style of the widget will be coloured. If *minimal*, then the style is simple using black and white colours.

**has\_landmarks**

Whether the object has landmarks.

**Type***bool*

**landmarks**

The landmarks object.

**Type***LandmarkManager*

**n\_dims**

The number of dimensions in the pointcloud.

**Type***int*

**n\_landmark\_groups**

The number of landmark groups on this object.

**Type***int*

**n\_parameters**

The length of the vector that this object produces.

**Type***int*

**n\_points**

The number of points in the pointcloud.

**Type***int*

**n\_tris**

The number of triangles in the triangle list.

**Type***int*

## ColouredTriMesh

**class** `menpo.shape.ColouredTriMesh` (*points, trilst=None, colours=None, copy=True*)

Bases: *TriMesh*

Combines a *TriMesh* with a colour per vertex.

**Parameters**

- **points** ((*n\_points*, *n\_dims*) *ndarray*) – The array representing the points.
- **trilst** ((*M*, 3) *ndarray* or *None*, optional) – The triangle list. If *None*, a Delaunay triangulation of the points will be used instead.
- **colours** ((*N*, 3) *ndarray*, optional) – The floating point RGB colour per vertex. If not given, grey will be assigned to each vertex.
- **copy** (*bool*, optional) – If *False*, the points, trilst and colours will not be copied on assignment. In general this should only be used if you know what you are doing.

**Raises***ValueError* – If the number of colour values does not match the number of vertices.

**\_view\_2d** (*figure\_id=None*, *new\_figure=False*, *image\_view=True*, *render\_lines=True*,  
*line\_colour='r'*, *line\_style='-'*, *line\_width=1.0*, *render\_markers=True*,  
*marker\_style='o'*, *marker\_size=20*, *marker\_face\_colour='k'*, *marker\_edge\_colour='k'*,  
*marker\_edge\_width=1.0*, *render\_axes=True*, *axes\_font\_name='sans-serif'*,  
*axes\_font\_size=10*, *axes\_font\_style='normal'*, *axes\_font\_weight='normal'*,  
*axes\_x\_limits=None*, *axes\_y\_limits=None*, *figure\_size=(10, 8)*, *label=None*)

Visualization of the TriMesh in 2D. Currently, explicit coloured TriMesh viewing is not supported, and therefore viewing falls back to uncoloured 2D TriMesh viewing.

#### Returns

- **figure\_id** (*object*, optional) – The id of the figure to be used.
- **new\_figure** (*bool*, optional) – If `True`, a new figure is created.
- **image\_view** (*bool*, optional) – If `True` the ColouredTriMesh will be viewed as if it is in the image coordinate system.
- **render\_lines** (*bool*, optional) – If `True`, the edges will be rendered.
- **line\_colour** (*See Below*, optional) – The colour of the lines. Example options:

```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

- **line\_style** (*{-, --, -. , :}*, optional) – The style of the lines.
- **line\_width** (*float*, optional) – The width of the lines.
- **render\_markers** (*bool*, optional) – If `True`, the markers will be rendered.
- **marker\_style** (*See Below*, optional) – The style of the markers. Example options

```
{., ,, o, v, ^, <, >, +, x, D, d, s, p, *, h, H, 1, 2, 3, 4, 8}
```

- **marker\_size** (*int*, optional) – The size of the markers in points<sup>2</sup>.
- **marker\_face\_colour** (*See Below*, optional) – The face (filling) colour of the markers. Example options

```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

- **marker\_edge\_colour** (*See Below*, optional) – The edge colour of the markers. Example options

```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

- **marker\_edge\_width** (*float*, optional) – The width of the markers' edge.
- **render\_axes** (*bool*, optional) – If `True`, the axes will be rendered.
- **axes\_font\_name** (*See Below*, optional) – The font of the axes. Example options

```
{serif, sans-serif, cursive, fantasy, monospace}
```

- **axes\_font\_size** (*int*, optional) – The font size of the axes.
- **axes\_font\_style** (*{normal, italic, oblique}*, optional) – The font style of the axes.
- **axes\_font\_weight** (*See Below*, optional) – The font weight of the axes. Example options

```
{ultralight, light, normal, regular, book, medium, roman,
semibold, demibold, demi, bold, heavy, extra bold, black}
```

- **axes\_x\_limits** (*((float, float) tuple or None, optional)* – The limits of the x axis.



- **axes\_y\_limits** ((*float, float*) *tuple* or *None*, optional) – The limits of the y axis.
- **figure\_size** ((*float, float*) *tuple* or *None*, optional) – The size of the figure in inches.
- **label** (*str*, optional) – The name entry in case of a legend.

**Returns** *viewer* (*PointGraphViewer2d*) – The viewer object.

**Raises** *warning* – 2D Viewing of Coloured *TriMeshes* is not supported, automatically falls back to 2D *TriMesh* viewing.

```
_view_landmarks_2d(group=None, with_labels=None, without_labels=None, figure_id=None, new_figure=False, image_view=True, render_lines=True, line_colour=None, line_style='-', line_width=1, render_markers=True, marker_style='o', marker_size=20, marker_face_colour=None, marker_edge_colour=None, marker_edge_width=1.0, render_numbering=False, numbers_horizontal_align='center', numbers_vertical_align='bottom', numbers_font_name='sans-serif', numbers_font_size=10, numbers_font_style='normal', numbers_font_weight='normal', numbers_font_colour='k', render_legend=False, legend_title='', legend_font_name='sans-serif', legend_font_style='normal', legend_font_size=10, legend_font_weight='normal', legend_marker_scale=None, legend_location=2, legend_bbox_to_anchor=(1.05, 1.0), legend_border_axes_pad=None, legend_n_columns=1, legend_horizontal_spacing=None, legend_vertical_spacing=None, legend_border=True, legend_border_padding=None, legend_shadow=False, legend_rounded_corners=False, render_axes=False, axes_font_name='sans-serif', axes_font_size=10, axes_font_style='normal', axes_font_weight='normal', axes_x_limits=None, axes_y_limits=None, figure_size=(10, 8))
```

Visualize the landmarks. This method will appear on the *Image* as *view\_landmarks* if the *Image* is 2D.

#### Parameters

- **group** (*str* or “None” optional) – The landmark group to be visualized. If *None* and there are more than one landmark groups, an error is raised.
- **with\_labels** (*None* or *str* or *list* of *str*, optional) – If not *None*, only show the given label(s). Should **not** be used with the *without\_labels* kwarg.
- **without\_labels** (*None* or *str* or *list* of *str*, optional) – If not *None*, show all except the given label(s). Should **not** be used with the *with\_labels* kwarg.
- **figure\_id** (*object*, optional) – The id of the figure to be used.
- **new\_figure** (*bool*, optional) – If *True*, a new figure is created.
- **image\_view** (*bool*, optional) – If *True* the *PointCloud* will be viewed as if it is in the image coordinate system.
- **render\_lines** (*bool*, optional) – If *True*, the edges will be rendered.
- **line\_colour** (*See Below*, optional) – The colour of the lines. Example options:

```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

- **line\_style** ({*-*, *--*, *-.*, *:*}, optional) – The style of the lines.
- **line\_width** (*float*, optional) – The width of the lines.
- **render\_markers** (*bool*, optional) – If *True*, the markers will be rendered.
- **marker\_style** (*See Below*, optional) – The style of the markers. Example options

```
{., ,, o, v, ^, <, >, +, x, D, d, s, p, *, h, H, 1, 2, 3, 4, 8}
```

- marker\_size** (*int*, optional) – The size of the markers in points<sup>2</sup>.
- marker\_face\_colour** (*See Below, optional*) – The face (filling) colour of the markers. Example options

```
{r, g, b, c, m, k, w}  
or  
(3, ) ndarray
```

- marker\_edge\_colour** (*See Below, optional*) – The edge colour of the markers. Example options

```
{r, g, b, c, m, k, w}  
or  
(3, ) ndarray
```

- marker\_edge\_width** (*float*, optional) – The width of the markers' edge.
- render\_numbering** (*bool*, optional) – If `True`, the landmarks will be numbered.
- numbers\_horizontal\_align** (*{center, right, left}*, optional) – The horizontal alignment of the numbers' texts.
- numbers\_vertical\_align** (*{center, top, bottom, baseline}*, optional) – The vertical alignment of the numbers' texts.
- numbers\_font\_name** (*See Below, optional*) – The font of the numbers. Example options

```
{serif, sans-serif, cursive, fantasy, monospace}
```

- numbers\_font\_size** (*int*, optional) – The font size of the numbers.
- numbers\_font\_style** (*{normal, italic, oblique}*, optional) – The font style of the numbers.
- numbers\_font\_weight** (*See Below, optional*) – The font weight of the numbers. Example options

```
{ultralight, light, normal, regular, book, medium, roman,  
semibold, demibold, demi, bold, heavy, extra bold, black}
```

- numbers\_font\_colour** (*See Below, optional*) – The font colour of the numbers. Example options

```
{r, g, b, c, m, k, w}  
or  
(3, ) ndarray
```

- render\_legend** (*bool*, optional) – If `True`, the legend will be rendered.
- legend\_title** (*str*, optional) – The title of the legend.
- legend\_font\_name** (*See below, optional*) – The font of the legend. Example options

```
{serif, sans-serif, cursive, fantasy, monospace}
```

- legend\_font\_style** (*{normal, italic, oblique}*, optional) – The font style of the legend.
- legend\_font\_size** (*int*, optional) – The font size of the legend.
- legend\_font\_weight** (*See Below, optional*) – The font weight of the legend. Example options

```
{ultralight, light, normal, regular, book, medium, roman,
semibold, demibold, demi, bold, heavy, extra bold, black}
```

- **legend\_marker\_scale** (*float*, optional) – The relative size of the legend markers with respect to the original
- **legend\_location** (*int*, optional) – The location of the legend. The predefined values are:

'best'	0
'upper right'	1
'upper left'	2
'lower left'	3
'lower right'	4
'right'	5
'center left'	6
'center right'	7
'lower center'	8
'upper center'	9
'center'	10

- **legend\_bbox\_to\_anchor** (*((float, float) tuple*, optional) – The bbox that the legend will be anchored.
- **legend\_border\_axes\_pad** (*float*, optional) – The pad between the axes and legend border.
- **legend\_n\_columns** (*int*, optional) – The number of the legend's columns.
- **legend\_horizontal\_spacing** (*float*, optional) – The spacing between the columns.
- **legend\_vertical\_spacing** (*float*, optional) – The vertical space between the legend entries.
- **legend\_border** (*bool*, optional) – If `True`, a frame will be drawn around the legend.
- **legend\_border\_padding** (*float*, optional) – The fractional whitespace inside the legend border.
- **legend\_shadow** (*bool*, optional) – If `True`, a shadow will be drawn behind legend.
- **legend\_rounded\_corners** (*bool*, optional) – If `True`, the frame's corners will be rounded (`fancybox`).
- **render\_axes** (*bool*, optional) – If `True`, the axes will be rendered.
- **axes\_font\_name** (*(See Below, optional)*) – The font of the axes. Example options

```
{serif, sans-serif, cursive, fantasy, monospace}
```

- **axes\_font\_size** (*int*, optional) – The font size of the axes.
- **axes\_font\_style** (*{normal, italic, oblique}*, optional) – The font style of the axes.
- **axes\_font\_weight** (*(See Below, optional)*) – The font weight of the axes. Example options

```
{ultralight, light, normal, regular, book, medium, roman,
semibold, demibold, demi, bold, heavy, extra bold, black}
```

- **axes\_x\_limits** (*((float, float) tuple or None optional)*) – The limits of the x axis.
- **axes\_y\_limits** (*((float, float) tuple or None optional)*) – The limits of the y axis.

- figure\_size** ((float, float) tuple or None optional) – The size of the figure in inches.

**Raises**

- ValueError** – If both `with_labels` and `without_labels` are passed.
- ValueError** – If the landmark manager doesn't contain the provided group label.

**as\_pointgraph** (*copy=True, skip\_checks=False*)Converts the TriMesh to a *PointUndirectedGraph*.**Parameters**

- copy** (bool, optional) – If `True`, the graph will be a copy.
- skip\_checks** (bool, optional) – If `True`, no checks will be performed.

**Returns***pointgraph* (*PointUndirectedGraph*) – The point graph.**as\_vector** (*\*\*kwargs*)

Returns a flattened representation of the object as a single vector.

**Returns***vector* ((*N*,) *ndarray*) – The core representation of the object, flattened into a single vector. Note that this is always a view back on to the original object, but is not writable.**boundary\_tri\_index** ()

Boolean index into triangles that are at the edge of the TriMesh

**Returns***boundary\_tri\_index* ((*n\_tris*,) *ndarray*) – For each triangle (ABC), returns whether any of it's edges is not also an edge of another triangle (and so this triangle exists on the boundary of the TriMesh)**bounding\_box** ()

Return a bounding box from two corner points as a directed graph. The the first point (0) should be nearest the origin. In the case of an image, this ordering would appear as:

```
0<--3
|   ^
|   |
v   |
1-->2
```

In the case of a pointcloud, the ordering will appear as:

```
3<--2
|   ^
|   |
v   |
0-->1
```

**Returns***bounding\_box* (*PointDirectedGraph*) – The axis aligned bounding box of the *PointCloud*.**bounds** (*boundary=0*)The minimum to maximum extent of the *PointCloud*. An optional boundary argument can be provided to expand the bounds by a constant margin.**Parameters***boundary* (float) – A optional padding distance that is added to the bounds. Default is 0, meaning the max/min of tightest possible containing square/cube/hypercube is returned.**Returns**

- min\_b** ((*n\_dims*,) *ndarray*) – The minimum extent of the *PointCloud* and boundary along each dimension
- max\_b** ((*n\_dims*,) *ndarray*) – The maximum extent of the *PointCloud* and boundary along each dimension

**centre()**

The mean of all the points in this *PointCloud* (centre of mass).

**Returns***centre* ((n\_dims) ndarray) – The mean of this *PointCloud*’s points.

**centre\_of\_bounds()**

The centre of the absolute bounds of this *PointCloud*. Contrast with *centre()*, which is the mean point position.

**Returns***centre* (n\_dims ndarray) – The centre of the bounds of this *PointCloud*.

**copy()**

Generate an efficient copy of this object.

Note that Numpy arrays and other *Copyable* objects on *self* will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).

Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Returns***type*(self) – A copy of this object

**distance\_to(pointcloud, \*\*kwargs)**

Returns a distance matrix between this *PointCloud* and another. By default the Euclidean distance is calculated - see *scipy.spatial.distance.cdist* for valid kwargs to change the metric and other properties.

**Parameters***pointcloud* (*PointCloud*) – The second pointcloud to compute distances between. This must be of the same dimension as this *PointCloud*.

**Returns***distance\_matrix* ((n\_points, n\_points) ndarray) – The symmetric pairwise distance matrix between the two *PointCloud*s s.t. *distance\_matrix[i, j]* is the distance between the *i*’th point of this *PointCloud* and the *j*’th point of the input *PointCloud*.

**edge\_indices()**

An unordered index into points that rebuilds the edges of this *TriMesh*.

Note that there will be two edges present in cases where two triangles ‘share’ an edge. Consider *unique\_edge\_indices()* for a single index for each physical edge on the *TriMesh*.

**Returns***edge\_indices* ((n\_tris \* 3, 2) ndarray) – For each triangle (ABC), returns the pair of point indices that rebuild AB, AC, BC. All edge indices are concatenated for a total of *n\_tris* \* 3 *edge\_indices*. The ordering is done so that all AB vectors are first in the returned list, followed by BC, then CA.

**edge\_lengths()**

The length of each edge in this *TriMesh*.

Note that there will be two edges present in cases where two triangles ‘share’ an edge. Consider *unique\_edge\_indices()* for a single index for each physical edge on the *TriMesh*. The ordering matches the case for edges and *edge\_indices*.

**Returns***edge\_lengths* ((n\_tris \* 3, ) ndarray) – Scalar euclidean lengths for each edge in this *TriMesh*.

**edge\_vectors()**

A vector of edges of each triangle face.

Note that there will be two edges present in cases where two triangles ‘share’ an edge. Consider *unique\_edge\_vectors()* for a single vector for each physical edge on the *TriMesh*.

**Returns***edges* ((n\_tris \* 3, n\_dims) ndarray) – For each triangle (ABC), returns the edge vectors AB, BC, CA. All edges are concatenated for a total of *n\_tris* \* 3 edges. The ordering is done so that all AB vectors are first in the returned list, followed by BC, then CA.

**from\_mask(mask)**

A 1D boolean array with the same number of elements as the number of points in the *ColouredTriMesh*.

This is then broadcast across the dimensions of the mesh and returns a new mesh containing only those points that were `True` in the mask.

**Parameters**`mask` ((`n_points`,) `ndarray`) – 1D array of booleans

**Returns**`mesh` (`ColouredTriMesh`) – A new mesh that has been masked.

**from\_vector** (`vector`)

Build a new instance of the object from it's vectorized state.

`self` is used to fill out the missing state required to rebuild a full object from it's standardized flattened state. This is the default implementation, which is which is a `deepcopy` of the object followed by a call to `from_vector_inplace()`. This method can be overridden for a performance benefit if desired.

**Parameters**`vector` ((`n_parameters`,) `ndarray`) – Flattened representation of the object.

**Returns**`object` (`type(self)`) – An new instance of this class.

**from\_vector\_inplace** (`vector`)

Updates the points of this `PointCloud` in-place with the reshaped points from the provided vector. Note that the vector should have the form [`x0`, `y0`, `x1`, `y1`, ..., `xn`, `yn`] for 2D.

**Parameters**`vector` ((`n_points`,) `ndarray`) – The vector from which to create the points' array.

**h\_points** ()

Convert poincloud to a homogeneous array: (`n_dims + 1`, `n_points`)

**Type**`type(self)`

**has\_nan\_values** ()

Tests if the vectorized form of the object contains `nan` values or not. This is particularly useful for objects with unknown values that have been mapped to `nan` values.

**Returns**`has_nan_values` (`bool`) – If the vectorized object contains `nan` values.

**mean\_edge\_length** (`unique=True`)

The mean length of each edge in this `TriMesh`.

**Parameters**`unique` (`bool`, optional) – If `True`, each shared edge will only be counted once towards the average. If `false`, shared edges will be counted twice.

**Returns**`mean_edge_length` (`float`) – The mean length of each edge in this `TriMesh`

**mean\_tri\_area** ()

The mean area of each triangle face in this `TriMesh`.

**Returns**`mean_tri_area` (`float`) – The mean area of each triangle face in this `TriMesh`

**Raises**`ValueError` – If mesh is not 3D

**norm** (`**kwargs`)

Returns the norm of this `PointCloud`. This is a translation and rotation invariant measure of the point cloud's intrinsic size - in other words, it is always taken around the point cloud's centre.

By default, the Frobenius norm is taken, but this can be changed by setting `kwargs` - see `numpy.linalg.norm` for valid options.

**Returns**`norm` (`float`) – The norm of this `PointCloud`

**range** (`boundary=0`)

The range of the extent of the `PointCloud`.

**Parameters**`boundary` (`float`) – A optional padding distance that is used to extend the bounds from which the range is computed. Default is 0, no extension is performed.

**Returns**`range` ((`n_dims`,) `ndarray`) – The range of the `PointCloud` extent in each dimension.

**tojson** ()

Convert this `TriMesh` to a dictionary representation suitable for inclusion in the LJSON landmark format. Note that this enforces a simpler representation, and as such is not suitable for a permanent serial-

ization of a *TriMesh* (to be clear, *TriMesh*'s serialized as part of a landmark set will be rebuilt as a *PointUndirectedGraph*).

**Returns** `json (dict)` – Dictionary with points and connectivity keys.

**tri\_areas** ()

The area of each triangle face.

**Returns** `areas ((n_tris, ) ndarray)` – Area of each triangle, ordered as the trilst is

**Raises** `ValueError` – If mesh is not 2D or 3D

**tri\_normals** ()

Compute the triangle face normals from the current set of points and triangle list. Only valid for 3D dimensional meshes.

**Returns** `normals ((n_tris, 3) ndarray)` – Normal at each triangle face.

**Raises** `ValueError` – If mesh is not 3D

**unique\_edge\_indicies** ()

An unordered index into points that rebuilds the unique edges of this *TriMesh*.

Note that each physical edge will only be counted once in this method (i.e. edges shared between neighbouring triangles are only counted once not twice). The ordering should be considered random.

**Returns** `unique_edge_indicies ((n_unique_edges, 2) ndarray)` – Return a point index that rebuilds all edges present in this *TriMesh* only once.

**unique\_edge\_lengths** ()

The length of each edge in this *TriMesh*.

Note that each physical edge will only be counted once in this method (i.e. edges shared between neighbouring triangles are only counted once not twice). The ordering should be considered random.

**Returns** `edge_lengths ((n_tris * 3, ) ndarray)` – Scalar euclidean lengths for each edge in this *TriMesh*.

**unique\_edge\_vectors** ()

An unordered vector of unique edges for the whole *TriMesh*.

Note that each physical edge will only be counted once in this method (i.e. edges shared between neighbouring triangles are only counted once not twice). The ordering should be considered random.

**Returns** `unique_edge_vectors ((n_unique_edges, n_dims) ndarray)` – Vectors for each unique edge in this *TriMesh*.

**vertex\_normals** ()

Compute the per-vertex normals from the current set of points and triangle list. Only valid for 3D dimensional meshes.

**Returns** `normals ((n_points, 3) ndarray)` – Normal at each point.

**Raises** `ValueError` – If mesh is not 3D

**view\_widget** (*browser\_style='buttons', figure\_size=(10, 8), style='coloured'*)

Visualization of the *TriMesh* using the *visualize\_pointclouds* widget.

**Parameters**

- **browser\_style** ({'buttons', 'slider'}, optional) – It defines whether the selector of the objects will have the form of plus/minus buttons or a slider.
- **figure\_size** ((int, int) tuple, optional) – The initial size of the rendered figure.
- **style** ({'coloured', 'minimal'}, optional) – If 'coloured', then the style of the widget will be coloured. If minimal, then the style is simple using black and white colours.

**has\_landmarks**

Whether the object has landmarks.

**Type** `bool`

**landmarks**

The landmarks object.

Type *LandmarkManager*

**n\_dims**

The number of dimensions in the pointcloud.

Type *int*

**n\_landmark\_groups**

The number of landmark groups on this object.

Type *int*

**n\_parameters**

The length of the vector that this object produces.

Type *int*

**n\_points**

The number of points in the pointcloud.

Type *int*

**n\_tris**

The number of triangles in the triangle list.

Type *int*

## TexturedTriMesh

```
class menpo.shape.TexturedTriMesh (points, tcoords, texture, trilst=None, copy=True)
```

Bases: *TriMesh*

Combines a *TriMesh* with a texture. Also encapsulates the texture coordinates required to render the texture on the mesh.

**Parameters**

- **points** ((*n\_points*, *n\_dims*) *ndarray*) – The array representing the points.
- **tcoords** ((*N*, 2) *ndarray*) – The texture coordinates for the mesh.
- **texture** (*Image*) – The texture for the mesh.
- **trilst** ((*M*, 3) *ndarray* or *None*, optional) – The triangle list. If *None*, a De-launay triangulation of the points will be used instead.
- **copy** (*bool*, optional) – If *False*, the points, trilst and texture will not be copied on assignment. In general this should only be used if you know what you are doing.

**\_view\_2d** (*figure\_id=None*, *new\_figure=False*, *image\_view=True*, *render\_lines=True*, *line\_colour='r'*, *line\_style='-'*, *line\_width=1.0*, *render\_markers=True*, *marker\_style='o'*, *marker\_size=20*, *marker\_face\_colour='k'*, *marker\_edge\_colour='k'*, *marker\_edge\_width=1.0*, *render\_axes=True*, *axes\_font\_name='sans-serif'*, *axes\_font\_size=10*, *axes\_font\_style='normal'*, *axes\_font\_weight='normal'*, *axes\_x\_limits=None*, *axes\_y\_limits=None*, *figure\_size=(10, 8)*, *label=None*)

Visualization of the *TriMesh* in 2D. Currently, explicit textured *TriMesh* viewing is not supported, and therefore viewing falls back to untextured 2D *TriMesh* viewing.

**Returns**

- **figure\_id** (*object*, optional) – The id of the figure to be used.
- **new\_figure** (*bool*, optional) – If *True*, a new figure is created.
- **image\_view** (*bool*, optional) – If *True* the *TexturedTriMesh* will be viewed as if it is in the image coordinate system.
- **render\_lines** (*bool*, optional) – If *True*, the edges will be rendered.
- **line\_colour** (*See Below*, optional) – The colour of the lines. Example options:



```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

- **line\_style** ({`-`, `--`, `-.`, `:`}, optional) – The style of the lines.
- **line\_width** (*float*, optional) – The width of the lines.
- **render\_markers** (*bool*, optional) – If `True`, the markers will be rendered.
- **marker\_style** (*See Below, optional*) – The style of the markers. Example options

```
{., ,, o, v, ^, <, >, +, x, D, d, s, p, *, h, H, 1, 2, 3, 4, 8}
```

- **marker\_size** (*int*, optional) – The size of the markers in points<sup>2</sup>.
- **marker\_face\_colour** (*See Below, optional*) – The face (filling) colour of the markers. Example options

```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

- **marker\_edge\_colour** (*See Below, optional*) – The edge colour of the markers. Example options

```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

- **marker\_edge\_width** (*float*, optional) – The width of the markers' edge.
- **render\_axes** (*bool*, optional) – If `True`, the axes will be rendered.
- **axes\_font\_name** (*See Below, optional*) – The font of the axes. Example options

```
{serif, sans-serif, cursive, fantasy, monospace}
```

- **axes\_font\_size** (*int*, optional) – The font size of the axes.
- **axes\_font\_style** ({`normal`, `italic`, `oblique`}, optional) – The font style of the axes.
- **axes\_font\_weight** (*See Below, optional*) – The font weight of the axes. Example options

```
{ultralight, light, normal, regular, book, medium, roman,
semibold, demibold, demi, bold, heavy, extra bold, black}
```

- **axes\_x\_limits** ((*float, float*) *tuple* or `None`, optional) – The limits of the x axis.
- **axes\_y\_limits** ((*float, float*) *tuple* or `None`, optional) – The limits of the y axis.
- **figure\_size** ((*float, float*) *tuple* or `None`, optional) – The size of the figure in inches.
- **label** (*str*, optional) – The name entry in case of a legend.

**Returns**viewer (PointGraphViewer2d) – The viewer object.

**Raises**warning – 2D Viewing of Coloured TriMeshes is not supported, automatically falls back to 2D *TriMesh* viewing.

```
_view_landmarks_2d (group=None, with_labels=None, without_labels=None, figure_id=None, new_figure=False, image_view=True, render_lines=True, line_colour=None, line_style='-', line_width=1, render_markers=True, marker_style='o', marker_size=20, marker_face_colour=None, marker_edge_colour=None, marker_edge_width=1.0, render_numbering=False, numbers_horizontal_align='center', numbers_vertical_align='bottom', numbers_font_name='sans-serif', numbers_font_size=10, numbers_font_style='normal', numbers_font_weight='normal', numbers_font_colour='k', render_legend=False, legend_title='', legend_font_name='sans-serif', legend_font_style='normal', legend_font_size=10, legend_font_weight='normal', legend_marker_scale=None, legend_location=2, legend_bbox_to_anchor=(1.05, 1.0), legend_border_axes_pad=None, legend_n_columns=1, legend_horizontal_spacing=None, legend_vertical_spacing=None, legend_border=True, legend_border_padding=None, legend_shadow=False, legend_rounded_corners=False, render_axes=False, axes_font_name='sans-serif', axes_font_size=10, axes_font_style='normal', axes_font_weight='normal', axes_x_limits=None, axes_y_limits=None, figure_size=(10, 8))
```

Visualize the landmarks. This method will appear on the Image as `view_landmarks` if the Image is 2D.

#### Parameters

- **group** (*str* or `None`, optional) – The landmark group to be visualized. If `None` and there are more than one landmark groups, an error is raised.
- **with\_labels** (`None` or *str* or *list* of *str*, optional) – If not `None`, only show the given label(s). Should **not** be used with the `without_labels` kwarg.
- **without\_labels** (`None` or *str* or *list* of *str*, optional) – If not `None`, show all except the given label(s). Should **not** be used with the `with_labels` kwarg.
- **figure\_id** (*object*, optional) – The id of the figure to be used.
- **new\_figure** (*bool*, optional) – If `True`, a new figure is created.
- **image\_view** (*bool*, optional) – If `True` the PointCloud will be viewed as if it is in the image coordinate system.
- **render\_lines** (*bool*, optional) – If `True`, the edges will be rendered.
- **line\_colour** (*See Below*, optional) – The colour of the lines. Example options:

```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

- **line\_style** (`{-, --, -.}`, optional) – The style of the lines.
- **line\_width** (*float*, optional) – The width of the lines.
- **render\_markers** (*bool*, optional) – If `True`, the markers will be rendered.
- **marker\_style** (*See Below*, optional) – The style of the markers. Example options

```
{., ,, o, v, ^, <, >, +, x, D, d, s, p, *, h, H, 1, 2, 3, 4, 8}
```

- **marker\_size** (*int*, optional) – The size of the markers in points<sup>2</sup>.
- **marker\_face\_colour** (*See Below*, optional) – The face (filling) colour of the markers. Example options

```
{r, g, b, c, m, k, w}
or
```

```
(3, ) ndarray
```

•**marker\_edge\_colour** (*See Below, optional*) – The edge colour of the markers. Example options

```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

•**marker\_edge\_width** (*float, optional*) – The width of the markers' edge.  
 •**render\_numbering** (*bool, optional*) – If True, the landmarks will be numbered.  
 •**numbers\_horizontal\_align** (*{center, right, left}, optional*) – The horizontal alignment of the numbers' texts.  
 •**numbers\_vertical\_align** (*{center, top, bottom, baseline}, optional*) – The vertical alignment of the numbers' texts.  
 •**numbers\_font\_name** (*See Below, optional*) – The font of the numbers. Example options

```
{serif, sans-serif, cursive, fantasy, monospace}
```

•**numbers\_font\_size** (*int, optional*) – The font size of the numbers.  
 •**numbers\_font\_style** (*{normal, italic, oblique}, optional*) – The font style of the numbers.  
 •**numbers\_font\_weight** (*See Below, optional*) – The font weight of the numbers. Example options

```
{ultralight, light, normal, regular, book, medium, roman,
semibold, demibold, demi, bold, heavy, extra bold, black}
```

•**numbers\_font\_colour** (*See Below, optional*) – The font colour of the numbers. Example options

```
{r, g, b, c, m, k, w}
or
(3, ) ndarray
```

•**render\_legend** (*bool, optional*) – If True, the legend will be rendered.  
 •**legend\_title** (*str, optional*) – The title of the legend.  
 •**legend\_font\_name** (*See below, optional*) – The font of the legend. Example options

```
{serif, sans-serif, cursive, fantasy, monospace}
```

•**legend\_font\_style** (*{normal, italic, oblique}, optional*) – The font style of the legend.  
 •**legend\_font\_size** (*int, optional*) – The font size of the legend.  
 •**legend\_font\_weight** (*See Below, optional*) – The font weight of the legend. Example options

```
{ultralight, light, normal, regular, book, medium, roman,
semibold, demibold, demi, bold, heavy, extra bold, black}
```

•**legend\_marker\_scale** (*float, optional*) – The relative size of the legend markers with respect to the original  
 •**legend\_location** (*int, optional*) – The location of the legend. The predefined values are:

'best'	0
'upper right'	1
'upper left'	2
'lower left'	3
'lower right'	4
'right'	5
'center left'	6
'center right'	7
'lower center'	8
'upper center'	9
'center'	10

- **legend\_bbox\_to\_anchor** *((float, float) tuple, optional)* – The bbox that the legend will be anchored.
- **legend\_border\_axes\_pad** *(float, optional)* – The pad between the axes and legend border.
- **legend\_n\_columns** *(int, optional)* – The number of the legend’s columns.
- **legend\_horizontal\_spacing** *(float, optional)* – The spacing between the columns.
- **legend\_vertical\_spacing** *(float, optional)* – The vertical space between the legend entries.
- **legend\_border** *(bool, optional)* – If `True`, a frame will be drawn around the legend.
- **legend\_border\_padding** *(float, optional)* – The fractional whitespace inside the legend border.
- **legend\_shadow** *(bool, optional)* – If `True`, a shadow will be drawn behind legend.
- **legend\_rounded\_corners** *(bool, optional)* – If `True`, the frame’s corners will be rounded (fancybox).
- **render\_axes** *(bool, optional)* – If `True`, the axes will be rendered.
- **axes\_font\_name** *(See Below, optional)* – The font of the axes. Example options

```
{serif, sans-serif, cursive, fantasy, monospace}
```

- **axes\_font\_size** *(int, optional)* – The font size of the axes.
- **axes\_font\_style** *({normal, italic, oblique}, optional)* – The font style of the axes.
- **axes\_font\_weight** *(See Below, optional)* – The font weight of the axes. Example options

```
{ultralight, light, normal, regular, book, medium, roman, semibold, demibold, demi, bold, heavy, extra bold, black}
```

- **axes\_x\_limits** *((float, float) tuple or None optional)* – The limits of the x axis.
- **axes\_y\_limits** *((float, float) tuple or None optional)* – The limits of the y axis.
- **figure\_size** *((float, float) tuple or None optional)* – The size of the figure in inches.

#### Raises

- `ValueError` – If both `with_labels` and `without_labels` are passed.
- `ValueError` – If the landmark manager doesn’t contain the provided group label.

**as\_pointgraph** *(copy=True, skip\_checks=False)*  
Converts the `TriMesh` to a `PointUndirectedGraph`.

**Parameters**

- **copy** (*bool*, optional) – If `True`, the graph will be a copy.
- **skip\_checks** (*bool*, optional) – If `True`, no checks will be performed.

**Returns** **pointgraph** (*PointUndirectedGraph*) – The point graph.

**as\_vector** (*\*\*kwargs*)

Returns a flattened representation of the object as a single vector.

**Returns** **vector** (*(N,) ndarray*) – The core representation of the object, flattened into a single vector. Note that this is always a view back on to the original object, but is not writable.

**boundary\_tri\_index** ()

Boolean index into triangles that are at the edge of the TriMesh

**Returns** **boundary\_tri\_index** (*(n\_tris,) ndarray*) – For each triangle (ABC), returns whether any of it's edges is not also an edge of another triangle (and so this triangle exists on the boundary of the TriMesh)

**bounding\_box** ()

Return a bounding box from two corner points as a directed graph. The the first point (0) should be nearest the origin. In the case of an image, this ordering would appear as:

```
0<--3
|   ^
|   |
v   |
1-->2
```

In the case of a pointcloud, the ordering will appear as:

```
3<--2
|   ^
|   |
v   |
0-->1
```

**Returns** **bounding\_box** (*PointDirectedGraph*) – The axis aligned bounding box of the PointCloud.

**bounds** (*boundary=0*)

The minimum to maximum extent of the PointCloud. An optional boundary argument can be provided to expand the bounds by a constant margin.

**Parameters** **boundary** (*float*) – A optional padding distance that is added to the bounds. Default is 0, meaning the max/min of tightest possible containing square/cube/hypercube is returned.

**Returns**

- **min\_b** (*(n\_dims,) ndarray*) – The minimum extent of the *PointCloud* and boundary along each dimension
- **max\_b** (*(n\_dims,) ndarray*) – The maximum extent of the *PointCloud* and boundary along each dimension

**centre** ()

The mean of all the points in this PointCloud (centre of mass).

**Returns** **centre** (*(n\_dims) ndarray*) – The mean of this PointCloud's points.

**centre\_of\_bounds** ()

The centre of the absolute bounds of this PointCloud. Contrast with *centre()*, which is the mean point position.

**Returns** **centre** (*n\_dims ndarray*) – The centre of the bounds of this PointCloud.

**copy()**

Generate an efficient copy of this object.

Note that Numpy arrays and other *Copyable* objects on `self` will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).

Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Returns**`type(self)` – A copy of this object

**distance\_to(pointcloud, \*\*kwargs)**

Returns a distance matrix between this PointCloud and another. By default the Euclidean distance is calculated - see `scipy.spatial.distance.cdist` for valid kwargs to change the metric and other properties.

**Parameters**`pointcloud` (*PointCloud*) – The second pointcloud to compute distances between. This must be of the same dimension as this PointCloud.

**Returns**`distance_matrix` ((`n_points`, `n_points`) *ndarray*) – The symmetric pairwise distance matrix between the two PointClouds s.t. `distance_matrix[i, j]` is the distance between the *i*'th point of this PointCloud and the *j*'th point of the input PointCloud.

**edge\_indices()**

An unordered index into points that rebuilds the edges of this *TriMesh*.

Note that there will be two edges present in cases where two triangles 'share' an edge. Consider `unique_edge_indices()` for a single index for each physical edge on the *TriMesh*.

**Returns**`edge_indices` ((`n_tris` \* 3, 2) *ndarray*) – For each triangle (ABC), returns the pair of point indices that rebuild AB, AC, BC. All edge indices are concatenated for a total of `n_tris` \* 3 `edge_indices`. The ordering is done so that all AB vectors are first in the returned list, followed by BC, then CA.

**edge\_lengths()**

The length of each edge in this *TriMesh*.

Note that there will be two edges present in cases where two triangles 'share' an edge. Consider `unique_edge_indices()` for a single index for each physical edge on the *TriMesh*. The ordering matches the case for edges and `edge_indices`.

**Returns**`edge_lengths` ((`n_tris` \* 3, ) *ndarray*) – Scalar euclidean lengths for each edge in this *TriMesh*.

**edge\_vectors()**

A vector of edges of each triangle face.

Note that there will be two edges present in cases where two triangles 'share' an edge. Consider `unique_edge_vectors()` for a single vector for each physical edge on the *TriMesh*.

**Returns**`edges` ((`n_tris` \* 3, `n_dims`) *ndarray*) – For each triangle (ABC), returns the edge vectors AB, BC, CA. All edges are concatenated for a total of `n_tris` \* 3 edges. The ordering is done so that all AB vectors are first in the returned list, followed by BC, then CA.

**from\_mask(mask)**

A 1D boolean array with the same number of elements as the number of points in the *TexturedTriMesh*. This is then broadcast across the dimensions of the mesh and returns a new mesh containing only those points that were `True` in the mask.

**Parameters**`mask` ((`n_points`,) *ndarray*) – 1D array of booleans

**Returns**`mesh` (*TexturedTriMesh*) – A new mesh that has been masked.

**from\_vector(flattened)**

Builds a new *TexturedTriMesh* given the *flattened* 1D vector. Note that the *trilist*, *texture*, and *tcoords* will be drawn from `self`.

**Parameters**

- **flattened** ( $(N, )$  *ndarray*) – Vector representing a set of points.

- **Returns** –

- -----

- **trimesh** (*TriMesh*) – A new trimesh created from the vector with `self` trilst.

**from\_vector\_inplace** (*vector*)

Updates the points of this *PointCloud* in-place with the reshaped points from the provided vector. Note that the vector should have the form `[x0, y0, x1, y1, ....., xn, yn]` for 2D.

**Parameters****vector** ( $(n\_points, )$  *ndarray*) – The vector from which to create the points' array.

**h\_points** ()

Convert poincloud to a homogeneous array:  $(n\_dims + 1, n\_points)$

**Type**`type(self)`

**has\_nan\_values** ()

Tests if the vectorized form of the object contains `nan` values or not. This is particularly useful for objects with unknown values that have been mapped to `nan` values.

**Returns****has\_nan\_values** (*bool*) – If the vectorized object contains `nan` values.

**mean\_edge\_length** (*unique=True*)

The mean length of each edge in this *TriMesh*.

**Parameters****unique** (*bool*, optional) – If `True`, each shared edge will only be counted once towards the average. If `false`, shared edges will be counted twice.

**Returns****mean\_edge\_length** (*float*) – The mean length of each edge in this *TriMesh*

**mean\_tri\_area** ()

The mean area of each triangle face in this *TriMesh*.

**Returns****mean\_tri\_area** (*float*) – The mean area of each triangle face in this *TriMesh*

**Raises**`ValueError` – If mesh is not 3D

**norm** (*\*\*kwargs*)

Returns the norm of this *PointCloud*. This is a translation and rotation invariant measure of the point cloud's intrinsic size - in other words, it is always taken around the point cloud's centre.

By default, the Frobenius norm is taken, but this can be changed by setting `kwargs` - see `numpy.linalg.norm` for valid options.

**Returns****norm** (*float*) – The norm of this *PointCloud*

**range** (*boundary=0*)

The range of the extent of the *PointCloud*.

**Parameters****boundary** (*float*) – A optional padding distance that is used to extend the bounds from which the range is computed. Default is 0, no extension is performed.

**Returns****range** ( $(n\_dims, )$  *ndarray*) – The range of the *PointCloud* extent in each dimension.

**tcoords\_pixel\_scaled** ()

Returns a *PointCloud* that is modified to be suitable for directly indexing into the pixels of the texture (e.g. for manual mapping operations). The resulting `tcoords` behave just like image landmarks do.

The operations that are performed are:

- Flipping the origin from bottom-left to top-left
- Scaling the `tcoords` by the image shape (denormalising them)
- Permuting the axis so that

**Returns****tcoords\_scaled** (*PointCloud*) – A copy of the `tcoords` that behave like *Image* landmarks

### Examples

Recovering pixel values for every texture coordinate:

```
>>> texture = texturedtrimesh.texture
>>> tc_ps = texturedtrimesh.tcoords_pixel_scaled()
>>> pixel_values_at_tcs = texture[tc_ps[:, 0], tc_ps[:, 1]]
```

#### `tojson()`

Convert this *TriMesh* to a dictionary representation suitable for inclusion in the LJSON landmark format. Note that this enforces a simpler representation, and as such is not suitable for a permanent serialization of a *TriMesh* (to be clear, *TriMesh*'s serialized as part of a landmark set will be rebuilt as a *PointUndirectedGraph*).

**Returns** `json` (*dict*) – Dictionary with points and connectivity keys.

#### `tri_areas()`

The area of each triangle face.

**Returns** `areas` ((*n\_tris*,) *ndarray*) – Area of each triangle, ordered as the trilst is

**Raises** `ValueError` – If mesh is not 2D or 3D

#### `tri_normals()`

Compute the triangle face normals from the current set of points and triangle list. Only valid for 3D dimensional meshes.

**Returns** `normals` ((*n\_tris*, 3) *ndarray*) – Normal at each triangle face.

**Raises** `ValueError` – If mesh is not 3D

#### `unique_edge_indicies()`

An unordered index into points that rebuilds the unique edges of this *TriMesh*.

Note that each physical edge will only be counted once in this method (i.e. edges shared between neighbouring triangles are only counted once not twice). The ordering should be considered random.

**Returns** `unique_edge_indicies` ((*n\_unique\_edges*, 2) *ndarray*) – Return a point index that rebuilds all edges present in this *TriMesh* only once.

#### `unique_edge_lengths()`

The length of each edge in this *TriMesh*.

Note that each physical edge will only be counted once in this method (i.e. edges shared between neighbouring triangles are only counted once not twice). The ordering should be considered random.

**Returns** `edge_lengths` ((*n\_tris* \* 3, ) *ndarray*) – Scalar euclidean lengths for each edge in this *TriMesh*.

#### `unique_edge_vectors()`

An unordered vector of unique edges for the whole *TriMesh*.

Note that each physical edge will only be counted once in this method (i.e. edges shared between neighbouring triangles are only counted once not twice). The ordering should be considered random.

**Returns** `unique_edge_vectors` ((*n\_unique\_edges*, *n\_dims*) *ndarray*) – Vectors for each unique edge in this *TriMesh*.

#### `vertex_normals()`

Compute the per-vertex normals from the current set of points and triangle list. Only valid for 3D dimensional meshes.

**Returns** `normals` ((*n\_points*, 3) *ndarray*) – Normal at each point.

**Raises** `ValueError` – If mesh is not 3D

#### `view_widget` (*browser\_style='buttons'*, *figure\_size=(10, 8)*, *style='coloured'*)

Visualization of the *TriMesh* using the *visualize\_pointclouds* widget.



**Parameters**

- **browser\_style** ({'buttons', 'slider'}, optional) – It defines whether the selector of the objects will have the form of plus/minus buttons or a slider.
- **figure\_size** ((int, int) tuple, optional) – The initial size of the rendered figure.
- **style** ({'coloured', 'minimal'}, optional) – If 'coloured', then the style of the widget will be coloured. If `minimal`, then the style is simple using black and white colours.

**has\_landmarks**

Whether the object has landmarks.

**Type***bool*

**landmarks**

The landmarks object.

**Type***LandmarkManager*

**n\_dims**

The number of dimensions in the pointcloud.

**Type***int*

**n\_landmark\_groups**

The number of landmark groups on this object.

**Type***int*

**n\_parameters**

The length of the vector that this object produces.

**Type***int*

**n\_points**

The number of points in the pointcloud.

**Type***int*

**n\_tris**

The number of triangles in the triangle list.

**Type***int*

## 2.8.6 Group Operations

### mean\_pointcloud

`menpo.shape.mean_pointcloud(pointclouds)`

Compute the mean of a *list* of *PointCloud* or subclass objects. The list is assumed to be homogeneous i.e all elements of the list are assumed to belong to the same point cloud subclass just as all elements are also assumed to have the same number of points and represent semantically equivalent point clouds.

**Parameters***pointclouds* (list of *PointCloud* or subclass) – List of point cloud or subclass objects from which we want to compute the mean.

**Returns***mean\_pointcloud* (*PointCloud* or subclass) – The mean point cloud or subclass.

## 2.9 menpo.transform

### 2.9.1 Homogeneous Transforms

#### Homogeneous

`class menpo.transform.Homogeneous(h_matrix, copy=True, skip_checks=False)`

Bases: *ComposableTransform*, *Vectorizable*, *VComposable*, *VInvertible*

A simple n-dimensional homogeneous transformation.

Adds a unit homogeneous coordinate to points, performs the dot product, re-normalizes by division by the homogeneous coordinate, and returns the result.

Can be composed with another *Homogeneous*, so long as the dimensionality matches.

#### Parameters

- **h\_matrix** ((n\_dims + 1, n\_dims + 1) *ndarray*) – The homogeneous matrix defining this transform.
- **copy** (*bool*, optional) – If *False*, avoid copying *h\_matrix*. Useful for performance.
- **skip\_checks** (*bool*, optional) – If *True*, avoid sanity checks on the *h\_matrix*. Useful for performance.

**apply** (*x*, *batch\_size=None*, *\*\*kwargs*)

Applies this transform to *x*.

If *x* is *Transformable*, *x* will be handed this transform object to transform itself non-destructively (a transformed copy of the object will be returned).

If not, *x* is assumed to be an *ndarray*. The transformation will be non-destructive, returning the transformed version.

Any *kwargs* will be passed to the specific transform *\_apply()* method.

#### Parameters

- **x** (*Transformable* or (n\_points, n\_dims) *ndarray*) – The array or object to be transformed.
- **batch\_size** (*int*, optional) – If not *None*, this determines how many items from the numpy array will be passed through the transform at a time. This is useful for operations that require large intermediate matrices to be computed.
- **kwargs** (*dict*) – Passed through to *\_apply()*.

**Returnstransformed** (*type(x)*) – The transformed object or array

**apply\_inplace** (*x*, *\*\*kwargs*)

Applies this transform to a *Transformable* *x* destructively.

Any *kwargs* will be passed to the specific transform *\_apply()* method.

#### Parameters

- **x** (*Transformable*) – The *Transformable* object to be transformed.
- **kwargs** (*dict*) – Passed through to *\_apply()*.

**Returnstransformed** (*type(x)*) – The transformed object

**as\_vector** (*\*\*kwargs*)

Returns a flattened representation of the object as a single vector.

**Returnsvector** ((*N*,) *ndarray*) – The core representation of the object, flattened into a single vector. Note that this is always a view back on to the original object, but is not writable.

**compose\_after** (*transform*)

A *Transform* that represents **this** transform composed **after** the given transform:

```
c = a.compose_after(b)
c.apply(p) == a.apply(b.apply(p))
```

`a` and `b` are left unchanged.

This corresponds to the usual mathematical formalism for the compose operator,  $\circ$ .

An attempt is made to perform native composition, but will fall back to a *TransformChain* as a last resort. See *composes\_with* for a description of how the mode of composition is decided.

**Parameterstransform** (*Transform*) – Transform to be applied **before** `self`

**Returnstransform** (*Transform* or *TransformChain*) – If the composition was native, a single new *Transform* will be returned. If not, a *TransformChain* is returned instead.

**compose\_after\_inplace** (*transform*)

Update `self` so that it represents **this** transform composed **after** the given transform:

```
a_orig = a.copy()
a.compose_after_inplace(b)
a.apply(p) == a_orig.apply(b.apply(p))
```

`a` is permanently altered to be the result of the composition. `b` is left unchanged.

**Parameterstransform** (*composes\_inplace\_with*) – Transform to be applied **before** `self`

**Raises** *ValueError* – If `transform` isn't an instance of *composes\_inplace\_with*

**compose\_before** (*transform*)

A *Transform* that represents **this** transform composed **before** the given transform:

```
c = a.compose_before(b)
c.apply(p) == b.apply(a.apply(p))
```

`a` and `b` are left unchanged.

An attempt is made to perform native composition, but will fall back to a *TransformChain* as a last resort. See *composes\_with* for a description of how the mode of composition is decided.

**Parameterstransform** (*Transform*) – Transform to be applied **after** `self`

**Returnstransform** (*Transform* or *TransformChain*) – If the composition was native, a single new *Transform* will be returned. If not, a *TransformChain* is returned instead.

**compose\_before\_inplace** (*transform*)

Update `self` so that it represents **this** transform composed **before** the given transform:

```
a_orig = a.copy()
a.compose_before_inplace(b)
a.apply(p) == b.apply(a_orig.apply(p))
```

`a` is permanently altered to be the result of the composition. `b` is left unchanged.

**Parameterstransform** (*composes\_inplace\_with*) – Transform to be applied **after** `self`

**Raises** *ValueError* – If `transform` isn't an instance of *composes\_inplace\_with*

**copy** ()

Generate an efficient copy of this object.

Note that Numpy arrays and other *Copyable* objects on `self` will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).

Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Return**`type(self)` – A copy of this object

**from\_vector**(*vector*)

Build a new instance of the object from its vectorized state.

`self` is used to fill out the missing state required to rebuild a full object from its standardized flattened state. This is the default implementation, which is a `deepcopy` of the object followed by a call to `from_vector_inplace()`. This method can be overridden for a performance benefit if desired.

**Parameters**`vector` (`ndarray`) – Flattened representation of the object.

**Return**`transform` (`Homogeneous`) – An new instance of this class.

**from\_vector\_inplace**(*vector*)

Update the state of this object from a vector form.

**Parameters**`vector` (`ndarray`) – Flattened representation of this object

**has\_nan\_values**()

Tests if the vectorized form of the object contains `nan` values or not. This is particularly useful for objects with unknown values that have been mapped to `nan` values.

**Return**`has_nan_values` (`bool`) – If the vectorized object contains `nan` values.

**classmethod init\_identity**(*n\_dims*)

Creates an identity matrix `Homogeneous` transform.

**Parameters**`n_dims` (`int`) – The number of dimensions.

**Return**`identity` (`Homogeneous`) – The identity matrix transform.

**pseudoinverse**()

The pseudoinverse of the transform - that is, the transform that results from swapping *source* and *target*, or more formally, negating the transforms parameters. If the transform has a true inverse this is returned instead.

**Type**`Homogeneous`

**pseudoinverse\_vector**(*vector*)

The vectorized pseudoinverse of a provided vector instance. Syntactic sugar for:

```
self.from_vector(vector).pseudoinverse().as_vector()
```

Can be much faster than the explicit call as object creation can be entirely avoided in some cases.

**Parameters**`vector` (`ndarray`) – A vectorized version of `self`

**Return**`pseudoinverse_vector` (`ndarray`) – The pseudoinverse of the vector provided

**set\_h\_matrix**(*value*, *copy=True*, *skip\_checks=False*)

Updates `h_matrix`, optionally performing sanity checks.

Note that it won't always be possible to manually specify the `h_matrix` through this method, specifically if changing the `h_matrix` could change the nature of the transform. See [h\\_matrix\\_is\\_mutable](#) for how you can discover if the `h_matrix` is allowed to be set for a given class.

**Parameters**

• **value** (`ndarray`) – The new homogeneous matrix to set.

• **copy** (`bool`, optional) – If `False`, do not copy the `h_matrix`. Useful for performance.

• **skip\_checks** (`bool`, optional) – If `True`, skip checking. Useful for performance.

**Raises**`NotImplementedError` – If [h\\_matrix\\_is\\_mutable](#) returns `False`.

**composes\_inplace\_with**

*Homogeneous* can swallow composition with any other *Homogeneous*, subclasses will have to override and be more specific.

**composes\_with**

Any Homogeneous can compose with any other Homogeneous.

**h\_matrix**

The homogeneous matrix defining this transform.

**Type**(n\_dims + 1, n\_dims + 1) *ndarray*

**h\_matrix\_is\_mutable**

True iff *set\_h\_matrix()* is permitted on this type of transform.

If this returns *False* calls to *set\_h\_matrix()* will raise a *NotImplementedError*.

**Type***bool*

**has\_true\_inverse**

The pseudoinverse is an exact inverse.

**Type***True*

**n\_dims**

The dimensionality of the data the transform operates on.

**Type***int*

**n\_dims\_output**

The output of the data from the transform.

**Type***int*

**n\_parameters**

The length of the vector that this object produces.

**Type***int*

## Affine

**class** *menpo.transform.Affine* (*h\_matrix*, *copy=True*, *skip\_checks=False*)

Bases: *Homogeneous*

Base class for all n-dimensional affine transformations. Provides methods to break the transform down into its constituent scale/rotation/translation, to view the homogeneous matrix equivalent, and to chain this transform with other affine transformations.

**Parameters**

- **h\_matrix** ((n\_dims + 1, n\_dims + 1) *ndarray*) – The homogeneous matrix of the affine transformation.
- **copy** (*bool*, optional) – If *False* avoid copying *h\_matrix* for performance.
- **skip\_checks** (*bool*, optional) – If *True* avoid sanity checks on *h\_matrix* for performance.

**apply** (*x*, *batch\_size=None*, *\*\*kwargs*)

Applies this transform to *x*.

If *x* is *Transformable*, *x* will be handed this transform object to transform itself non-destructively (a transformed copy of the object will be returned).

If not, *x* is assumed to be an *ndarray*. The transformation will be non-destructive, returning the transformed version.

Any *kwargs* will be passed to the specific *transform\_apply()* method.

**Parameters**

- **x** (*Transformable* or *(n\_points, n\_dims) ndarray*) – The array or object to be transformed.
- **batch\_size** (*int*, optional) – If not *None*, this determines how many items from the numpy array will be passed through the transform at a time. This is useful for operations that require large intermediate matrices to be computed.
- **kwargs** (*dict*) – Passed through to `_apply()`.

**Returnstransformed** (*type(x)*) – The transformed object or array

**apply\_inplace** (*x, \*\*kwargs*)

Applies this transform to a *Transformable* *x* destructively.

Any *kwargs* will be passed to the specific transform `_apply()` method.

**Parameters**

- **x** (*Transformable*) – The *Transformable* object to be transformed.
- **kwargs** (*dict*) – Passed through to `_apply()`.

**Returnstransformed** (*type(x)*) – The transformed object

**as\_vector** (*\*\*kwargs*)

Returns a flattened representation of the object as a single vector.

**Returnsvector** (*(N,) ndarray*) – The core representation of the object, flattened into a single vector. Note that this is always a view back on to the original object, but is not writable.

**compose\_after** (*transform*)

A *Transform* that represents **this** transform composed **after** the given transform:

```
c = a.compose_after(b)
c.apply(p) == a.apply(b.apply(p))
```

*a* and *b* are left unchanged.

This corresponds to the usual mathematical formalism for the compose operator,  $\circ$ .

An attempt is made to perform native composition, but will fall back to a *TransformChain* as a last resort. See *composes\_with* for a description of how the mode of composition is decided.

**Parameterstransform** (*Transform*) – Transform to be applied **before** *self*

**Returnstransform** (*Transform* or *TransformChain*) – If the composition was native, a single new *Transform* will be returned. If not, a *TransformChain* is returned instead.

**compose\_after\_inplace** (*transform*)

Update *self* so that it represents **this** transform composed **after** the given transform:

```
a_orig = a.copy()
a.compose_after_inplace(b)
a.apply(p) == a_orig.apply(b.apply(p))
```

*a* is permanently altered to be the result of the composition. *b* is left unchanged.

**Parameterstransform** (*composes\_inplace\_with*) – Transform to be applied **before** *self*

**Raises***ValueError* – If *transform* isn't an instance of *composes\_inplace\_with*

**compose\_before** (*transform*)

A *Transform* that represents **this** transform composed **before** the given transform:

```
c = a.compose_before(b)
c.apply(p) == b.apply(a.apply(p))
```

a and b are left unchanged.

An attempt is made to perform native composition, but will fall back to a *TransformChain* as a last resort. See *composes\_with* for a description of how the mode of composition is decided.

**Parameterstransform** (*Transform*) – Transform to be applied **after** self

**Returnstransform** (*Transform* or *TransformChain*) – If the composition was native, a single new *Transform* will be returned. If not, a *TransformChain* is returned instead.

**compose\_before\_inplace** (*transform*)

Update self so that it represents **this** transform composed **before** the given transform:

```
a_orig = a.copy()
a.compose_before_inplace(b)
a.apply(p) == b.apply(a_orig.apply(p))
```

a is permanently altered to be the result of the composition. b is left unchanged.

**Parameterstransform** (*composes\_inplace\_with*) – Transform to be applied **after** self

**RaisesValueError** – If transform isn't an instance of *composes\_inplace\_with*

**copy** ()

Generate an efficient copy of this object.

Note that Numpy arrays and other *Copyable* objects on self will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).

Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Returnstype** (self) – A copy of this object

**decompose** ()

Decompose this transform into discrete Affine Transforms.

Useful for understanding the effect of a complex composite transform.

**Returns**

**transforms** (*list* of *DiscreteAffine*) – Equivalent to this affine transform, such that:

```
reduce(lambda x,y: x.chain(y), self.decompose()) == self
```

**from\_vector** (*vector*)

Build a new instance of the object from its vectorized state.

self is used to fill out the missing state required to rebuild a full object from it's standardized flattened state. This is the default implementation, which is a *deepcopy* of the object followed by a call to *from\_vector\_inplace* (). This method can be overridden for a performance benefit if desired.

**Parametersvector** (*n\_parameters*, *ndarray*) – Flattened representation of the object.

**Returnstransform** (*Homogeneous*) – An new instance of this class.

**from\_vector\_inplace** (*p*)

Updates this Affine in-place from the new parameters. See from\_vector for details of the parameter format

**has\_nan\_values** ()

Tests if the vectorized form of the object contains nan values or not. This is particularly useful for objects with unknown values that have been mapped to nan values.

**Returnshas\_nan\_values** (*bool*) – If the vectorized object contains nan values.

**classmethod** `init_identity(n_dims)`

Creates an identity matrix Affine transform.

**Parameters**`n_dims` (*int*) – The number of dimensions.

**Returns**`identity` (*Affine*) – The identity matrix transform.

**pseudoinverse()**

The pseudoinverse of the transform - that is, the transform that results from swapping *source* and *target*, or more formally, negating the transforms parameters. If the transform has a true inverse this is returned instead.

**Type***Homogeneous*

**pseudoinverse\_vector(vector)**

The vectorized pseudoinverse of a provided vector instance. Syntactic sugar for:

```
self.from_vector(vector).pseudoinverse().as_vector()
```

Can be much faster than the explicit call as object creation can be entirely avoided in some cases.

**Parameters**`vector` (`(n_parameters,) ndarray`) – A vectorized version of `self`

**Returns**`pseudoinverse_vector` (`(n_parameters,) ndarray`) – The pseudoinverse of the vector provided

**set\_h\_matrix(value, copy=True, skip\_checks=False)**

Updates `h_matrix`, optionally performing sanity checks.

Note that it won't always be possible to manually specify the `h_matrix` through this method, specifically if changing the `h_matrix` could change the nature of the transform. See [`h\_matrix\_is\_mutable`](#) for how you can discover if the `h_matrix` is allowed to be set for a given class.

**Parameters**

• **value** (*ndarray*) – The new homogeneous matrix to set.

• **copy** (*bool*, optional) – If `False`, do not copy the `h_matrix`. Useful for performance.

• **skip\_checks** (*bool*, optional) – If `True`, skip checking. Useful for performance.

**Raises**`NotImplementedError` – If [`h\_matrix\_is\_mutable`](#) returns `False`.

**composes\_inplace\_with**

*Affine* can swallow composition with any other *Affine*.

**composes\_with**

Any Homogeneous can compose with any other Homogeneous.

**h\_matrix**

The homogeneous matrix defining this transform.

**Type**`(n_dims + 1, n_dims + 1) ndarray`

**h\_matrix\_is\_mutable**

True iff [`set\_h\_matrix\(\)`](#) is permitted on this type of transform.

If this returns `False` calls to [`set\_h\_matrix\(\)`](#) will raise a `NotImplementedError`.

**Type***bool*

**has\_true\_inverse**

The pseudoinverse is an exact inverse.

**Type**`True`

**linear\_component**

The linear component of this affine transform.

**Type**`(n_dims, n_dims) ndarray`



**n\_dims**

The dimensionality of the data the transform operates on.

**Type***int*

**n\_dims\_output**

The output of the data from the transform.

**Type***int*

**n\_parameters**

$n\_dims * (n\_dims + 1)$  parameters - every element of the matrix but the homogeneous part.

**Type***int*

**Examples**

2D Affine: 6 parameters:

```
[p1, p3, p5]
[p2, p4, p6]
```

3D Affine: 12 parameters:

```
[p1, p4, p7, p10]
[p2, p5, p8, p11]
[p3, p6, p9, p12]
```

**translation\_component**

The translation component of this affine transform.

**Type** $(n\_dims,)$  *ndarray*

## Similarity

**class** `menpo.transform.Similarity` (*h\_matrix*, *copy=True*, *skip\_checks=False*)

Bases: *Affine*

Specialist version of an *Affine* that is guaranteed to be a Similarity transform.

**Parameters**

- **h\_matrix**  $((n\_dims + 1, n\_dims + 1)$  *ndarray*) – The homogeneous matrix of the affine transformation.
- **copy** (*bool*, optional) – If *False* avoid copying *h\_matrix* for performance.
- **skip\_checks** (*bool*, optional) – If *True* avoid sanity checks on *h\_matrix* for performance.

**apply** (*x*, *batch\_size=None*, *\*\*kwargs*)

Applies this transform to *x*.

If *x* is *Transformable*, *x* will be handed this transform object to transform itself non-destructively (a transformed copy of the object will be returned).

If not, *x* is assumed to be an *ndarray*. The transformation will be non-destructive, returning the transformed version.

Any *kwargs* will be passed to the specific transform `_apply()` method.

**Parameters**

- **x** (*Transformable* or  $(n\_points, n\_dims)$  *ndarray*) – The array or object to be transformed.
- **batch\_size** (*int*, optional) – If not *None*, this determines how many items from the numpy array will be passed through the transform at a time. This is useful for operations that require large intermediate matrices to be computed.

•**kwargs** (*dict*) – Passed through to `_apply()`.

**Returnstransformed** (`type(x)`) – The transformed object or array

**apply\_inplace** (*x*, *\*\*kwargs*)

Applies this transform to a `Transformable` *x* destructively.

Any *kwargs* will be passed to the specific transform `_apply()` method.

**Parameters**

•**x** (`Transformable`) – The `Transformable` object to be transformed.

•**kwargs** (*dict*) – Passed through to `_apply()`.

**Returnstransformed** (`type(x)`) – The transformed object

**as\_vector** (*\*\*kwargs*)

Returns a flattened representation of the object as a single vector.

**Returnsvector** (*(N,) ndarray*) – The core representation of the object, flattened into a single vector. Note that this is always a view back on to the original object, but is not writable.

**compose\_after** (*transform*)

A `Transform` that represents **this** transform composed **after** the given transform:

```
c = a.compose_after(b)
c.apply(p) == a.apply(b.apply(p))
```

*a* and *b* are left unchanged.

This corresponds to the usual mathematical formalism for the compose operator,  $\circ$ .

An attempt is made to perform native composition, but will fall back to a `TransformChain` as a last resort. See `composes_with` for a description of how the mode of composition is decided.

**Parameterstransform** (`Transform`) – Transform to be applied **before** `self`

**Returnstransform** (`Transform` or `TransformChain`) – If the composition was native, a single new `Transform` will be returned. If not, a `TransformChain` is returned instead.

**compose\_after\_inplace** (*transform*)

Update `self` so that it represents **this** transform composed **after** the given transform:

```
a_orig = a.copy()
a.compose_after_inplace(b)
a.apply(p) == a_orig.apply(b.apply(p))
```

*a* is permanently altered to be the result of the composition. *b* is left unchanged.

**Parameterstransform** (`composes_inplace_with`) – Transform to be applied **before** `self`

**Raises**`ValueError` – If *transform* isn't an instance of `composes_inplace_with`

**compose\_before** (*transform*)

A `Transform` that represents **this** transform composed **before** the given transform:

```
c = a.compose_before(b)
c.apply(p) == b.apply(a.apply(p))
```

*a* and *b* are left unchanged.

An attempt is made to perform native composition, but will fall back to a `TransformChain` as a last resort. See `composes_with` for a description of how the mode of composition is decided.

**Parameterstransform** (`Transform`) – Transform to be applied **after** `self`

**Returnstransform** (*Transform* or *TransformChain*) – If the composition was native, a single new *Transform* will be returned. If not, a *TransformChain* is returned instead.

**compose\_before\_inplace** (*transform*)

Update self so that it represents **this** transform composed **before** the given transform:

```
a_orig = a.copy()
a.compose_before_inplace(b)
a.apply(p) == b.apply(a_orig.apply(p))
```

a is permanently altered to be the result of the composition. b is left unchanged.

**Parameterstransform** (*composes\_inplace\_with*) – Transform to be applied **after** self

**Raises** *ValueError* – If transform isn't an instance of *composes\_inplace\_with*

**copy** ()

Generate an efficient copy of this object.

Note that Numpy arrays and other *Copyable* objects on self will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).

Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Return** *type*(self) – A copy of this object

**decompose** ()

Decompose this transform into discrete Affine Transforms.

Useful for understanding the effect of a complex composite transform.

**Returns**

**transforms** (*list* of *DiscreteAffine*) – Equivalent to this affine transform, such that:

```
reduce(lambda x,y: x.chain(y), self.decompose()) == self
```

**from\_vector** (*vector*)

Build a new instance of the object from its vectorized state.

self is used to fill out the missing state required to rebuild a full object from it's standardized flattened state. This is the default implementation, which is a *deepcopy* of the object followed by a call to *from\_vector\_inplace* (). This method can be overridden for a performance benefit if desired.

**Parameters** *vector* (*n\_parameters*,) *ndarray*) – Flattened representation of the object.

**Return** *transform* (*Homogeneous*) – An new instance of this class.

**from\_vector\_inplace** (*p*)

Returns an instance of the transform from the given parameters, expected to be in Fortran ordering.

Supports rebuilding from 2D parameter sets.

2D Similarity: 4 parameters:

```
[a, b, tx, ty]
```

**Parameters** *p* (*P*,) *ndarray*) – The array of parameters.

**Raises** *DimensionalityError*, *NotImplementedError* – Only 2D transforms are supported.

**has\_nan\_values()**

Tests if the vectorized form of the object contains `nan` values or not. This is particularly useful for objects with unknown values that have been mapped to `nan` values.

**Returns**`has_nan_values` (*bool*) – If the vectorized object contains `nan` values.

**classmethod init\_identity(n\_dims)**

Creates an identity transform.

**Parameters**`n_dims` (*int*) – The number of dimensions.

**Returns**`identity` (*Similarity*) – The identity matrix transform.

**pseudoinverse()**

The pseudoinverse of the transform - that is, the transform that results from swapping *source* and *target*, or more formally, negating the transforms parameters. If the transform has a true inverse this is returned instead.

**Type***Homogeneous*

**pseudoinverse\_vector(vector)**

The vectorized pseudoinverse of a provided vector instance. Syntactic sugar for:

```
self.from_vector(vector).pseudoinverse().as_vector()
```

Can be much faster than the explicit call as object creation can be entirely avoided in some cases.

**Parameters**`vector` ((*n\_parameters*,) *ndarray*) – A vectorized version of `self`

**Returns**`pseudoinverse_vector` ((*n\_parameters*,) *ndarray*) – The pseudoinverse of the vector provided

**set\_h\_matrix(value, copy=True, skip\_checks=False)**

Updates `h_matrix`, optionally performing sanity checks.

Note that it won't always be possible to manually specify the `h_matrix` through this method, specifically if changing the `h_matrix` could change the nature of the transform. See [h\\_matrix\\_is\\_mutable](#) for how you can discover if the `h_matrix` is allowed to be set for a given class.

**Parameters**

•**value** (*ndarray*) – The new homogeneous matrix to set.

•**copy** (*bool*, optional) – If `False`, do not copy the `h_matrix`. Useful for performance.

•**skip\_checks** (*bool*, optional) – If `True`, skip checking. Useful for performance.

**Raises**`NotImplementedError` – If [h\\_matrix\\_is\\_mutable](#) returns `False`.

**composes\_inplace\_with**

*Affine* can swallow composition with any other *Affine*.

**composes\_with**

Any *Homogeneous* can compose with any other *Homogeneous*.

**h\_matrix**

The homogeneous matrix defining this transform.

**Type**(*n\_dims* + 1, *n\_dims* + 1) *ndarray*

**h\_matrix\_is\_mutable**

`h_matrix` is not mutable.

**Type**`False`

**has\_true\_inverse**

The pseudoinverse is an exact inverse.

**Type**`True`

**linear\_component**

The linear component of this affine transform.

**Type**  $(n\_dims, n\_dims)$  *ndarray*

**n\_dims**

The dimensionality of the data the transform operates on.

**Type** *int*

**n\_dims\_output**

The output of the data from the transform.

**Type** *int*

**n\_parameters**

2D Similarity: 4 parameters:

```
[ (1 + a), -b, tx]
[b, (1 + a), ty]
```

3D Similarity: Currently not supported

**Returns** **n\_parameters** (*int*) – The transform parameters

**Raises** **DimensionalityError**, **NotImplementedError** – Only 2D transforms are supported.

**translation\_component**

The translation component of this affine transform.

**Type**  $(n\_dims,)$  *ndarray*

## Rotation

**class** `menpo.transform.Rotation` (*rotation\_matrix*, *skip\_checks=False*)

Bases: *DiscreteAffine*, *Similarity*

Abstract *n\_dims* rotation transform.

**Parameters**

- **rotation\_matrix**  $((n\_dims, n\_dims)$  *ndarray*) – A valid, square rotation matrix
- **skip\_checks** (*bool*, optional) – If True avoid sanity checks on *rotation\_matrix* for performance.

**apply** (*x*, *batch\_size=None*, *\*\*kwargs*)

Applies this transform to *x*.

If *x* is *Transformable*, *x* will be handed this transform object to transform itself non-destructively (a transformed copy of the object will be returned).

If not, *x* is assumed to be an *ndarray*. The transformation will be non-destructive, returning the transformed version.

Any *kwargs* will be passed to the specific transform *\_apply()* method.

**Parameters**

- **x** (*Transformable* or  $(n\_points, n\_dims)$  *ndarray*) – The array or object to be transformed.
- **batch\_size** (*int*, optional) – If not None, this determines how many items from the numpy array will be passed through the transform at a time. This is useful for operations that require large intermediate matrices to be computed.
- **kwargs** (*dict*) – Passed through to *\_apply()*.

**Return** **transformed** (*type(x)*) – The transformed object or array

**apply\_inplace** (*x*, *\*\*kwargs*)

Applies this transform to a *Transformable* *x* destructively.

Any *kwargs* will be passed to the specific transform *\_apply()* method.

**Parameters**

- **x** (*Transformable*) – The *Transformable* object to be transformed.
- **kwargs** (*dict*) – Passed through to `_apply()`.

**Returnstransformed** (*type(x)*) – The transformed object

**as\_vector** (*\*\*kwargs*)

Returns a flattened representation of the object as a single vector.

**Returnsvector** (*(N,) ndarray*) – The core representation of the object, flattened into a single vector. Note that this is always a view back on to the original object, but is not writable.

**axis\_and\_angle\_of\_rotation** ()

Abstract method for computing the axis and angle of rotation.

**Returns**

- **axis** (*(n\_dims,) ndarray*) – The unit vector representing the axis of rotation
- **angle\_of\_rotation** (*float*) – The angle in radians of the rotation about the axis. The angle is signed in a right handed sense.

**compose\_after** (*transform*)

A *Transform* that represents **this** transform composed **after** the given transform:

```
c = a.compose_after(b)
c.apply(p) == a.apply(b.apply(p))
```

a and b are left unchanged.

This corresponds to the usual mathematical formalism for the compose operator,  $\circ$ .

An attempt is made to perform native composition, but will fall back to a *TransformChain* as a last resort. See *composes\_with* for a description of how the mode of composition is decided.

**Parameterstransform** (*Transform*) – Transform to be applied **before** *self*

**Returnstransform** (*Transform* or *TransformChain*) – If the composition was native, a single new *Transform* will be returned. If not, a *TransformChain* is returned instead.

**compose\_after\_inplace** (*transform*)

Update *self* so that it represents **this** transform composed **after** the given transform:

```
a_orig = a.copy()
a.compose_after_inplace(b)
a.apply(p) == a_orig.apply(b.apply(p))
```

a is permanently altered to be the result of the composition. b is left unchanged.

**Parameterstransform** (*composes\_inplace\_with*) – Transform to be applied **before** *self*

**Raises***ValueError* – If *transform* isn't an instance of *composes\_inplace\_with*

**compose\_before** (*transform*)

A *Transform* that represents **this** transform composed **before** the given transform:

```
c = a.compose_before(b)
c.apply(p) == b.apply(a.apply(p))
```

a and b are left unchanged.

An attempt is made to perform native composition, but will fall back to a *TransformChain* as a last resort. See *composes\_with* for a description of how the mode of composition is decided.

**Parameterstransform** (*Transform*) – Transform to be applied **after** *self*

**Returnstransform** (*Transform* or *TransformChain*) – If the composition was native, a single new *Transform* will be returned. If not, a *TransformChain* is returned instead.

**compose\_before\_inplace** (*transform*)

Update *self* so that it represents **this** transform composed **before** the given transform:

```
a_orig = a.copy()
a.compose_before_inplace(b)
a.apply(p) == b.apply(a_orig.apply(p))
```

*a* is permanently altered to be the result of the composition. *b* is left unchanged.

**Parameterstransform** (*composes\_inplace\_with*) – Transform to be applied **after** *self*

**Raises** *ValueError* – If *transform* isn't an instance of *composes\_inplace\_with*

**copy** ()

Generate an efficient copy of this object.

Note that Numpy arrays and other *Copyable* objects on *self* will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).

Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Return** *type(self)* – A copy of this object

**decompose** ()

A *DiscreteAffine* is already maximally decomposed - return a copy of *self* in a *list*.

**Return** *stransform* (*DiscreteAffine*) – Deep copy of *self*.

**from\_vector** (*vector*)

Build a new instance of the object from its vectorized state.

*self* is used to fill out the missing state required to rebuild a full object from it's standardized flattened state. This is the default implementation, which is a *deepcopy* of the object followed by a call to *from\_vector\_inplace()*. This method can be overridden for a performance benefit if desired.

**Parameters** *vector* ((*n\_parameters*,) *ndarray*) – Flattened representation of the object.

**Return** *stransform* (*Homogeneous*) – An new instance of this class.

**from\_vector\_inplace** (*p*)

Returns an instance of the transform from the given parameters, expected to be in Fortran ordering.

Supports rebuilding from 2D parameter sets.

2D Rotation: 1 parameter:

```
[theta]
```

**Parameters** *p* ((1,) *ndarray*) – The array of parameters.

**Return** *stransform* (*Rotation*) – The transform initialised to the given parameters.

**has\_nan\_values** ()

Tests if the vectorized form of the object contains *nan* values or not. This is particularly useful for objects with unknown values that have been mapped to *nan* values.

**Return** *has\_nan\_values* (*bool*) – If the vectorized object contains *nan* values.

**classmethod init\_from\_2d\_ccw\_angle** (*theta*, *degrees=True*)

Convenience constructor for 2D CCW rotations about the origin.

**Parameters**

- theta** (*float*) – The angle of rotation about the origin
- degrees** (*bool*, optional) – If `True` theta is interpreted as a degree. If `False`, theta is interpreted as radians.

**Returns**`rotation` (`Rotation`) – A 2D rotation transform.

**classmethod** `init_identity` (*n\_dims*)

Creates an identity transform.

**Parameters**`n_dims` (*int*) – The number of dimensions.

**Returns**`identity` (`Rotation`) – The identity matrix transform.

**pseudoinverse** ()

The inverse rotation matrix.

**Type**`Rotation`

**pseudoinverse\_vector** (*vector*)

The vectorized pseudoinverse of a provided vector instance. Syntactic sugar for:

```
self.from_vector(vector).pseudoinverse().as_vector()
```

Can be much faster than the explicit call as object creation can be entirely avoided in some cases.

**Parameters**`vector` (*(n\_parameters,)* `ndarray`) – A vectorized version of `self`

**Returns**`pseudoinverse_vector` (*(n\_parameters,)* `ndarray`) – The pseudoinverse of the vector provided

**set\_h\_matrix** (*value*, *copy=True*, *skip\_checks=False*)

Updates `h_matrix`, optionally performing sanity checks.

Note that it won't always be possible to manually specify the `h_matrix` through this method, specifically if changing the `h_matrix` could change the nature of the transform. See [`h\_matrix\_is\_mutable`](#) for how you can discover if the `h_matrix` is allowed to be set for a given class.

**Parameters**

•**value** (`ndarray`) – The new homogeneous matrix to set.

•**copy** (*bool*, optional) – If `False`, do not copy the `h_matrix`. Useful for performance.

•**skip\_checks** (*bool*, optional) – If `True`, skip checking. Useful for performance.

**Raises**`NotImplementedError` – If [`h\_matrix\_is\_mutable`](#) returns `False`.

**set\_rotation\_matrix** (*value*, *skip\_checks=False*)

Sets the rotation matrix.

**Parameters**

•**value** (*(n\_dims, n\_dims)* `ndarray`) – The new rotation matrix.

•**skip\_checks** (*bool*, optional) – If `True` avoid sanity checks on `value` for performance.

**composes\_inplace\_with**

`Rotation` can swallow composition with any other `Rotation`.

**composes\_with**

Any Homogeneous can compose with any other Homogeneous.

**h\_matrix**

The homogeneous matrix defining this transform.

**Type**`(n_dims + 1, n_dims + 1)` `ndarray`

**h\_matrix\_is\_mutable**

`h_matrix` is not mutable.

**Type**`False`



**has\_true\_inverse**  
The pseudoinverse is an exact inverse.  
**Type** `True`

**linear\_component**  
The linear component of this affine transform.  
**Type** `(n_dims, n_dims) ndarray`

**n\_dims**  
The dimensionality of the data the transform operates on.  
**Type** `int`

**n\_dims\_output**  
The output of the data from the transform.  
**Type** `int`

**rotation\_matrix**  
The rotation matrix.  
**Type** `(n_dims, n_dims) ndarray`

**translation\_component**  
The translation component of this affine transform.  
**Type** `(n_dims, ) ndarray`

## Translation

**class** `menpo.transform.Translation(translation, skip_checks=False)`

Bases: `DiscreteAffine`, `Similarity`

An `n_dims`-dimensional translation transform.

### Parameters

- **translation** `((n_dims, ) ndarray)` – The translation in each axis.
- **skip\_checks** `(bool, optional)` – If `True` avoid sanity checks on `h_matrix` for performance.

**apply** `(x, batch_size=None, **kwargs)`

Applies this transform to `x`.

If `x` is `Transformable`, `x` will be handed this transform object to transform itself non-destructively (a transformed copy of the object will be returned).

If not, `x` is assumed to be an `ndarray`. The transformation will be non-destructive, returning the transformed version.

Any `kwargs` will be passed to the specific transform `_apply()` method.

### Parameters

- **x** `(Transformable or (n_points, n_dims) ndarray)` – The array or object to be transformed.
- **batch\_size** `(int, optional)` – If not `None`, this determines how many items from the numpy array will be passed through the transform at a time. This is useful for operations that require large intermediate matrices to be computed.
- **kwargs** `(dict)` – Passed through to `_apply()`.

**Return** `transformed` `(type(x))` – The transformed object or array

**apply\_inplace** `(x, **kwargs)`

Applies this transform to a `Transformable` `x` destructively.

Any `kwargs` will be passed to the specific transform `_apply()` method.

### Parameters

- **x** `(Transformable)` – The `Transformable` object to be transformed.

•**kwargs** (*dict*) – Passed through to `_apply()`.

**Returnstransformed** (`type(x)`) – The transformed object

**as\_vector** (*\*\*kwargs*)

Returns a flattened representation of the object as a single vector.

**Returnsvector** (`(N,) ndarray`) – The core representation of the object, flattened into a single vector. Note that this is always a view back on to the original object, but is not writable.

**compose\_after** (*transform*)

A *Transform* that represents **this** transform composed **after** the given transform:

```
c = a.compose_after(b)
c.apply(p) == a.apply(b.apply(p))
```

a and b are left unchanged.

This corresponds to the usual mathematical formalism for the compose operator,  $\circ$ .

An attempt is made to perform native composition, but will fall back to a *TransformChain* as a last resort. See *composes\_with* for a description of how the mode of composition is decided.

**Parameterstransform** (*Transform*) – Transform to be applied **before** self

**Returnstransform** (*Transform* or *TransformChain*) – If the composition was native, a single new *Transform* will be returned. If not, a *TransformChain* is returned instead.

**compose\_after\_inplace** (*transform*)

Update self so that it represents **this** transform composed **after** the given transform:

```
a_orig = a.copy()
a.compose_after_inplace(b)
a.apply(p) == a_orig.apply(b.apply(p))
```

a is permanently altered to be the result of the composition. b is left unchanged.

**Parameterstransform** (*composes\_inplace\_with*) – Transform to be applied **before** self

**Raises** *ValueError* – If transform isn't an instance of *composes\_inplace\_with*

**compose\_before** (*transform*)

A *Transform* that represents **this** transform composed **before** the given transform:

```
c = a.compose_before(b)
c.apply(p) == b.apply(a.apply(p))
```

a and b are left unchanged.

An attempt is made to perform native composition, but will fall back to a *TransformChain* as a last resort. See *composes\_with* for a description of how the mode of composition is decided.

**Parameterstransform** (*Transform*) – Transform to be applied **after** self

**Returnstransform** (*Transform* or *TransformChain*) – If the composition was native, a single new *Transform* will be returned. If not, a *TransformChain* is returned instead.

**compose\_before\_inplace** (*transform*)

Update self so that it represents **this** transform composed **before** the given transform:

```
a_orig = a.copy()
a.compose_before_inplace(b)
a.apply(p) == b.apply(a_orig.apply(p))
```

a is permanently altered to be the result of the composition. b is left unchanged.

**Parameterstransform** (*composes\_inplace\_with*) – Transform to be applied **after** `self`

**Raises** `ValueError` – If transform isn't an instance of *composes\_inplace\_with*

**copy** ()

Generate an efficient copy of this object.

Note that Numpy arrays and other *Copyable* objects on `self` will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).

Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Return** `type(self)` – A copy of this object

**decompose** ()

A *DiscreteAffine* is already maximally decomposed - return a copy of `self` in a *list*.

**Return** `transform` (*DiscreteAffine*) – Deep copy of *self*.

**from\_vector** (*vector*)

Build a new instance of the object from its vectorized state.

`self` is used to fill out the missing state required to rebuild a full object from it's standardized flattened state. This is the default implementation, which is a `deepcopy` of the object followed by a call to *from\_vector\_inplace* (). This method can be overridden for a performance benefit if desired.

**Parameters** `vector` (*n\_parameters*,) *ndarray*) – Flattened representation of the object.

**Return** `transform` (*Homogeneous*) – An new instance of this class.

**from\_vector\_inplace** (*p*)

Updates the *Translation* inplace.

**Parameters** `vector` (*n\_dims*,) *ndarray*) – The array of parameters.

**has\_nan\_values** ()

Tests if the vectorized form of the object contains `nan` values or not. This is particularly useful for objects with unknown values that have been mapped to `nan` values.

**Return** `has_nan_values` (*bool*) – If the vectorized object contains `nan` values.

**classmethod init\_identity** (*n\_dims*)

Creates an identity transform.

**Parameters** `n_dims` (*int*) – The number of dimensions.

**Return** `identity` (*Translation*) – The identity matrix transform.

**pseudoinverse** ()

The inverse translation (negated).

**Type** *Translation*

**pseudoinverse\_vector** (*vector*)

The vectorized pseudoinverse of a provided vector instance. Syntactic sugar for:

```
self.from_vector(vector).pseudoinverse().as_vector()
```

Can be much faster than the explicit call as object creation can be entirely avoided in some cases.

**Parameters** `vector` (*n\_parameters*,) *ndarray*) – A vectorized version of `self`

**Return** `pseudoinverse_vector` (*n\_parameters*,) *ndarray*) – The pseudoinverse of the vector provided

**set\_h\_matrix** (*value*, *copy=True*, *skip\_checks=False*)

Updates `h_matrix`, optionally performing sanity checks.

Note that it won't always be possible to manually specify the `h_matrix` through this method, specifically if changing the `h_matrix` could change the nature of the transform. See [`h\_matrix\_is\_mutable`](#) for how you can discover if the `h_matrix` is allowed to be set for a given class.

**Parameters**

- **value** (*ndarray*) – The new homogeneous matrix to set.
- **copy** (*bool*, optional) – If `False`, do not copy the `h_matrix`. Useful for performance.
- **skip\_checks** (*bool*, optional) – If `True`, skip checking. Useful for performance.

**Raises**`NotImplementedError` – If [`h\_matrix\_is\_mutable`](#) returns `False`.

**composes\_inplace\_with**

[`Affine`](#) can swallow composition with any other [`Affine`](#).

**composes\_with**

Any Homogeneous can compose with any other Homogeneous.

**h\_matrix**

The homogeneous matrix defining this transform.

**Type** (`n_dims + 1, n_dims + 1`) *ndarray*

**h\_matrix\_is\_mutable**

`h_matrix` is not mutable.

**Type** `False`

**has\_true\_inverse**

The pseudoinverse is an exact inverse.

**Type** `True`

**linear\_component**

The linear component of this affine transform.

**Type** (`n_dims, n_dims`) *ndarray*

**n\_dims**

The dimensionality of the data the transform operates on.

**Type** *int*

**n\_dims\_output**

The output of the data from the transform.

**Type** *int*

**n\_parameters**

The number of parameters: `n_dims`

**Type** *int*

**translation\_component**

The translation component of this affine transform.

**Type** (`n_dims,` ) *ndarray*

## Scale

`menpo.transform.Scale` (*scale\_factor, n\_dims=None*)

Factory function for producing Scale transforms. Zero scale factors are not permitted.

A [`UniformScale`](#) will be produced if:

- A *float* `scale_factor` and a `n_dims` *kwargs* are provided
- A *ndarray* `scale_factor` with shape `(n_dims, )` is provided with all elements being the same

A [`NonUniformScale`](#) will be provided if:

- A *ndarray* `scale_factor` with shape `(n_dims, )` is provided with at least two differing scale factors.

**Parameters**

- **scale\_factor** (*float* or (*n\_dims*,) *ndarray*) – Scale for each axis.
- **n\_dims** (*int*, optional) – The dimensionality of the output transform.

**Returnsscale** (*UniformScale* or *NonUniformScale*) – The correct type of scale

**Raises** *ValueError* – If any of the scale factors is zero

**UniformScale**

**class** `menpo.transform.UniformScale` (*scale*, *n\_dims*, *skip\_checks=False*)

Bases: *DiscreteAffine*, *Similarity*

An abstract similarity scale transform, with a single scale component applied to all dimensions. This is abstracted out to remove unnecessary code duplication.

**Parameters**

- **scale** ((*n\_dims*,) *ndarray*) – A scale for each axis.
- **n\_dims** (*int*) – The number of dimensions
- **skip\_checks** (*bool*, optional) – If *True* avoid sanity checks on *h\_matrix* for performance.

**apply** (*x*, *batch\_size=None*, *\*\*kwargs*)

Applies this transform to *x*.

If *x* is *Transformable*, *x* will be handed this transform object to transform itself non-destructively (a transformed copy of the object will be returned).

If not, *x* is assumed to be an *ndarray*. The transformation will be non-destructive, returning the transformed version.

Any *kwargs* will be passed to the specific transform `_apply()` method.

**Parameters**

- **x** (*Transformable* or (*n\_points*, *n\_dims*) *ndarray*) – The array or object to be transformed.
- **batch\_size** (*int*, optional) – If not *None*, this determines how many items from the numpy array will be passed through the transform at a time. This is useful for operations that require large intermediate matrices to be computed.
- **kwargs** (*dict*) – Passed through to `_apply()`.

**Returnstransformed** (*type(x)*) – The transformed object or array

**apply\_inplace** (*x*, *\*\*kwargs*)

Applies this transform to a *Transformable* *x* destructively.

Any *kwargs* will be passed to the specific transform `_apply()` method.

**Parameters**

- **x** (*Transformable*) – The *Transformable* object to be transformed.
- **kwargs** (*dict*) – Passed through to `_apply()`.

**Returnstransformed** (*type(x)*) – The transformed object

**as\_vector** (*\*\*kwargs*)

Returns a flattened representation of the object as a single vector.

**Returns** *vector* ((*N*,) *ndarray*) – The core representation of the object, flattened into a single vector. Note that this is always a view back on to the original object, but is not writable.

**compose\_after** (*transform*)

A *Transform* that represents **this** transform composed **after** the given transform:

```
c = a.compose_after(b)
c.apply(p) == a.apply(b.apply(p))
```

a and b are left unchanged.

This corresponds to the usual mathematical formalism for the compose operator,  $\circ$ .

An attempt is made to perform native composition, but will fall back to a *TransformChain* as a last resort. See *composes\_with* for a description of how the mode of composition is decided.

**Parameterstransform** (*Transform*) – Transform to be applied **before** self

**Returnstransform** (*Transform* or *TransformChain*) – If the composition was native, a single new *Transform* will be returned. If not, a *TransformChain* is returned instead.

**compose\_after\_inplace** (*transform*)

Update self so that it represents **this** transform composed **after** the given transform:

```
a_orig = a.copy()
a.compose_after_inplace(b)
a.apply(p) == a_orig.apply(b.apply(p))
```

a is permanently altered to be the result of the composition. b is left unchanged.

**Parameterstransform** (*composes\_inplace\_with*) – Transform to be applied **before** self

**Raises**ValueError – If transform isn't an instance of *composes\_inplace\_with*

**compose\_before** (*transform*)

A *Transform* that represents **this** transform composed **before** the given transform:

```
c = a.compose_before(b)
c.apply(p) == b.apply(a.apply(p))
```

a and b are left unchanged.

An attempt is made to perform native composition, but will fall back to a *TransformChain* as a last resort. See *composes\_with* for a description of how the mode of composition is decided.

**Parameterstransform** (*Transform*) – Transform to be applied **after** self

**Returnstransform** (*Transform* or *TransformChain*) – If the composition was native, a single new *Transform* will be returned. If not, a *TransformChain* is returned instead.

**compose\_before\_inplace** (*transform*)

Update self so that it represents **this** transform composed **before** the given transform:

```
a_orig = a.copy()
a.compose_before_inplace(b)
a.apply(p) == b.apply(a_orig.apply(p))
```

a is permanently altered to be the result of the composition. b is left unchanged.

**Parameterstransform** (*composes\_inplace\_with*) – Transform to be applied **after** self

**Raises**ValueError – If transform isn't an instance of *composes\_inplace\_with*

**copy** ()

Generate an efficient copy of this object.

Note that Numpy arrays and other *Copyable* objects on self will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).

Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Returnstype** (self) – A copy of this object

**decompose()**

A `DiscreteAffine` is already maximally decomposed - return a copy of self in a *list*.

**Returnstransform** (`DiscreteAffine`) – Deep copy of *self*.

**from\_vector(vector)**

Build a new instance of the object from its vectorized state.

*self* is used to fill out the missing state required to rebuild a full object from it's standardized flattened state. This is the default implementation, which is a `deepcopy` of the object followed by a call to `from_vector_inplace()`. This method can be overridden for a performance benefit if desired.

**Parametersvector** ((`n_parameters`,) *ndarray*) – Flattened representation of the object.

**Returnstransform** (*Homogeneous*) – An new instance of this class.

**from\_vector\_inplace(p)**

Returns an instance of the transform from the given parameters, expected to be in Fortran ordering.

**Parametersp** (*float*) – The parameter

**has\_nan\_values()**

Tests if the vectorized form of the object contains `nan` values or not. This is particularly useful for objects with unknown values that have been mapped to `nan` values.

**Returnshas\_nan\_values** (*bool*) – If the vectorized object contains `nan` values.

**classmethod init\_identity(n\_dims)**

Creates an identity transform.

**Parametersn\_dims** (*int*) – The number of dimensions.

**Returnsidentity** (*UniformScale*) – The identity matrix transform.

**pseudoinverse()**

The inverse scale.

**Type***UniformScale*

**pseudoinverse\_vector(vector)**

The vectorized pseudoinverse of a provided vector instance. Syntactic sugar for:

```
self.from_vector(vector).pseudoinverse().as_vector()
```

Can be much faster than the explicit call as object creation can be entirely avoided in some cases.

**Parametersvector** ((`n_parameters`,) *ndarray*) – A vectorized version of *self*

**Returnspseudoinverse\_vector** ((`n_parameters`,) *ndarray*) – The pseudoinverse of the vector provided

**set\_h\_matrix(value, copy=True, skip\_checks=False)**

Updates `h_matrix`, optionally performing sanity checks.

Note that it won't always be possible to manually specify the `h_matrix` through this method, specifically if changing the `h_matrix` could change the nature of the transform. See [h\\_matrix\\_is\\_mutable](#) for how you can discover if the `h_matrix` is allowed to be set for a given class.

**Parameters**

•**value** (*ndarray*) – The new homogeneous matrix to set.

•**copy** (*bool*, optional) – If `False`, do not copy the `h_matrix`. Useful for performance.

•**skip\_checks** (*bool*, optional) – If `True`, skip checking. Useful for performance.

**Raises**`NotImplementedError` – If [h\\_matrix\\_is\\_mutable](#) returns `False`.

**composes\_inplace\_with**

*UniformScale* can swallow composition with any other *UniformScale*.

**composes\_with**

Any Homogeneous can compose with any other Homogeneous.

**h\_matrix**

The homogeneous matrix defining this transform.

**Type**(n\_dims + 1, n\_dims + 1) *ndarray*

**h\_matrix\_is\_mutable**

`h_matrix` is not mutable.

**Type**`False`

**has\_true\_inverse**

The pseudoinverse is an exact inverse.

**Type**`True`

**linear\_component**

The linear component of this affine transform.

**Type**(n\_dims, n\_dims) *ndarray*

**n\_dims**

The dimensionality of the data the transform operates on.

**Type**`int`

**n\_dims\_output**

The output of the data from the transform.

**Type**`int`

**n\_parameters**

The number of parameters: 1

**Type**`int`

**scale**

The single scale value.

**Type**`float`

**translation\_component**

The translation component of this affine transform.

**Type**(n\_dims, ) *ndarray*

## NonUniformScale

**class** `menpo.transform.NonUniformScale`(*scale*, *skip\_checks=False*)

Bases: *DiscreteAffine*, *Affine*

An `n_dims` scale transform, with a scale component for each dimension.

**Parameters**

- **scale** ((n\_dims, ) *ndarray*) – A scale for each axis.
- **skip\_checks** (*bool*, optional) – If `True` avoid sanity checks on `h_matrix` for performance.

**apply** (*x*, *batch\_size=None*, *\*\*kwargs*)

Applies this transform to `x`.

If `x` is *Transformable*, `x` will be handed this transform object to transform itself non-destructively (a transformed copy of the object will be returned).

If not, `x` is assumed to be an *ndarray*. The transformation will be non-destructive, returning the transformed version.

Any `kwargs` will be passed to the specific transform `_apply()` method.

**Parameters**



- **x** (Transformable or (n\_points, n\_dims) ndarray) – The array or object to be transformed.
- **batch\_size** (int, optional) – If not None, this determines how many items from the numpy array will be passed through the transform at a time. This is useful for operations that require large intermediate matrices to be computed.
- **kwargs** (dict) – Passed through to `_apply()`.

**Returnstransformed** (type(x)) – The transformed object or array

**apply\_inplace** (x, \*\*kwargs)

Applies this transform to a Transformable x destructively.

Any kwargs will be passed to the specific transform `_apply()` method.

**Parameters**

- **x** (Transformable) – The Transformable object to be transformed.
- **kwargs** (dict) – Passed through to `_apply()`.

**Returnstransformed** (type(x)) – The transformed object

**as\_vector** (\*\*kwargs)

Returns a flattened representation of the object as a single vector.

**Returnsvector** ((N,) ndarray) – The core representation of the object, flattened into a single vector. Note that this is always a view back on to the original object, but is not writable.

**compose\_after** (transform)

A *Transform* that represents **this** transform composed **after** the given transform:

```
c = a.compose_after(b)
c.apply(p) == a.apply(b.apply(p))
```

a and b are left unchanged.

This corresponds to the usual mathematical formalism for the compose operator,  $\circ$ .

An attempt is made to perform native composition, but will fall back to a *TransformChain* as a last resort. See *composes\_with* for a description of how the mode of composition is decided.

**Parameterstransform** (*Transform*) – Transform to be applied **before** self

**Returnstransform** (*Transform* or *TransformChain*) – If the composition was native, a single new *Transform* will be returned. If not, a *TransformChain* is returned instead.

**compose\_after\_inplace** (transform)

Update self so that it represents **this** transform composed **after** the given transform:

```
a_orig = a.copy()
a.compose_after_inplace(b)
a.apply(p) == a_orig.apply(b.apply(p))
```

a is permanently altered to be the result of the composition. b is left unchanged.

**Parameterstransform** (*composes\_inplace\_with*) – Transform to be applied **before** self

**Raises** ValueError – If transform isn't an instance of *composes\_inplace\_with*

**compose\_before** (transform)

A *Transform* that represents **this** transform composed **before** the given transform:

```
c = a.compose_before(b)
c.apply(p) == b.apply(a.apply(p))
```

a and b are left unchanged.

An attempt is made to perform native composition, but will fall back to a *TransformChain* as a last resort. See *composes\_with* for a description of how the mode of composition is decided.

**Parameterstransform** (*Transform*) – Transform to be applied **after** self

**Returnstransform** (*Transform* or *TransformChain*) – If the composition was native, a single new *Transform* will be returned. If not, a *TransformChain* is returned instead.

**compose\_before\_inplace** (*transform*)

Update self so that it represents **this** transform composed **before** the given transform:

```
a_orig = a.copy()
a.compose_before_inplace(b)
a.apply(p) == b.apply(a_orig.apply(p))
```

a is permanently altered to be the result of the composition. b is left unchanged.

**Parameterstransform** (*composes\_inplace\_with*) – Transform to be applied **after** self

**RaisesValueError** – If transform isn't an instance of *composes\_inplace\_with*

**copy** ()

Generate an efficient copy of this object.

Note that Numpy arrays and other *Copyable* objects on self will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).

Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Returnstype** (self) – A copy of this object

**decompose** ()

A *DiscreteAffine* is already maximally decomposed - return a copy of self in a *list*.

**Returnstransform** (*DiscreteAffine*) – Deep copy of self.

**from\_vector** (*vector*)

Build a new instance of the object from its vectorized state.

self is used to fill out the missing state required to rebuild a full object from it's standardized flattened state. This is the default implementation, which is a *deepcopy* of the object followed by a call to *from\_vector\_inplace* (). This method can be overridden for a performance benefit if desired.

**Parametersvector** ((*n\_parameters*,) *ndarray*) – Flattened representation of the object.

**Returnstransform** (*Homogeneous*) – An new instance of this class.

**from\_vector\_inplace** (*vector*)

Updates the *NonUniformScale* inplace.

**Parametersvector** ((*n\_dims*,) *ndarray*) – The array of parameters.

**has\_nan\_values** ()

Tests if the vectorized form of the object contains nan values or not. This is particularly useful for objects with unknown values that have been mapped to nan values.

**Returnshas\_nan\_values** (*bool*) – If the vectorized object contains nan values.

**classmethod init\_identity** (*n\_dims*)

Creates an identity transform.

**Parametersn\_dims** (*int*) – The number of dimensions.

**Returnsidentity** (*NonUniformScale*) – The identity matrix transform.

**pseudoinverse()**

The inverse scale matrix.

**Type**`NonUniformScale`

**pseudoinverse\_vector(vector)**

The vectorized pseudoinverse of a provided vector instance. Syntactic sugar for:

```
self.from_vector(vector).pseudoinverse().as_vector()
```

Can be much faster than the explicit call as object creation can be entirely avoided in some cases.

**Parametersvector** ((`n_parameters`,) `ndarray`) – A vectorized version of `self`

**Returns**`pseudoinverse_vector` ((`n_parameters`,) `ndarray`) – The pseudoinverse of the vector provided

**set\_h\_matrix(value, copy=True, skip\_checks=False)**

Updates `h_matrix`, optionally performing sanity checks.

Note that it won't always be possible to manually specify the `h_matrix` through this method, specifically if changing the `h_matrix` could change the nature of the transform. See [h\\_matrix\\_is\\_mutable](#) for how you can discover if the `h_matrix` is allowed to be set for a given class.

**Parameters**

• **value** (`ndarray`) – The new homogeneous matrix to set.

• **copy** (`bool`, optional) – If `False`, do not copy the `h_matrix`. Useful for performance.

• **skip\_checks** (`bool`, optional) – If `True`, skip checking. Useful for performance.

**Raises**`NotImplementedError` – If [h\\_matrix\\_is\\_mutable](#) returns `False`.

**composes\_inplace\_with**

`NonUniformScale` can swallow composition with any other `NonUniformScale` and `UniformScale`.

**composes\_with**

Any Homogeneous can compose with any other Homogeneous.

**h\_matrix**

The homogeneous matrix defining this transform.

**Type**(`n_dims + 1`, `n_dims + 1`) `ndarray`

**h\_matrix\_is\_mutable**

`h_matrix` is not mutable.

**Type**`False`

**has\_true\_inverse**

The pseudoinverse is an exact inverse.

**Type**`True`

**linear\_component**

The linear component of this affine transform.

**Type**(`n_dims`, `n_dims`) `ndarray`

**n\_dims**

The dimensionality of the data the transform operates on.

**Type**`int`

**n\_dims\_output**

The output of the data from the transform.

**Type**`int`

**n\_parameters**

The number of parameters: `n_dims`. They have the form `[scale_x, scale_y, ...]` representing the scale across each axis.

**Type***list of int*

**scale**

The scale vector.

**Type**`(n_dims, ) ndarray`

**translation\_component**

The translation component of this affine transform.

**Type**`(n_dims, ) ndarray`

## 2.9.2 Alignments

### ThinPlateSplines

```
class menpo.transform.ThinPlateSplines (source, target, kernel=None,
                                         min_singular_val=0.0001)
```

Bases: *Alignment*, *Transform*, *Invertible*

The thin plate splines (TPS) alignment between 2D *source* and *target* landmarks.

`kernel` can be used to specify an alternative kernel function. If `None` is supplied, the *R2LogR2RBF* kernel will be used.

**Parameters**

- **source** `((N, 2) ndarray)` – The source points to apply the tps from
- **target** `((N, 2) ndarray)` – The target points to apply the tps to
- **kernel** (*RadialBasisFunction*, optional) – The kernel to apply.
- **min\_singular\_val** (*float*, optional) – If the target has points that are nearly coincident, the coefficients matrix is rank deficient, and therefore not invertible. Therefore, we only take the inverse on the full-rank matrix and drop any singular values that are less than this value (close to zero).

**Raises***ValueError* – TPS is only with on 2-dimensional data

**aligned\_source()**

The result of applying `self` to *source*

**Type***PointCloud*

**alignment\_error()**

The Frobenius Norm of the difference between the target and the aligned source.

**Type***float*

**apply(x, batch\_size=None, \*\*kwargs)**

Applies this transform to `x`.

If `x` is *Transformable*, `x` will be handed this transform object to transform itself non-destructively (a transformed copy of the object will be returned).

If not, `x` is assumed to be an *ndarray*. The transformation will be non-destructive, returning the transformed version.

Any `kwargs` will be passed to the specific transform `_apply()` method.

**Parameters**

- **x** (*Transformable* or `(n_points, n_dims) ndarray`) – The array or object to be transformed.
- **batch\_size** (*int*, optional) – If not `None`, this determines how many items from the numpy array will be passed through the transform at a time. This is useful for operations that require large intermediate matrices to be computed.

•**kwargs** (*dict*) – Passed through to `_apply()`.

**Returnstransformed** (*type(x)*) – The transformed object or array

**apply\_inplace** (*x, \*\*kwargs*)

Applies this transform to a `Transformable` *x* destructively.

Any *kwargs* will be passed to the specific transform `_apply()` method.

**Parameters**

•**x** (`Transformable`) – The `Transformable` object to be transformed.

•**kwargs** (*dict*) – Passed through to `_apply()`.

**Returnstransformed** (*type(x)*) – The transformed object

**compose\_after** (*transform*)

Returns a `TransformChain` that represents **this** transform composed **after** the given transform:

```
c = a.compose_after(b)
c.apply(p) == a.apply(b.apply(p))
```

*a* and *b* are left unchanged.

This corresponds to the usual mathematical formalism for the compose operator,  $\circ$ .

**Parameterstransform** (`Transform`) – Transform to be applied **before** self

**Returnstransform** (`TransformChain`) – The resulting transform chain.

**compose\_before** (*transform*)

Returns a `TransformChain` that represents **this** transform composed **before** the given transform:

```
c = a.compose_before(b)
c.apply(p) == b.apply(a.apply(p))
```

*a* and *b* are left unchanged.

**Parameterstransform** (`Transform`) – Transform to be applied **after** self

**Returnstransform** (`TransformChain`) – The resulting transform chain.

**copy** ()

Generate an efficient copy of this object.

Note that Numpy arrays and other `Copyable` objects on `self` will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).

Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Returnstype** (`self`) – A copy of this object

**pseudoinverse** ()

The pseudoinverse of the transform - that is, the transform that results from swapping *source* and *target*, or more formally, negating the transforms parameters. If the transform has a true inverse this is returned instead.

**Type**`type(self)`

**set\_target** (*new\_target*)

Update this object so that it attempts to recreate the *new\_target*.

**Parametersnew\_target** (`PointCloud`) – The new target that this object should try and regenerate.

**has\_true\_inverse**

`TypeFalse`

**n\_dims**

The number of dimensions of the *target*.

**Type***int***n\_dims\_output**

The output of the data from the transform.

None if the output of the transform is not dimension specific.

**Type***int* or None

**n\_points**

The number of points on the *target*.

**Type***int*

**source**

The source *PointCloud* that is used in the alignment.

The source is not mutable.

**Type***PointCloud*

**target**

The current *PointCloud* that this object produces.

To change the target, use *set\_target()*.

**Type***PointCloud*

## PiecewiseAffine

`menpo.transform.PiecewiseAffine`

alias of *CachedPWA*

## AlignmentAffine

**class** `menpo.transform.AlignmentAffine` (*source*, *target*)

Bases: *HomogFamilyAlignment*, *Affine*

Constructs an *Affine* by finding the optimal affine transform to align *source* to *target*.

**Parameters**

- **source** (*PointCloud*) – The source pointcloud instance used in the alignment
- **target** (*PointCloud*) – The target pointcloud instance used in the alignment

---

**Notes**

We want to find the optimal transform  $M$  which satisfies  $Ma = b$  where  $a$  and  $b$  are the *source* and *target* homogeneous vectors respectively.

$$\begin{aligned}(M \ a)' &= b' \\ a' \ M' &= b' \\ a \ a' \ M' &= a \ b'\end{aligned}$$

$a \ a'$  is of shape  $(n\_dim + 1, n\_dim + 1)$  and so can be inverted to solve for  $M$ .

This approach is the analytical linear least squares solution to the problem at hand. It will have a solution as long as  $(a \ a')$  is non-singular, which generally means at least 2 corresponding points are required.

---

**aligned\_source()**

The result of applying *self* to *source*

**Type***PointCloud*

**alignment\_error()**

The Frobenius Norm of the difference between the target and the aligned source.

**Type***float***apply** (*x*, *batch\_size=None*, *\*\*kwargs*)Applies this transform to *x*.

If *x* is *Transformable*, *x* will be handed this transform object to transform itself non-destructively (a transformed copy of the object will be returned).

If not, *x* is assumed to be an *ndarray*. The transformation will be non-destructive, returning the transformed version.

Any *kwargs* will be passed to the specific transform `_apply()` method.

**Parameters**

- **x** (*Transformable* or (*n\_points*, *n\_dims*) *ndarray*) – The array or object to be transformed.
- **batch\_size** (*int*, optional) – If not *None*, this determines how many items from the numpy array will be passed through the transform at a time. This is useful for operations that require large intermediate matrices to be computed.
- **kwargs** (*dict*) – Passed through to `_apply()`.

**Return***transformed* (*type(x)*) – The transformed object or array

**apply\_inplace** (*x*, *\*\*kwargs*)Applies this transform to a *Transformable* *x* destructively.

Any *kwargs* will be passed to the specific transform `_apply()` method.

**Parameters**

- **x** (*Transformable*) – The *Transformable* object to be transformed.
- **kwargs** (*dict*) – Passed through to `_apply()`.

**Return***transformed* (*type(x)*) – The transformed object

**as\_non\_alignment** ()Returns a copy of this *Affine* without its alignment nature.

**Return***transform* (*Affine*) – A version of this affine with the same transform behavior but without the alignment logic.

**as\_vector** (*\*\*kwargs*)

Returns a flattened representation of the object as a single vector.

**Return***vector* ((*N*,) *ndarray*) – The core representation of the object, flattened into a single vector. Note that this is always a view back on to the original object, but is not writable.

**compose\_after** (*transform*)A *Transform* that represents **this** transform composed **after** the given transform:

```
c = a.compose_after(b)
c.apply(p) == a.apply(b.apply(p))
```

*a* and *b* are left unchanged.

This corresponds to the usual mathematical formalism for the compose operator,  $\circ$ .

An attempt is made to perform native composition, but will fall back to a *TransformChain* as a last resort. See *composes\_with* for a description of how the mode of composition is decided.

**Parameter***transform* (*Transform*) – Transform to be applied **before** *self*

**Return***transform* (*Transform* or *TransformChain*) – If the composition was native, a single new *Transform* will be returned. If not, a *TransformChain* is returned instead.

**compose\_after\_inplace** (*transform*)Update *self* so that it represents **this** transform composed **after** the given transform:

```
a_orig = a.copy()
a.compose_after_inplace(b)
a.apply(p) == a_orig.apply(b.apply(p))
```

a is permanently altered to be the result of the composition. b is left unchanged.

**Parameter****transform** (*composes\_inplace\_with*) – Transform to be applied **before** self

**Raises** *ValueError* – If transform isn't an instance of *composes\_inplace\_with*

**compose\_before** (*transform*)

A *Transform* that represents **this** transform composed **before** the given transform:

```
c = a.compose_before(b)
c.apply(p) == b.apply(a.apply(p))
```

a and b are left unchanged.

An attempt is made to perform native composition, but will fall back to a *TransformChain* as a last resort. See *composes\_with* for a description of how the mode of composition is decided.

**Parameter****transform** (*Transform*) – Transform to be applied **after** self

**Return****transform** (*Transform* or *TransformChain*) – If the composition was native, a single new *Transform* will be returned. If not, a *TransformChain* is returned instead.

**compose\_before\_inplace** (*transform*)

Update self so that it represents **this** transform composed **before** the given transform:

```
a_orig = a.copy()
a.compose_before_inplace(b)
a.apply(p) == b.apply(a_orig.apply(p))
```

a is permanently altered to be the result of the composition. b is left unchanged.

**Parameter****transform** (*composes\_inplace\_with*) – Transform to be applied **after** self

**Raises** *ValueError* – If transform isn't an instance of *composes\_inplace\_with*

**copy** ()

Generate an efficient copy of this *HomogFamilyAlignment*.

**Returns** *new\_transform* (*type*(self)) – A copy of this object

**decompose** ()

Decompose this transform into discrete Affine Transforms.

Useful for understanding the effect of a complex composite transform.

**Returns**

**transforms** (*list* of *DiscreteAffine*) – Equivalent to this affine transform, such that:

```
reduce(lambda x,y: x.chain(y), self.decompose()) == self
```

**from\_vector** (*vector*)

Build a new instance of the object from its vectorized state.

self is used to fill out the missing state required to rebuild a full object from it's standardized flattened state. This is the default implementation, which is a *deepcopy* of the object followed by a call to *from\_vector\_inplace* (). This method can be overridden for a performance benefit if desired.



**Parameters**`vector` ((`n_parameters`,) *ndarray*) – Flattened representation of the object.

**Return**`transform` (*Homogeneous*) – An new instance of this class.

**from\_vector\_inplace** (*p*)

Updates this Affine in-place from the new parameters. See `from_vector` for details of the parameter format

**has\_nan\_values** ()

Tests if the vectorized form of the object contains `nan` values or not. This is particularly useful for objects with unknown values that have been mapped to `nan` values.

**Return**`has_nan_values` (*bool*) – If the vectorized object contains `nan` values.

**init\_identity** (*n\_dims*)

Creates an identity matrix Affine transform.

**Parameters**`n_dims` (*int*) – The number of dimensions.

**Return**`identity` (*Affine*) – The identity matrix transform.

**pseudoinverse** ()

The pseudoinverse of the transform - that is, the transform that results from swapping source and target, or more formally, negating the transforms parameters. If the transform has a true inverse this is returned instead.

**Return**`transform` (`type(self)`) – The inverse of this transform.

**pseudoinverse\_vector** (*vector*)

The vectorized pseudoinverse of a provided vector instance. Syntactic sugar for:

```
self.from_vector(vector).pseudoinverse().as_vector()
```

Can be much faster than the explicit call as object creation can be entirely avoided in some cases.

**Parameters**`vector` ((`n_parameters`,) *ndarray*) – A vectorized version of `self`

**Return**`pseudoinverse_vector` ((`n_parameters`,) *ndarray*) – The pseudoinverse of the vector provided

**set\_h\_matrix** (*value*, *copy=True*, *skip\_checks=False*)

Updates `h_matrix`, optionally performing sanity checks.

---

**Note:** Updating the `h_matrix` on an *AlignmentAffine* triggers a sync of the target.

---

Note that it won't always be possible to manually specify the `h_matrix` through this method, specifically if changing the `h_matrix` could change the nature of the transform. See *h\_matrix\_is\_mutable* for how you can discover if the `h_matrix` is allowed to be set for a given class.

**Parameters**

• **value** (*ndarray*) – The new homogeneous matrix to set

• **copy** (*bool*, optional) – If `False` do not copy the `h_matrix`. Useful for performance.

• **skip\_checks** (*bool*, optional) – If `True` skip checking. Useful for performance.

**Raises**`NotImplementedError` – If *h\_matrix\_is\_mutable* returns `False`.

**set\_target** (*new\_target*)

Update this object so that it attempts to recreate the `new_target`.

**Parameters**`new_target` (*PointCloud*) – The new target that this object should try and regenerate.

**composes\_inplace\_with**

*Affine* can swallow composition with any other *Affine*.

**composes\_with**

Any Homogeneous can compose with any other Homogeneous.

**h\_matrix**

The homogeneous matrix defining this transform.

**Type** $(n\_dims + 1, n\_dims + 1)$  *ndarray*

**h\_matrix\_is\_mutable**

True iff *set\_h\_matrix()* is permitted on this type of transform.

If this returns *False* calls to *set\_h\_matrix()* will raise a *NotImplementedError*.

**Type***bool*

**has\_true\_inverse**

The pseudoinverse is an exact inverse.

**Type***True*

**linear\_component**

The linear component of this affine transform.

**Type** $(n\_dims, n\_dims)$  *ndarray*

**n\_dims**

The number of dimensions of the *target*.

**Type***int*

**n\_dims\_output**

The output of the data from the transform.

**Type***int*

**n\_parameters**

$n\_dims * (n\_dims + 1)$  parameters - every element of the matrix but the homogeneous part.

**Type***int*

---

**Examples**

2D Affine: 6 parameters:

```
[p1, p3, p5]
[p2, p4, p6]
```

3D Affine: 12 parameters:

```
[p1, p4, p7, p10]
[p2, p5, p8, p11]
[p3, p6, p9, p12]
```

---

**n\_points**

The number of points on the *target*.

**Type***int*

**source**

The source *PointCloud* that is used in the alignment.

The source is not mutable.

**Type***PointCloud*

**target**

The current *PointCloud* that this object produces.

To change the target, use *set\_target()*.

**Type***PointCloud*

**translation\_component**

The translation component of this affine transform.

**Type**(*n\_dims*,) *ndarray*

**AlignmentSimilarity**

**class** `menpo.transform.AlignmentSimilarity` (*source*, *target*, *rotation=True*)

Bases: `HomogFamilyAlignment`, `Similarity`

Infers the similarity transform relating two vectors with the same dimensionality. This is simply the procrustes alignment of the *source* to the *target*.

**Parameters**

- **source** (*PointCloud*) – The source pointcloud instance used in the alignment
- **target** (*PointCloud*) – The target pointcloud instance used in the alignment
- **rotation** (*bool*, optional) – If `False`, the rotation component of the similarity transform is not inferred.

**aligned\_source()**

The result of applying `self` to *source*

**Type***PointCloud*

**alignment\_error()**

The Frobenius Norm of the difference between the target and the aligned source.

**Type***float*

**apply** (*x*, *batch\_size=None*, *\*\*kwargs*)

Applies this transform to *x*.

If *x* is `Transformable`, *x* will be handed this transform object to transform itself non-destructively (a transformed copy of the object will be returned).

If not, *x* is assumed to be an *ndarray*. The transformation will be non-destructive, returning the transformed version.

Any *kwargs* will be passed to the specific transform `_apply()` method.

**Parameters**

- **x** (`Transformable` or (*n\_points*, *n\_dims*) *ndarray*) – The array or object to be transformed.
- **batch\_size** (*int*, optional) – If not `None`, this determines how many items from the numpy array will be passed through the transform at a time. This is useful for operations that require large intermediate matrices to be computed.
- **kwargs** (*dict*) – Passed through to `_apply()`.

**Returnstransformed** (`type(x)`) – The transformed object or array

**apply\_inplace** (*x*, *\*\*kwargs*)

Applies this transform to a `Transformable` *x* destructively.

Any *kwargs* will be passed to the specific transform `_apply()` method.

**Parameters**

- **x** (`Transformable`) – The `Transformable` object to be transformed.
- **kwargs** (*dict*) – Passed through to `_apply()`.

**Returnstransformed** (`type(x)`) – The transformed object

**as\_non\_alignment()**

Returns a copy of this similarity without it's alignment nature.

**Returnstransform** (*Similarity*) – A version of this similarity with the same transform behavior but without the alignment logic.

**as\_vector** (*\*\*kwargs*)

Returns a flattened representation of the object as a single vector.

**Returns** `vector((N,) ndarray)` – The core representation of the object, flattened into a single vector. Note that this is always a view back on to the original object, but is not writable.

**compose\_after** (*transform*)

A *Transform* that represents **this** transform composed **after** the given transform:

```
c = a.compose_after(b)
c.apply(p) == a.apply(b.apply(p))
```

a and b are left unchanged.

This corresponds to the usual mathematical formalism for the compose operator,  $\circ$ .

An attempt is made to perform native composition, but will fall back to a *TransformChain* as a last resort. See *composes\_with* for a description of how the mode of composition is decided.

**Parameter** `transform` (*Transform*) – Transform to be applied **before** self

**Return** `transform` (*Transform* or *TransformChain*) – If the composition was native, a single new *Transform* will be returned. If not, a *TransformChain* is returned instead.

**compose\_after\_inplace** (*transform*)

Update self so that it represents **this** transform composed **after** the given transform:

```
a_orig = a.copy()
a.compose_after_inplace(b)
a.apply(p) == a_orig.apply(b.apply(p))
```

a is permanently altered to be the result of the composition. b is left unchanged.

**Parameter** `transform` (*composes\_inplace\_with*) – Transform to be applied **before** self

**Raises** `ValueError` – If transform isn't an instance of *composes\_inplace\_with*

**compose\_before** (*transform*)

A *Transform* that represents **this** transform composed **before** the given transform:

```
c = a.compose_before(b)
c.apply(p) == b.apply(a.apply(p))
```

a and b are left unchanged.

An attempt is made to perform native composition, but will fall back to a *TransformChain* as a last resort. See *composes\_with* for a description of how the mode of composition is decided.

**Parameter** `transform` (*Transform*) – Transform to be applied **after** self

**Return** `transform` (*Transform* or *TransformChain*) – If the composition was native, a single new *Transform* will be returned. If not, a *TransformChain* is returned instead.

**compose\_before\_inplace** (*transform*)

Update self so that it represents **this** transform composed **before** the given transform:

```
a_orig = a.copy()
a.compose_before_inplace(b)
a.apply(p) == b.apply(a_orig.apply(p))
```

a is permanently altered to be the result of the composition. b is left unchanged.

**Parameterstransform** (*composes\_inplace\_with*) – Transform to be applied **after**

`self`

**Raises**`ValueError` – If `transform` isn't an instance of *composes\_inplace\_with*

**copy** ()

Generate an efficient copy of this `HomogFamilyAlignment`.

**Returns**`new_transform` (`type(self)`) – A copy of this object

**decompose** ()

Decompose this transform into discrete Affine Transforms.

Useful for understanding the effect of a complex composite transform.

**Returns**

**transforms** (*list of DiscreteAffine*) – Equivalent to this affine transform, such that:

```
reduce(lambda x,y: x.chain(y), self.decompose()) == self
```

**from\_vector** (*vector*)

Build a new instance of the object from its vectorized state.

`self` is used to fill out the missing state required to rebuild a full object from it's standardized flattened state. This is the default implementation, which is a `deepcopy` of the object followed by a call to *from\_vector\_inplace* (). This method can be overridden for a performance benefit if desired.

**Parameters**`vector` (*n\_parameters*,) *ndarray*) – Flattened representation of the object.

**Returns**`transform` (*Homogeneous*) – An new instance of this class.

**from\_vector\_inplace** (*p*)

Returns an instance of the transform from the given parameters, expected to be in Fortran ordering.

Supports rebuilding from 2D parameter sets.

2D Similarity: 4 parameters:

```
[a, b, tx, ty]
```

**Parameters**`sp` (*(P,)* *ndarray*) – The array of parameters.

**Raises**`DimensionalityError`, `NotImplementedError` – Only 2D transforms are supported.

**has\_nan\_values** ()

Tests if the vectorized form of the object contains `nan` values or not. This is particularly useful for objects with unknown values that have been mapped to `nan` values.

**Returns**`has_nan_values` (*bool*) – If the vectorized object contains `nan` values.

**init\_identity** (*n\_dims*)

Creates an identity transform.

**Parameters**`n_dims` (*int*) – The number of dimensions.

**Returns**`identity` (*Similarity*) – The identity matrix transform.

**pseudoinverse** ()

The pseudoinverse of the transform - that is, the transform that results from swapping source and target, or more formally, negating the transforms parameters. If the transform has a true inverse this is returned instead.

**Returns**`transform` (`type(self)`) – The inverse of this transform.

**pseudoinverse\_vector** (*vector*)

The vectorized pseudoinverse of a provided vector instance. Syntactic sugar for:

```
self.from_vector(vector).pseudoinverse().as_vector()
```

Can be much faster than the explicit call as object creation can be entirely avoided in some cases.

**Parameters****vector** ((*n\_parameters*,) *ndarray*) – A vectorized version of `self`

**Returns****pseudoinverse\_vector** ((*n\_parameters*,) *ndarray*) – The pseudoinverse of the vector provided

**set\_h\_matrix** (*value*, *copy=True*, *skip\_checks=False*)

Updates `h_matrix`, optionally performing sanity checks.

Note that it won't always be possible to manually specify the `h_matrix` through this method, specifically if changing the `h_matrix` could change the nature of the transform. See [`h\_matrix\_is\_mutable`](#) for how you can discover if the `h_matrix` is allowed to be set for a given class.

**Parameters**

• **value** (*ndarray*) – The new homogeneous matrix to set.

• **copy** (*bool*, optional) – If `False`, do not copy the `h_matrix`. Useful for performance.

• **skip\_checks** (*bool*, optional) – If `True`, skip checking. Useful for performance.

**Raises**`NotImplementedError` – If [`h\_matrix\_is\_mutable`](#) returns `False`.

**set\_target** (*new\_target*)

Update this object so that it attempts to recreate the `new_target`.

**Parameters****new\_target** (*PointCloud*) – The new target that this object should try and regenerate.

**composes\_inplace\_with**

[\*Affine\*](#) can swallow composition with any other [\*Affine\*](#).

**composes\_with**

Any Homogeneous can compose with any other Homogeneous.

**h\_matrix**

The homogeneous matrix defining this transform.

**Type**(*n\_dims* + 1, *n\_dims* + 1) *ndarray*

**h\_matrix\_is\_mutable**

`h_matrix` is not mutable.

**Type**`False`

**has\_true\_inverse**

The pseudoinverse is an exact inverse.

**Type**`True`

**linear\_component**

The linear component of this affine transform.

**Type**(*n\_dims*, *n\_dims*) *ndarray*

**n\_dims**

The number of dimensions of the [\*target\*](#).

**Type***int*

**n\_dims\_output**

The output of the data from the transform.

**Type***int*

**n\_parameters**

2D Similarity: 4 parameters:

```
[(1 + a), -b, tx]
[b, (1 + a), ty]
```

3D Similarity: Currently not supported

**Returns**`n_parameters` (*int*) – The transform parameters

**Raises**`DimensionalityError`, `NotImplementedError` – Only 2D transforms are supported.

**n\_points**

The number of points on the *target*.

**Type**`int`

**source**

The source *PointCloud* that is used in the alignment.

The source is not mutable.

**Type**`PointCloud`

**target**

The current *PointCloud* that this object produces.

To change the target, use `set_target()`.

**Type**`PointCloud`

**translation\_component**

The translation component of this affine transform.

**Type**`(n_dims,) ndarray`

## AlignmentRotation

**class** `menpo.transform.AlignmentRotation` (*source*, *target*)

Bases: `HomogFamilyAlignment`, `Rotation`

Constructs an *Rotation* by finding the optimal rotation transform to align *source* to *target*.

**Parameters**

• **source** (*PointCloud*) – The source pointcloud instance used in the alignment

• **target** (*PointCloud*) – The target pointcloud instance used in the alignment

**aligned\_source** ()

The result of applying `self` to *source*

**Type**`PointCloud`

**alignment\_error** ()

The Frobenius Norm of the difference between the target and the aligned source.

**Type**`float`

**apply** (*x*, *batch\_size=None*, *\*\*kwargs*)

Applies this transform to *x*.

If *x* is `Transformable`, *x* will be handed this transform object to transform itself non-destructively (a transformed copy of the object will be returned).

If not, *x* is assumed to be an *ndarray*. The transformation will be non-destructive, returning the transformed version.

Any *kwargs* will be passed to the specific transform `_apply()` method.

**Parameters**

• **x** (`Transformable` or (*n\_points*, *n\_dims*) *ndarray*) – The array or object to be transformed.

- batch\_size** (*int*, optional) – If not `None`, this determines how many items from the numpy array will be passed through the transform at a time. This is useful for operations that require large intermediate matrices to be computed.
- kwargs** (*dict*) – Passed through to `_apply()`.

**Returnstransformed** (`type(x)`) – The transformed object or array

**apply\_inplace** (`x, **kwargs`)

Applies this transform to a `Transformable x` destructively.

Any `kwargs` will be passed to the specific transform `_apply()` method.

**Parameters**

- x** (`Transformable`) – The `Transformable` object to be transformed.
- kwargs** (*dict*) – Passed through to `_apply()`.

**Returnstransformed** (`type(x)`) – The transformed object

**as\_non\_alignment** ()

Returns a copy of this rotation without its alignment nature.

**Returnstransform** (`Rotation`) – A version of this rotation with the same transform behavior but without the alignment logic.

**as\_vector** (`**kwargs`)

Returns a flattened representation of the object as a single vector.

**Returnsvector** (`(N,) ndarray`) – The core representation of the object, flattened into a single vector. Note that this is always a view back on to the original object, but is not writable.

**axis\_and\_angle\_of\_rotation** ()

Abstract method for computing the axis and angle of rotation.

**Returns**

- axis** (`(n_dims,) ndarray`) – The unit vector representing the axis of rotation
- angle\_of\_rotation** (*float*) – The angle in radians of the rotation about the axis. The angle is signed in a right handed sense.

**compose\_after** (`transform`)

A `Transform` that represents **this** transform composed **after** the given transform:

```
c = a.compose_after(b)
c.apply(p) == a.apply(b.apply(p))
```

`a` and `b` are left unchanged.

This corresponds to the usual mathematical formalism for the compose operator,  $\circ$ .

An attempt is made to perform native composition, but will fall back to a `TransformChain` as a last resort. See `composes_with` for a description of how the mode of composition is decided.

**Parameterstransform** (`Transform`) – Transform to be applied **before** `self`

**Returnstransform** (`Transform` or `TransformChain`) – If the composition was native, a single new `Transform` will be returned. If not, a `TransformChain` is returned instead.

**compose\_after\_inplace** (`transform`)

Update `self` so that it represents **this** transform composed **after** the given transform:

```
a_orig = a.copy()
a.compose_after_inplace(b)
a.apply(p) == a_orig.apply(b.apply(p))
```

`a` is permanently altered to be the result of the composition. `b` is left unchanged.

**Parameterstransform** (`composes_inplace_with`) – Transform to be applied **before** `self`



**Raises** `ValueError` – If `transform` isn't an instance of `composes_inplace_with`

**compose\_before** (*transform*)

A *Transform* that represents **this** transform composed **before** the given transform:

```
c = a.compose_before(b)
c.apply(p) == b.apply(a.apply(p))
```

`a` and `b` are left unchanged.

An attempt is made to perform native composition, but will fall back to a *TransformChain* as a last resort. See *composes\_with* for a description of how the mode of composition is decided.

**Parameter** *transform* (*Transform*) – Transform to be applied **after** `self`

**Return** *transform* (*Transform* or *TransformChain*) – If the composition was native, a single new *Transform* will be returned. If not, a *TransformChain* is returned instead.

**compose\_before\_inplace** (*transform*)

Update `self` so that it represents **this** transform composed **before** the given transform:

```
a_orig = a.copy()
a.compose_before_inplace(b)
a.apply(p) == b.apply(a_orig.apply(p))
```

`a` is permanently altered to be the result of the composition. `b` is left unchanged.

**Parameter** *transform* (*composes\_inplace\_with*) – Transform to be applied **after** `self`

**Raises** `ValueError` – If `transform` isn't an instance of *composes\_inplace\_with*

**copy** ()

Generate an efficient copy of this *HomogFamilyAlignment*.

**Returns** *new\_transform* (*type(self)*) – A copy of this object

**decompose** ()

A *DiscreteAffine* is already maximally decomposed - return a copy of `self` in a *list*.

**Return** *transform* (*DiscreteAffine*) – Deep copy of *self*.

**from\_vector** (*vector*)

Build a new instance of the object from its vectorized state.

`self` is used to fill out the missing state required to rebuild a full object from it's standardized flattened state. This is the default implementation, which is a `deepcopy` of the object followed by a call to *from\_vector\_inplace* (). This method can be overridden for a performance benefit if desired.

**Parameters** *vector* ((*n\_parameters*,) *ndarray*) – Flattened representation of the object.

**Return** *transform* (*Homogeneous*) – An new instance of this class.

**from\_vector\_inplace** (*p*)

Returns an instance of the transform from the given parameters, expected to be in Fortran ordering.

Supports rebuilding from 2D parameter sets.

2D Rotation: 1 parameter:

```
[theta]
```

**Parameters** *sp* ((1,) *ndarray*) – The array of parameters.

**Return** *transform* (*Rotation*) – The transform initialised to the given parameters.

**has\_nan\_values()**

Tests if the vectorized form of the object contains `nan` values or not. This is particularly useful for objects with unknown values that have been mapped to `nan` values.

**Returns**`has_nan_values` (*bool*) – If the vectorized object contains `nan` values.

**init\_from\_2d\_ccw\_angle** (*theta*, *degrees=True*)

Convenience constructor for 2D CCW rotations about the origin.

**Parameters**

- **theta** (*float*) – The angle of rotation about the origin
- **degrees** (*bool*, optional) – If `True` `theta` is interpreted as a degree. If `False`, `theta` is interpreted as radians.

**Returns**`rotation` (*Rotation*) – A 2D rotation transform.

**init\_identity** (*n\_dims*)

Creates an identity transform.

**Parameters**`n_dims` (*int*) – The number of dimensions.

**Returns**`identity` (*Rotation*) – The identity matrix transform.

**pseudoinverse()**

The pseudoinverse of the transform - that is, the transform that results from swapping source and target, or more formally, negating the transforms parameters. If the transform has a true inverse this is returned instead.

**Returns**`transform` (`type(self)`) – The inverse of this transform.

**pseudoinverse\_vector** (*vector*)

The vectorized pseudoinverse of a provided vector instance. Syntactic sugar for:

```
self.from_vector(vector).pseudoinverse().as_vector()
```

Can be much faster than the explicit call as object creation can be entirely avoided in some cases.

**Parameters**`vector` (`(n_parameters,)` *ndarray*) – A vectorized version of `self`

**Returns**`pseudoinverse_vector` (`(n_parameters,)` *ndarray*) – The pseudoinverse of the vector provided

**set\_h\_matrix** (*value*, *copy=True*, *skip\_checks=False*)

Updates `h_matrix`, optionally performing sanity checks.

Note that it won't always be possible to manually specify the `h_matrix` through this method, specifically if changing the `h_matrix` could change the nature of the transform. See [`h\_matrix\_is\_mutable`](#) for how you can discover if the `h_matrix` is allowed to be set for a given class.

**Parameters**

- **value** (*ndarray*) – The new homogeneous matrix to set.
- **copy** (*bool*, optional) – If `False`, do not copy the `h_matrix`. Useful for performance.
- **skip\_checks** (*bool*, optional) – If `True`, skip checking. Useful for performance.

**Raises**`NotImplementedError` – If [`h\_matrix\_is\_mutable`](#) returns `False`.

**set\_rotation\_matrix** (*value*, *skip\_checks=False*)

Sets the rotation matrix.

**Parameters**

- **value** (`(n_dims, n_dims)` *ndarray*) – The new rotation matrix.
- **skip\_checks** (*bool*, optional) – If `True` avoid sanity checks on `value` for performance.

**set\_target** (*new\_target*)

Update this object so that it attempts to recreate the `new_target`.

**Parameters****new\_target** (*PointCloud*) – The new target that this object should try and regenerate.

**composes\_inplace\_with**  
*Rotation* can swallow composition with any other *Rotation*.

**composes\_with**  
Any Homogeneous can compose with any other Homogeneous.

**h\_matrix**  
The homogeneous matrix defining this transform.  
**Type**(n\_dims + 1, n\_dims + 1) *ndarray*

**h\_matrix\_is\_mutable**  
*h\_matrix* is not mutable.  
**Type**False

**has\_true\_inverse**  
The pseudoinverse is an exact inverse.  
**Type**True

**linear\_component**  
The linear component of this affine transform.  
**Type**(n\_dims, n\_dims) *ndarray*

**n\_dims**  
The number of dimensions of the *target*.  
**Type***int*

**n\_dims\_output**  
The output of the data from the transform.  
**Type***int*

**n\_points**  
The number of points on the *target*.  
**Type***int*

**rotation\_matrix**  
The rotation matrix.  
**Type**(n\_dims, n\_dims) *ndarray*

**source**  
The source *PointCloud* that is used in the alignment.  
The source is not mutable.  
**Type***PointCloud*

**target**  
The current *PointCloud* that this object produces.  
To change the target, use *set\_target()*.  
**Type***PointCloud*

**translation\_component**  
The translation component of this affine transform.  
**Type**(n\_dims, ) *ndarray*

## AlignmentTranslation

**class** menpo.transform.**AlignmentTranslation** (*source*, *target*)  
Bases: HomogFamilyAlignment, Translation

Constructs a *Translation* by finding the optimal translation transform to align *source* to *target*.

**Parameters**

- **source** (*PointCloud*) – The source pointcloud instance used in the alignment
- **target** (*PointCloud*) – The target pointcloud instance used in the alignment

**aligned\_source** ()

The result of applying *self* to *source*

**Type***PointCloud*

**alignment\_error** ()

The Frobenius Norm of the difference between the target and the aligned source.

**Type***float*

**apply** (*x*, *batch\_size=None*, *\*\*kwargs*)

Applies this transform to *x*.

If *x* is *Transformable*, *x* will be handed this transform object to transform itself non-destructively (a transformed copy of the object will be returned).

If not, *x* is assumed to be an *ndarray*. The transformation will be non-destructive, returning the transformed version.

Any *kwargs* will be passed to the specific transform *\_apply* () method.

**Parameters**

- **x** (*Transformable* or (*n\_points*, *n\_dims*) *ndarray*) – The array or object to be transformed.
- **batch\_size** (*int*, optional) – If not *None*, this determines how many items from the numpy array will be passed through the transform at a time. This is useful for operations that require large intermediate matrices to be computed.
- **kwargs** (*dict*) – Passed through to *\_apply* () .

**Returnstransformed** (*type (x)*) – The transformed object or array

**apply\_inplace** (*x*, *\*\*kwargs*)

Applies this transform to a *Transformable* *x* destructively.

Any *kwargs* will be passed to the specific transform *\_apply* () method.

**Parameters**

- **x** (*Transformable*) – The *Transformable* object to be transformed.
- **kwargs** (*dict*) – Passed through to *\_apply* () .

**Returnstransformed** (*type (x)*) – The transformed object

**as\_non\_alignment** ()

Returns a copy of this translation without its alignment nature.

**Returnstransform** (*Translation*) – A version of this transform with the same transform behavior but without the alignment logic.

**as\_vector** (*\*\*kwargs*)

Returns a flattened representation of the object as a single vector.

**Returnsvector** (*(N,)* *ndarray*) – The core representation of the object, flattened into a single vector. Note that this is always a view back on to the original object, but is not writable.

**compose\_after** (*transform*)

A *Transform* that represents **this** transform composed **after** the given transform:

```
c = a.compose_after(b)
c.apply(p) == a.apply(b.apply(p))
```

*a* and *b* are left unchanged.

This corresponds to the usual mathematical formalism for the compose operator,  $\circ$ .

An attempt is made to perform native composition, but will fall back to a *TransformChain* as a last resort. See *composes\_with* for a description of how the mode of composition is decided.

**Parameterstransform** (*Transform*) – Transform to be applied **before** self

**Returnstransform** (*Transform* or *TransformChain*) – If the composition was native, a single new *Transform* will be returned. If not, a *TransformChain* is returned instead.

**compose\_after\_inplace** (*transform*)

Update self so that it represents **this** transform composed **after** the given transform:

```
a_orig = a.copy()
a.compose_after_inplace(b)
a.apply(p) == a_orig.apply(b.apply(p))
```

a is permanently altered to be the result of the composition. b is left unchanged.

**Parameterstransform** (*composes\_inplace\_with*) – Transform to be applied **before** self

**RaisesValueError** – If transform isn't an instance of *composes\_inplace\_with*

**compose\_before** (*transform*)

A *Transform* that represents **this** transform composed **before** the given transform:

```
c = a.compose_before(b)
c.apply(p) == b.apply(a.apply(p))
```

a and b are left unchanged.

An attempt is made to perform native composition, but will fall back to a *TransformChain* as a last resort. See *composes\_with* for a description of how the mode of composition is decided.

**Parameterstransform** (*Transform*) – Transform to be applied **after** self

**Returnstransform** (*Transform* or *TransformChain*) – If the composition was native, a single new *Transform* will be returned. If not, a *TransformChain* is returned instead.

**compose\_before\_inplace** (*transform*)

Update self so that it represents **this** transform composed **before** the given transform:

```
a_orig = a.copy()
a.compose_before_inplace(b)
a.apply(p) == b.apply(a_orig.apply(p))
```

a is permanently altered to be the result of the composition. b is left unchanged.

**Parameterstransform** (*composes\_inplace\_with*) – Transform to be applied **after** self

**RaisesValueError** – If transform isn't an instance of *composes\_inplace\_with*

**copy** ()

Generate an efficient copy of this HomogFamilyAlignment.

**Returnsnew\_transform** (type(self)) – A copy of this object

**decompose** ()

A DiscreteAffine is already maximally decomposed - return a copy of self in a *list*.

**Returnstransform** (DiscreteAffine) – Deep copy of self.

**from\_vector** (*vector*)

Build a new instance of the object from its vectorized state.

`self` is used to fill out the missing state required to rebuild a full object from it's standardized flattened state. This is the default implementation, which is a `deepcopy` of the object followed by a call to `from_vector_inplace()`. This method can be overridden for a performance benefit if desired.

**Parameters**`vector` ((`n_parameters`,) `ndarray`) – Flattened representation of the object.

**Return**`transform` (`Homogeneous`) – An new instance of this class.

**from\_vector\_inplace** (`p`)

Updates the `Translation` inplace.

**Parameters**`vector` ((`n_dims`,) `ndarray`) – The array of parameters.

**has\_nan\_values** ()

Tests if the vectorized form of the object contains `nan` values or not. This is particularly useful for objects with unknown values that have been mapped to `nan` values.

**Return**`has_nan_values` (`bool`) – If the vectorized object contains `nan` values.

**init\_identity** (`n_dims`)

Creates an identity transform.

**Parameters**`n_dims` (`int`) – The number of dimensions.

**Return**`identity` (`Translation`) – The identity matrix transform.

**pseudoinverse** ()

The pseudoinverse of the transform - that is, the transform that results from swapping source and target, or more formally, negating the transforms parameters. If the transform has a true inverse this is returned instead.

**Return**`transform` (`type(self)`) – The inverse of this transform.

**pseudoinverse\_vector** (`vector`)

The vectorized pseudoinverse of a provided vector instance. Syntactic sugar for:

```
self.from_vector(vector).pseudoinverse().as_vector()
```

Can be much faster than the explicit call as object creation can be entirely avoided in some cases.

**Parameters**`vector` ((`n_parameters`,) `ndarray`) – A vectorized version of `self`

**Return**`pseudoinverse_vector` ((`n_parameters`,) `ndarray`) – The pseudoinverse of the vector provided

**set\_h\_matrix** (`value`, `copy=True`, `skip_checks=False`)

Updates `h_matrix`, optionally performing sanity checks.

Note that it won't always be possible to manually specify the `h_matrix` through this method, specifically if changing the `h_matrix` could change the nature of the transform. See `h_matrix_is_mutable` for how you can discover if the `h_matrix` is allowed to be set for a given class.

**Parameters**

• **value** (`ndarray`) – The new homogeneous matrix to set.

• **copy** (`bool`, optional) – If `False`, do not copy the `h_matrix`. Useful for performance.

• **skip\_checks** (`bool`, optional) – If `True`, skip checking. Useful for performance.

**Raises**`NotImplementedError` – If `h_matrix_is_mutable` returns `False`.

**set\_target** (`new_target`)

Update this object so that it attempts to recreate the `new_target`.

**Parameters**`new_target` (`PointCloud`) – The new target that this object should try and regenerate.

**composes\_inplace\_with**

`Affine` can swallow composition with any other `Affine`.

**composes\_with**

Any Homogeneous can compose with any other Homogeneous.

**h\_matrix**

The homogeneous matrix defining this transform.

**Type**(n\_dims + 1, n\_dims + 1) *ndarray*

**h\_matrix\_is\_mutable**

*h\_matrix* is not mutable.

**Type**False

**has\_true\_inverse**

The pseudoinverse is an exact inverse.

**Type**True

**linear\_component**

The linear component of this affine transform.

**Type**(n\_dims, n\_dims) *ndarray*

**n\_dims**

The number of dimensions of the *target*.

**Type***int*

**n\_dims\_output**

The output of the data from the transform.

**Type***int*

**n\_parameters**

The number of parameters: n\_dims

**Type***int*

**n\_points**

The number of points on the *target*.

**Type***int*

**source**

The source *PointCloud* that is used in the alignment.

The source is not mutable.

**Type***PointCloud*

**target**

The current *PointCloud* that this object produces.

To change the target, use *set\_target()*.

**Type***PointCloud*

**translation\_component**

The translation component of this affine transform.

**Type**(n\_dims, ) *ndarray*

## AlignmentUniformScale

**class** menpo.transform.**AlignmentUniformScale**(*source*, *target*)

Bases: HomogFamilyAlignment, UniformScale

Constructs a *UniformScale* by finding the optimal scale transform to align *source* to *target*.

**Parameters**

- **source** (*PointCloud*) – The source pointcloud instance used in the alignment
- **target** (*PointCloud*) – The target pointcloud instance used in the alignment

**aligned\_source()**

The result of applying `self` to `source`

Type `PointCloud`

**alignment\_error()**

The Frobenius Norm of the difference between the target and the aligned source.

Type `float`

**apply**(`x`, `batch_size=None`, `**kwargs`)

Applies this transform to `x`.

If `x` is `Transformable`, `x` will be handed this transform object to transform itself non-destructively (a transformed copy of the object will be returned).

If not, `x` is assumed to be an `ndarray`. The transformation will be non-destructive, returning the transformed version.

Any `kwargs` will be passed to the specific transform `_apply()` method.

**Parameters**

- **x** (`Transformable` or (`n_points`, `n_dims`) `ndarray`) – The array or object to be transformed.
- **batch\_size** (`int`, optional) – If not `None`, this determines how many items from the numpy array will be passed through the transform at a time. This is useful for operations that require large intermediate matrices to be computed.
- **kwargs** (`dict`) – Passed through to `_apply()`.

**Returnstransformed** (`type(x)`) – The transformed object or array

**apply\_inplace**(`x`, `**kwargs`)

Applies this transform to a `Transformable` `x` destructively.

Any `kwargs` will be passed to the specific transform `_apply()` method.

**Parameters**

- **x** (`Transformable`) – The `Transformable` object to be transformed.
- **kwargs** (`dict`) – Passed through to `_apply()`.

**Returnstransformed** (`type(x)`) – The transformed object

**as\_non\_alignment()**

Returns a copy of this uniform scale without it's alignment nature.

**Returnstransform** (`UniformScale`) – A version of this scale with the same transform behavior but without the alignment logic.

**as\_vector**(`**kwargs`)

Returns a flattened representation of the object as a single vector.

**Returnsvector** (`(N,)` `ndarray`) – The core representation of the object, flattened into a single vector. Note that this is always a view back on to the original object, but is not writable.

**compose\_after**(`transform`)

A `Transform` that represents **this** transform composed **after** the given transform:

```
c = a.compose_after(b)
c.apply(p) == a.apply(b.apply(p))
```

`a` and `b` are left unchanged.

This corresponds to the usual mathematical formalism for the compose operator,  $\circ$ .

An attempt is made to perform native composition, but will fall back to a `TransformChain` as a last resort. See `composes_with` for a description of how the mode of composition is decided.

**Parameterstransform** (`Transform`) – Transform to be applied **before** `self`



**Returnstransform** (*Transform* or *TransformChain*) – If the composition was native, a single new *Transform* will be returned. If not, a *TransformChain* is returned instead.

**compose\_after\_inplace** (*transform*)

Update self so that it represents **this** transform composed **after** the given transform:

```
a_orig = a.copy()
a.compose_after_inplace(b)
a.apply(p) == a_orig.apply(b.apply(p))
```

a is permanently altered to be the result of the composition. b is left unchanged.

**Parameterstransform** (*composes\_inplace\_with*) – Transform to be applied **before** self

**RaisesValueError** – If transform isn't an instance of *composes\_inplace\_with*

**compose\_before** (*transform*)

A *Transform* that represents **this** transform composed **before** the given transform:

```
c = a.compose_before(b)
c.apply(p) == b.apply(a.apply(p))
```

a and b are left unchanged.

An attempt is made to perform native composition, but will fall back to a *TransformChain* as a last resort. See *composes\_with* for a description of how the mode of composition is decided.

**Parameterstransform** (*Transform*) – Transform to be applied **after** self

**Returnstransform** (*Transform* or *TransformChain*) – If the composition was native, a single new *Transform* will be returned. If not, a *TransformChain* is returned instead.

**compose\_before\_inplace** (*transform*)

Update self so that it represents **this** transform composed **before** the given transform:

```
a_orig = a.copy()
a.compose_before_inplace(b)
a.apply(p) == b.apply(a_orig.apply(p))
```

a is permanently altered to be the result of the composition. b is left unchanged.

**Parameterstransform** (*composes\_inplace\_with*) – Transform to be applied **after** self

**RaisesValueError** – If transform isn't an instance of *composes\_inplace\_with*

**copy** ()

Generate an efficient copy of this HomogFamilyAlignment.

**Returnsnew\_transform** (*type(self)*) – A copy of this object

**decompose** ()

A DiscreteAffine is already maximally decomposed - return a copy of self in a *list*.

**Returnstransform** (*DiscreteAffine*) – Deep copy of *self*.

**from\_vector** (*vector*)

Build a new instance of the object from its vectorized state.

*self* is used to fill out the missing state required to rebuild a full object from it's standardized flattened state. This is the default implementation, which is a *deepcopy* of the object followed by a call to *from\_vector\_inplace* (). This method can be overridden for a performance benefit if desired.

**Parametersvector** (*(n\_parameters, ndarray)*) – Flattened representation of the object.

**Returnstransform** (*Homogeneous*) – An new instance of this class.

**from\_vector\_inplace** (*p*)

Returns an instance of the transform from the given parameters, expected to be in Fortran ordering.

**Parameters** *sp* (*float*) – The parameter

**has\_nan\_values** ()

Tests if the vectorized form of the object contains `nan` values or not. This is particularly useful for objects with unknown values that have been mapped to `nan` values.

**Returnshas\_nan\_values** (*bool*) – If the vectorized object contains `nan` values.

**init\_identity** (*n\_dims*)

Creates an identity transform.

**Parameters** *n\_dims* (*int*) – The number of dimensions.

**Returnsidentity** (*UniformScale*) – The identity matrix transform.

**pseudoinverse** ()

The pseudoinverse of the transform - that is, the transform that results from swapping source and target, or more formally, negating the transforms parameters. If the transform has a true inverse this is returned instead.

**Returnstransform** (`type(self)`) – The inverse of this transform.

**pseudoinverse\_vector** (*vector*)

The vectorized pseudoinverse of a provided vector instance. Syntactic sugar for:

```
self.from_vector(vector).pseudoinverse().as_vector()
```

Can be much faster than the explicit call as object creation can be entirely avoided in some cases.

**Parameters** *vector* (*ndarray*) – A vectorized version of `self`

**Returnspseudoinverse\_vector** (*ndarray*) – The pseudoinverse of the vector provided

**set\_h\_matrix** (*value*, *copy=True*, *skip\_checks=False*)

Updates `h_matrix`, optionally performing sanity checks.

Note that it won't always be possible to manually specify the `h_matrix` through this method, specifically if changing the `h_matrix` could change the nature of the transform. See [h\\_matrix\\_is\\_mutable](#) for how you can discover if the `h_matrix` is allowed to be set for a given class.

**Parameters**

• **value** (*ndarray*) – The new homogeneous matrix to set.

• **copy** (*bool*, optional) – If `False`, do not copy the `h_matrix`. Useful for performance.

• **skip\_checks** (*bool*, optional) – If `True`, skip checking. Useful for performance.

**Raises** `NotImplementedError` – If [h\\_matrix\\_is\\_mutable](#) returns `False`.

**set\_target** (*new\_target*)

Update this object so that it attempts to recreate the `new_target`.

**Parameters** *new\_target* (*PointCloud*) – The new target that this object should try and regenerate.

**composes\_inplace\_with**

*UniformScale* can swallow composition with any other *UniformScale*.

**composes\_with**

Any *Homogeneous* can compose with any other *Homogeneous*.

**h\_matrix**

The homogeneous matrix defining this transform.

**Type**(n\_dims + 1, n\_dims + 1) *ndarray*

**h\_matrix\_is\_mutable**  
h\_matrix is not mutable.  
**Type**False

**has\_true\_inverse**  
The pseudoinverse is an exact inverse.  
**Type**True

**linear\_component**  
The linear component of this affine transform.  
**Type**(n\_dims, n\_dims) *ndarray*

**n\_dims**  
The number of dimensions of the *target*.  
**Type***int*

**n\_dims\_output**  
The output of the data from the transform.  
**Type***int*

**n\_parameters**  
The number of parameters: 1  
**Type***int*

**n\_points**  
The number of points on the *target*.  
**Type***int*

**scale**  
The single scale value.  
**Type***float*

**source**  
The source *PointCloud* that is used in the alignment.  
The source is not mutable.  
**Type***PointCloud*

**target**  
The current *PointCloud* that this object produces.  
To change the target, use *set\_target()*.  
**Type***PointCloud*

**translation\_component**  
The translation component of this affine transform.  
**Type**(n\_dims, ) *ndarray*

## 2.9.3 Group Alignments

### GeneralizedProcrustesAnalysis

**class** menpo.transform.**GeneralizedProcrustesAnalysis**(sources, target=None)  
Bases: *MultipleAlignment*  
Class for aligning multiple source shapes between them.

After construction, the *AlignmentSimilarity* transforms used to map each *source* optimally to the *target* can be found at *transforms*.

**Parameters**

- **sources** (list of *PointCloud*) – List of pointclouds to be aligned.
- **target** (*PointCloud*, optional) – The target *PointCloud* to align each source to. If None, then the mean of the sources is used.

**Raises** *ValueError* – Need at least two sources to align

**mean\_aligned\_shape** ()

Returns the mean of the aligned shapes.

**Type** *PointCloud*

**mean\_alignment\_error** ()

Returns the average error of the recursive procrustes alignment.

**Type** *float*

## 2.9.4 Composite Transforms

### TransformChain

**class** `menpo.transform.TransformChain(transforms)`

Bases: *ComposableTransform*

A chain of transforms that can be efficiently applied one after the other.

This class is the natural product of composition. Note that objects may know how to compose themselves more efficiently - such objects implement the *ComposableTransform* or *VComposable* interfaces.

**Parameter** **transforms** (list of *Transform*) – The list of transforms to be applied. Note that the first transform will be applied first - the result of which is fed into the second transform and so on until the chain is exhausted.

**apply** (*x*, *batch\_size=None*, *\*\*kwargs*)

Applies this transform to *x*.

If *x* is *Transformable*, *x* will be handed this transform object to transform itself non-destructively (a transformed copy of the object will be returned).

If not, *x* is assumed to be an *ndarray*. The transformation will be non-destructive, returning the transformed version.

Any *kwargs* will be passed to the specific transform *\_apply*() method.

**Parameters**

- **x** (*Transformable* or (*n\_points*, *n\_dims*) *ndarray*) – The array or object to be transformed.
- **batch\_size** (*int*, optional) – If not None, this determines how many items from the numpy array will be passed through the transform at a time. This is useful for operations that require large intermediate matrices to be computed.
- **kwargs** (*dict*) – Passed through to *\_apply*() .

**Return** *transformed* (*type(x)*) – The transformed object or array

**apply\_inplace** (*x*, *\*\*kwargs*)

Applies this transform to a *Transformable* *x* destructively.

Any *kwargs* will be passed to the specific transform *\_apply*() method.

**Parameters**

- **x** (*Transformable*) – The *Transformable* object to be transformed.
- **kwargs** (*dict*) – Passed through to *\_apply*() .

**Return** *transformed* (*type(x)*) – The transformed object

**compose\_after** (*transform*)

A *Transform* that represents **this** transform composed **after** the given transform:

```
c = a.compose_after(b)
c.apply(p) == a.apply(b.apply(p))
```

a and b are left unchanged.

This corresponds to the usual mathematical formalism for the compose operator,  $\circ$ .

An attempt is made to perform native composition, but will fall back to a *TransformChain* as a last resort. See *composes\_with* for a description of how the mode of composition is decided.

**Parametersttransform** (*Transform*) – Transform to be applied **before** self

**Returnstransform** (*Transform* or *TransformChain*) – If the composition was native, a single new *Transform* will be returned. If not, a *TransformChain* is returned instead.

**compose\_after\_inplace** (*transform*)

Update self so that it represents **this** transform composed **after** the given transform:

```
a_orig = a.copy()
a.compose_after_inplace(b)
a.apply(p) == a_orig.apply(b.apply(p))
```

a is permanently altered to be the result of the composition. b is left unchanged.

**Parametersttransform** (*composes\_inplace\_with*) – Transform to be applied **before** self

**Raises**ValueError – If transform isn't an instance of *composes\_inplace\_with*

**compose\_before** (*transform*)

A *Transform* that represents **this** transform composed **before** the given transform:

```
c = a.compose_before(b)
c.apply(p) == b.apply(a.apply(p))
```

a and b are left unchanged.

An attempt is made to perform native composition, but will fall back to a *TransformChain* as a last resort. See *composes\_with* for a description of how the mode of composition is decided.

**Parametersttransform** (*Transform*) – Transform to be applied **after** self

**Returnstransform** (*Transform* or *TransformChain*) – If the composition was native, a single new *Transform* will be returned. If not, a *TransformChain* is returned instead.

**compose\_before\_inplace** (*transform*)

Update self so that it represents **this** transform composed **before** the given transform:

```
a_orig = a.copy()
a.compose_before_inplace(b)
a.apply(p) == b.apply(a_orig.apply(p))
```

a is permanently altered to be the result of the composition. b is left unchanged.

**Parametersttransform** (*composes\_inplace\_with*) – Transform to be applied **after** self

**Raises**ValueError – If transform isn't an instance of *composes\_inplace\_with*

**copy()**

Generate an efficient copy of this object.

Note that Numpy arrays and other *Copyable* objects on `self` will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).

Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Return** `type(self)` – A copy of this object

**composes\_inplace\_with**

The *Transform*s that this transform composes inplace with **natively** (i.e. no *TransformChain* will be produced).

An attempt to compose inplace against any type that is not an instance of this property on this class will result in an *Exception*.

**Type** *Transform* or *tuple* of *Transform*s

**composes\_with**

The *Transform*s that this transform composes with **natively** (i.e. no *TransformChain* will be produced).

If native composition is not possible, falls back to producing a *TransformChain*.

By default, this is the same list as *composes\_inplace\_with*.

**Type** *Transform* or *tuple* of *Transform*s

**n\_dims**

The dimensionality of the data the transform operates on.

None if the transform is not dimension specific.

**Type** *int* or None

**n\_dims\_output**

The output of the data from the transform.

None if the output of the transform is not dimension specific.

**Type** *int* or None

## 2.9.5 Radial Basis Functions

### R2LogR2RBF

**class** `menpo.transform.R2LogR2RBF(c)`

**Bases:** *RadialBasisFunction*

The  $r^2 \log r^2$  basis function.

The derivative of this function is  $2r(\log r^2 + 1)$ .

---

**Note:**  $r = \|x - c\|$

---

**Parameters** `((n_centres, n_dims) ndarray)` – The set of centers that make the basis. Usually represents a set of source landmarks.

**apply** `(x, batch_size=None, **kwargs)`

Applies this transform to `x`.

If `x` is *Transformable*, `x` will be handed this transform object to transform itself non-destructively (a transformed copy of the object will be returned).

If not, `x` is assumed to be an `ndarray`. The transformation will be non-destructive, returning the transformed version.

Any `kwargs` will be passed to the specific `transform._apply()` method.

#### Parameters

- **x** (`Transformable` or `(n_points, n_dims) ndarray`) – The array or object to be transformed.
- **batch\_size** (`int`, optional) – If not `None`, this determines how many items from the numpy array will be passed through the transform at a time. This is useful for operations that require large intermediate matrices to be computed.
- **kwargs** (`dict`) – Passed through to `_apply()`.

**Returnstransformed** (`type(x)`) – The transformed object or array

**apply\_inplace** (`x, **kwargs`)

Applies this transform to a `Transformable` `x` destructively.

Any `kwargs` will be passed to the specific `transform._apply()` method.

#### Parameters

- **x** (`Transformable`) – The `Transformable` object to be transformed.
- **kwargs** (`dict`) – Passed through to `_apply()`.

**Returnstransformed** (`type(x)`) – The transformed object

**compose\_after** (`transform`)

Returns a `TransformChain` that represents **this** transform composed **after** the given transform:

```
c = a.compose_after(b)
c.apply(p) == a.apply(b.apply(p))
```

`a` and `b` are left unchanged.

This corresponds to the usual mathematical formalism for the compose operator,  $\circ$ .

**Parameterstransform** (`Transform`) – Transform to be applied **before** self

**Returnstransform** (`TransformChain`) – The resulting transform chain.

**compose\_before** (`transform`)

Returns a `TransformChain` that represents **this** transform composed **before** the given transform:

```
c = a.compose_before(b)
c.apply(p) == b.apply(a.apply(p))
```

`a` and `b` are left unchanged.

**Parameterstransform** (`Transform`) – Transform to be applied **after** self

**Returnstransform** (`TransformChain`) – The resulting transform chain.

**copy** ()

Generate an efficient copy of this object.

Note that Numpy arrays and other `Copyable` objects on `self` will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).

Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Returnstype** (`self`) – A copy of this object

**n\_centres**

The number of centres.

**Type**`int`

**n\_dims**

The RBF can only be applied on points with the same dimensionality as the centres.

**Type***int*

**n\_dims\_output**

The result of the transform has a dimension (weight) for every centre.

**Type***int*

## R2LogRRBF

**class** `menpo.transform.R2LogRRBF(c)`

Bases: `RadialBasisFunction`

Calculates the  $r^2 \log r$  basis function.

The derivative of this function is  $r(1 + 2 \log r)$ .

---

**Note:**  $r = \|x - c\|$

---

**Parameters** `((n_centres, n_dims) ndarray)` – The set of centers that make the basis. Usually represents a set of source landmarks.

**apply** `(x, batch_size=None, **kwargs)`

Applies this transform to `x`.

If `x` is `Transformable`, `x` will be handed this transform object to transform itself non-destructively (a transformed copy of the object will be returned).

If not, `x` is assumed to be an `ndarray`. The transformation will be non-destructive, returning the transformed version.

Any `kwargs` will be passed to the specific `transform_apply()` method.

**Parameters**

- **x** (`Transformable` or `(n_points, n_dims) ndarray`) – The array or object to be transformed.
- **batch\_size** (`int`, optional) – If not `None`, this determines how many items from the numpy array will be passed through the transform at a time. This is useful for operations that require large intermediate matrices to be computed.
- **kwargs** (`dict`) – Passed through to `_apply()`.

**Return**`transformed` (`type(x)`) – The transformed object or array

**apply\_inplace** `(x, **kwargs)`

Applies this transform to a `Transformable` `x` destructively.

Any `kwargs` will be passed to the specific `transform_apply()` method.

**Parameters**

- **x** (`Transformable`) – The `Transformable` object to be transformed.
- **kwargs** (`dict`) – Passed through to `_apply()`.

**Return**`transformed` (`type(x)`) – The transformed object

**compose\_after** `(transform)`

Returns a `TransformChain` that represents **this** transform composed **after** the given transform:

```
c = a.compose_after(b)
c.apply(p) == a.apply(b.apply(p))
```

`a` and `b` are left unchanged.

This corresponds to the usual mathematical formalism for the compose operator,  $\circ$ .

**Parameter**`transform` (`Transform`) – Transform to be applied **before** self

**Return**`transform` (`TransformChain`) – The resulting transform chain.



**compose\_before** (*transform*)

Returns a *TransformChain* that represents **this** transform composed **before** the given transform:

```
c = a.compose_before(b)
c.apply(p) == b.apply(a.apply(p))
```

*a* and *b* are left unchanged.

**Parameter***transform* (*Transform*) – Transform to be applied **after** self

**Return***transform* (*TransformChain*) – The resulting transform chain.

**copy** ()

Generate an efficient copy of this object.

Note that Numpy arrays and other *Copyable* objects on *self* will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).

Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Return***type* (*self*) – A copy of this object

**n\_centres**

The number of centres.

**Type***int*

**n\_dims**

The RBF can only be applied on points with the same dimensionality as the centres.

**Type***int*

**n\_dims\_output**

The result of the transform has a dimension (weight) for every centre.

**Type***int*

## 2.9.6 Abstract Bases

### Transform

**class** *menpo.transform.Transform*

Bases: *Copyable*

Abstract representation of any spatial transform.

Provides a unified interface to apply the transform with *apply\_inplace()* and *apply()*.

All Transforms support basic composition to form a *TransformChain*.

There are two useful forms of composition. Firstly, the mathematical composition symbol *o* has the following definition:

```
Let a(x) and b(x) be two transforms on x.
(a o b)(x) == a(b(x))
```

This functionality is provided by the *compose\_after()* family of methods:

```
(a.compose_after(b)).apply(x) == a.apply(b.apply(x))
```

Equally useful is an inversion the order of composition - so that over time a large chain of transforms can be built to do a useful job, and composing on this chain adds another transform to the end (after all other preceding transforms have been performed).

For instance, let's say we want to rescale a `PointCloud` `p` around its mean, and then translate it some place else. It would be nice to be able to do something like:

```
t = Translation(-p.centre) # translate to centre
s = Scale(2.0) # rescale
move = Translate([10, 0, 0]) # budge along the x axis
t.compose(s).compose(-t).compose(move)
```

In Menpo, this functionality is provided by the `compose_before()` family of methods:

```
(a.compose_before(b)).apply(x) == b.apply(a.apply(x))
```

For native composition, see the `ComposableTransform` subclass and the `VComposable` mix-in.

For inversion, see the `Invertible` and `VInvertible` mix-ins.

For alignment, see the `Alignment` mix-in.

**apply** (*x*, *batch\_size=None*, *\*\*kwargs*)

Applies this transform to *x*.

If *x* is `Transformable`, *x* will be handed this transform object to transform itself non-destructively (a transformed copy of the object will be returned).

If not, *x* is assumed to be an `ndarray`. The transformation will be non-destructive, returning the transformed version.

Any *kwargs* will be passed to the specific transform `_apply()` method.

**Parameters**

- **x** (`Transformable` or (*n\_points*, *n\_dims*) `ndarray`) – The array or object to be transformed.
- **batch\_size** (*int*, optional) – If not `None`, this determines how many items from the numpy array will be passed through the transform at a time. This is useful for operations that require large intermediate matrices to be computed.
- **kwargs** (*dict*) – Passed through to `_apply()`.

**Returnstransformed** (`type(x)`) – The transformed object or array

**apply\_inplace** (*x*, *\*\*kwargs*)

Applies this transform to a `Transformable` *x* destructively.

Any *kwargs* will be passed to the specific transform `_apply()` method.

**Parameters**

- **x** (`Transformable`) – The `Transformable` object to be transformed.
- **kwargs** (*dict*) – Passed through to `_apply()`.

**Returnstransformed** (`type(x)`) – The transformed object

**compose\_after** (*transform*)

Returns a `TransformChain` that represents **this** transform composed **after** the given transform:

```
c = a.compose_after(b)
c.apply(p) == a.apply(b.apply(p))
```

*a* and *b* are left unchanged.

This corresponds to the usual mathematical formalism for the compose operator, *o*.

**Parameterstransform** (`Transform`) – Transform to be applied **before** self

**Returnstransform** (`TransformChain`) – The resulting transform chain.

**compose\_before** (*transform*)

Returns a `TransformChain` that represents **this** transform composed **before** the given transform:

```
c = a.compose_before(b)
c.apply(p) == b.apply(a.apply(p))
```

`a` and `b` are left unchanged.

**Parameter**`stransform` (*Transform*) – Transform to be applied **after** self

**Return**`stransform` (*TransformChain*) – The resulting transform chain.

**copy** ()

Generate an efficient copy of this object.

Note that Numpy arrays and other *Copyable* objects on `self` will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).

Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Return**`type` (`self`) – A copy of this object

**n\_dims**

The dimensionality of the data the transform operates on.

`None` if the transform is not dimension specific.

**Type***int* or `None`

**n\_dims\_output**

The output of the data from the transform.

`None` if the output of the transform is not dimension specific.

**Type***int* or `None`

## Transformable

**class** `menpo.transform.base.Transformable`

Bases: *Copyable*

Interface for objects that know how to be transformed by the *Transform* interface.

When `Transform.apply_inplace` is called on an object, the `_transform_inplace()` method is called, passing in the transforms' `_apply()` function.

This allows for the object to define how it should transform itself.

**\_transform\_inplace** (*transform*)

Apply the given transform function to `self` inplace.

**Parameter**`stransform` (*function*) – Function that applies a transformation to the transformable object.

**Return**`stransformed` (`type` (`self`)) – The transformed object, having been transformed in place.

**copy** ()

Generate an efficient copy of this object.

Note that Numpy arrays and other *Copyable* objects on `self` will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).

Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Return**`type` (`self`) – A copy of this object

## ComposableTransform

`class menpo.transform.base.composable.ComposableTransform`

Bases: `Transform`

*Transform* subclass that enables native composition, such that the behavior of multiple *Transform*s is composed together in a natural way.

`_compose_after_inplace(transform)`

Specialised inplace composition. This should be overridden to provide specific cases of composition as defined in *composes\_inplace\_with*.

**Parameterstransform**(*composes\_inplace\_with*) – Transform to be applied **before** self

`_compose_before_inplace(transform)`

Specialised inplace composition. This should be overridden to provide specific cases of composition as defined in *composes\_inplace\_with*.

**Parameterstransform**(*composes\_inplace\_with*) – Transform to be applied **after** self

`apply(x, batch_size=None, **kwargs)`

Applies this transform to *x*.

If *x* is *Transformable*, *x* will be handed this transform object to transform itself non-destructively (a transformed copy of the object will be returned).

If not, *x* is assumed to be an *ndarray*. The transformation will be non-destructive, returning the transformed version.

Any *kwargs* will be passed to the specific transform `_apply()` method.

### Parameters

- **x** (*Transformable* or (*n\_points*, *n\_dims*) *ndarray*) – The array or object to be transformed.
- **batch\_size** (*int*, optional) – If not *None*, this determines how many items from the numpy array will be passed through the transform at a time. This is useful for operations that require large intermediate matrices to be computed.
- **kwargs** (*dict*) – Passed through to `_apply()`.

**Returnstransformed** (*type(x)*) – The transformed object or array

`apply_inplace(x, **kwargs)`

Applies this transform to a *Transformable* *x* destructively.

Any *kwargs* will be passed to the specific transform `_apply()` method.

### Parameters

- **x** (*Transformable*) – The *Transformable* object to be transformed.
- **kwargs** (*dict*) – Passed through to `_apply()`.

**Returnstransformed** (*type(x)*) – The transformed object

`compose_after(transform)`

A *Transform* that represents **this** transform composed **after** the given transform:

```
c = a.compose_after(b)
c.apply(p) == a.apply(b.apply(p))
```

*a* and *b* are left unchanged.

This corresponds to the usual mathematical formalism for the compose operator,  $\circ$ .

An attempt is made to perform native composition, but will fall back to a *TransformChain* as a last resort. See *composes\_with* for a description of how the mode of composition is decided.

**Parameterstransform** (*Transform*) – Transform to be applied **before** `self`

**Returnstransform** (*Transform* or *TransformChain*) – If the composition was native, a single new *Transform* will be returned. If not, a *TransformChain* is returned instead.

**compose\_after\_inplace** (*transform*)

Update `self` so that it represents **this** transform composed **after** the given transform:

```
a_orig = a.copy()
a.compose_after_inplace(b)
a.apply(p) == a_orig.apply(b.apply(p))
```

`a` is permanently altered to be the result of the composition. `b` is left unchanged.

**Parameterstransform** (*composes\_inplace\_with*) – Transform to be applied **before** `self`

**RaisesValueError** – If `transform` isn't an instance of *composes\_inplace\_with*

**compose\_before** (*transform*)

A *Transform* that represents **this** transform composed **before** the given transform:

```
c = a.compose_before(b)
c.apply(p) == b.apply(a.apply(p))
```

`a` and `b` are left unchanged.

An attempt is made to perform native composition, but will fall back to a *TransformChain* as a last resort. See *composes\_with* for a description of how the mode of composition is decided.

**Parameterstransform** (*Transform*) – Transform to be applied **after** `self`

**Returnstransform** (*Transform* or *TransformChain*) – If the composition was native, a single new *Transform* will be returned. If not, a *TransformChain* is returned instead.

**compose\_before\_inplace** (*transform*)

Update `self` so that it represents **this** transform composed **before** the given transform:

```
a_orig = a.copy()
a.compose_before_inplace(b)
a.apply(p) == b.apply(a_orig.apply(p))
```

`a` is permanently altered to be the result of the composition. `b` is left unchanged.

**Parameterstransform** (*composes\_inplace\_with*) – Transform to be applied **after** `self`

**RaisesValueError** – If `transform` isn't an instance of *composes\_inplace\_with*

**copy** ()

Generate an efficient copy of this object.

Note that Numpy arrays and other *Copyable* objects on `self` will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).

Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Returnstype** (`self`) – A copy of this object

**composes\_inplace\_with**

The *Transform*s that this transform composes inplace with **natively** (i.e. no *TransformChain* will be produced).

An attempt to compose inplace against any type that is not an instance of this property on this class will result in an *Exception*.

Type *Transform* or tuple of *Transform*s

#### **composes\_with**

The *Transform*s that this transform composes with **natively** (i.e. no *TransformChain* will be produced).

If native composition is not possible, falls back to producing a *TransformChain*.

By default, this is the same list as *composes\_inplace\_with*.

Type *Transform* or tuple of *Transform*s

#### **n\_dims**

The dimensionality of the data the transform operates on.

None if the transform is not dimension specific.

Type *int* or None

#### **n\_dims\_output**

The output of the data from the transform.

None if the output of the transform is not dimension specific.

Type *int* or None

## Invertible

**class** `menpo.transform.base.invertible.Invertible`

Bases: `object`

Mix-in for invertible transforms. Provides an interface for taking the *pseudo* or true inverse of a transform.

Has to be implemented in conjunction with *Transform*.

#### **pseudoinverse()**

The pseudoinverse of the transform - that is, the transform that results from swapping *source* and *target*, or more formally, negating the transforms parameters. If the transform has a true inverse this is returned instead.

Type `type(self)`

#### **has\_true\_inverse**

True if the pseudoinverse is an exact inverse.

Type *bool*

## Alignment

**class** `menpo.transform.base.alignment.Alignment` (*source*, *target*)

Bases: *Targetable*, *Viewable*

Mix-in for *Transform* that have been constructed from an optimisation aligning a source *PointCloud* to a target *PointCloud*.

This is naturally an extension of the *Targetable* interface - we just augment *Targetable* with the concept of a source, and related methods to construct alignments between a source and a target.

Note that to inherit from *Alignment*, you have to be a *Transform* subclass first.

#### **Parameters**

- **source** (*PointCloud*) – A *PointCloud* that the alignment will be based from
- **target** (*PointCloud*) – A *PointCloud* that the alignment is targeted towards

**aligned\_source()**

The result of applying `self` to *source*

**Type***PointCloud*

**alignment\_error()**

The Frobenius Norm of the difference between the target and the aligned source.

**Type***float*

**copy()**

Generate an efficient copy of this object.

Note that Numpy arrays and other *Copyable* objects on `self` will be deeply copied. Dictionaries and sets will be shallow copied, and everything else will be assigned (no copy will be made).

Classes that store state other than numpy arrays and immutable types should overwrite this method to ensure all state is copied.

**Returns**`type(self)` – A copy of this object

**set\_target(new\_target)**

Update this object so that it attempts to recreate the `new_target`.

**Parameters**`new_target` (*PointCloud*) – The new target that this object should try and regenerate.

**n\_dims**

The number of dimensions of the *target*.

**Type***int*

**n\_points**

The number of points on the *target*.

**Type***int*

**source**

The source *PointCloud* that is used in the alignment.

The source is not mutable.

**Type***PointCloud*

**target**

The current *PointCloud* that this object produces.

To change the target, use `set_target()`.

**Type***PointCloud*

## MultipleAlignment

**class** `menpo.transform.groupalign.base.MultipleAlignment` (*sources*, *target=None*)

Bases: `object`

Abstract base class for aligning multiple *source* shapes to a *target* shape.

**Parameters**

- **sources** (*list* of *PointCloud*) – List of pointclouds to be aligned.
- **target** (*PointCloud*, optional) – The target *PointCloud* to align each source to. If `None`, then the mean of the sources is used.

**Raises**`ValueError` – Need at least two sources to align

## DiscreteAffine

**class** `menpo.transform.homogeneous.affine.DiscreteAffine`

Bases: `object`

A discrete Affine transform operation (such as a `Scale()`, `Translation` or `Rotation()`). Has to be invertible. Make sure you inherit from `DiscreteAffine` first, for optimal `decompose()` behavior.

**`decompose()`**

A `DiscreteAffine` is already maximally decomposed - return a copy of self in a *list*.

**`Returnstransform (DiscreteAffine)`** – Deep copy of *self*.

## 2.9.7 Performance Specializations

Mix-ins that provide fast vectorized variants of methods.

### VComposable

**class** `menpo.transform.base.composable.VComposable`

Bases: `object`

Mix-in for `Vectorizable` `ComposableTransforms`.

Use this mix-in with `ComposableTransform` if the `ComposableTransform` in question is `Vectorizable` as this adds `from_vector()` variants to the `ComposableTransform` interface.

These can be tuned for performance.

**`compose_after_from_vector_inplace (vector)`**

Specialised inplace composition with a vector. This should be overridden to provide specific cases of composition whereby the current state of the transform can be derived purely from the provided vector.

**`Parametersvector ((n_parameters,) ndarray)`** – Vector to update the transform state with.

### VInvertible

**class** `menpo.transform.base.invertible.VInvertible`

Bases: `Invertible`

Mix-in for `Vectorizable` `Invertible Transform`s.

Prefer this mix-in over `Invertible` if the `Transform` in question is `Vectorizable` as this adds `from_vector()` variants to the `Invertible` interface. These can be tuned for performance, and are, for instance, needed by some of the machinery of `fit`.

**`pseudoinverse()`**

The pseudoinverse of the transform - that is, the transform that results from swapping *source* and *target*, or more formally, negating the transforms parameters. If the transform has a true inverse this is returned instead.

**`Typetype (self)`**

**`pseudoinverse_vector (vector)`**

The vectorized pseudoinverse of a provided vector instance. Syntactic sugar for:

```
self.from_vector(vector).pseudoinverse().as_vector()
```

Can be much faster than the explicit call as object creation can be entirely avoided in some cases.

**`Parametersvector ((n_parameters,) ndarray)`** – A vectorized version of *self*

**`Returns`****`pseudoinverse_vector ((n_parameters,) ndarray)`** – The pseudoinverse of the vector provided



**has\_true\_inverse**

True if the pseudoinverse is an exact inverse.

Type: *bool*

## 2.10 menpo.visualize

### 2.10.1 Abstract Classes

#### Renderer

**class** `menpo.visualize.Renderer` (*figure\_id*, *new\_figure*)

Bases: `object`

Abstract class for rendering visualizations. Framework specific implementations of these classes are made in order to separate implementation cleanly from the rest of the code.

It is assumed that the renderers follow some form of stateful pattern for rendering to Figures. Therefore, the major interface for rendering involves providing a *figure\_id* or a *bool* about whether a new figure should be used. If neither are provided then the default state of the rendering engine is assumed to be maintained.

Providing both a *figure\_id* and *new\_figure == True* is not a valid state.

#### Parameters

- **figure\_id** (*object*) – A figure id. Could be any valid object that identifies a figure in a given framework (*str*, *int*, *float*, etc.).

- **new\_figure** (*bool*) – Whether the rendering engine should create a new figure.

**Raises** `ValueError` – It is not valid to provide a figure id AND request a new figure to be rendered on.

**get\_figure** ()

Abstract method for getting the correct figure to render on. Should also set the correct *figure\_id* for the figure.

**Returns** *figure* (*object*) – The figure object that the renderer will render on.

**render** (*\*\*kwargs*)

Abstract method to be overridden by the renderer. This will implement the actual rendering code for a given object class.

**Parameters** *kwargs* (*dict*) – Passed through to specific rendering engine.

**Returns** *viewer* (*Renderer*) – Pointer to *self*.

**save\_figure** (*\*\*kwargs*)

Abstract method for saving the figure of the current *figure\_id* to file. It will implement the actual saving code for a given object class.

**Parameters** *kwargs* (*dict*) – Options to be set when saving the figure to file.

#### Viewable

**class** `menpo.visualize.Viewable`

Bases: `object`

Abstract interface for objects that can visualize themselves. This assumes that the class has dimensionality as the *view* method checks the *n\_dims* property to wire up the correct view method.

## LandmarkableViewable

**class** menpo.visualize.LandmarkableViewable

Bases: object

Mixin for *Landmarkable* and *Viewable* objects. Provides a single helper method for viewing Landmarks and *self* on the same figure.

## MatplotlibRenderer

**class** menpo.visualize.MatplotlibRenderer (*figure\_id*, *new\_figure*)

Bases: Renderer

Abstract class for rendering visualizations using Matplotlib.

### Parameters

- **figure\_id** (*int* or *None*) – A figure id or *None*. *None* assumes we maintain the Matplotlib state machine and use *plt.gcf()*.
- **new\_figure** (*bool*) – If *True*, it creates a new figure to render on.

**get\_figure** ()

Gets the figure specified by the combination of *self.figure\_id* and *self.new\_figure*. If *self.figure\_id == None* then *plt.gcf()* is used. *self.figure\_id* is also set to the correct id of the figure if a new figure is created.

**Returnsfigure** (*Matplotlib figure object*) – The figure we will be rendering on.

**render** (*\*\*kwargs*)

Abstract method to be overridden by the renderer. This will implement the actual rendering code for a given object class.

**Parameterskwargs** (*dict*) – Passed through to specific rendering engine.

**Returnsviewer** (*Renderer*) – Pointer to *self*.

**save\_figure** (*filename*, *format='png'*, *dpi=None*, *face\_colour='w'*, *edge\_colour='w'*, *orientation='portrait'*, *paper\_type='letter'*, *transparent=False*, *pad\_inches=0.1*, *overwrite=False*)

Method for saving the figure of the current *figure\_id* to file.

### Parameters

- **filename** (*str* or *file-like object*) – The string path or file-like object to save the figure at/into.
- **format** (*str*) – The format to use. This must match the file path if the file path is a *str*.
- **dpi** (*int > 0* or *None*, optional) – The resolution in dots per inch.
- **face\_colour** (*See Below, optional*) – The face colour of the figure rectangle.  
Example options

```
{`r`, `g`, `b`, `c`, `m`, `k`, `w`}
or
`(3, )` `ndarray`
or
`list` of len 3
```

- **edge\_colour** (*See Below, optional*) – The edge colour of the figure rectangle.  
Example options

```
{`r`, `g`, `b`, `c`, `m`, `k`, `w`}
or
`(3, )` `ndarray`
or
`list` of len 3
```

- **orientation** ({portrait, landscape}, optional) – The page orientation.
- **paper\_type** (*See Below, optional*) – The type of the paper. Example options

```
{`letter`, `legal`, `executive`, `ledger`,
 `a0` through `a10`, `b0` through `b10`}
```

- **transparent** (*bool*, optional) – If `True`, the axes patches will all be transparent; the figure patch will also be transparent unless *face\_colour* and/or *edge\_colour* are specified. This is useful, for example, for displaying a plot on top of a coloured background on a web page. The transparency of these patches will be restored to their original values upon exit of this function.
- **pad\_inches** (*float*, optional) – Amount of padding around the figure.
- **overwrite** (*bool*, optional) – If `True`, the file will be overwritten if it already exists.

#### **save\_figure\_widget()**

Method for saving the figure of the current `figure_id` to file using `menpo.visualize.widgets.base.save_matplotlib_figure()` widget.

## 2.10.2 Widgets

### visualize\_images

`menpo.visualize.visualize_images(images, figure_size=(10, 8), style='coloured', browser_style='buttons')`

Widget that allows browsing through a *list* of *Image* (or subclass) objects.

The images can have a combination of different attributes, e.g. masked or not, landmarked or not, without multiple landmark groups and labels etc. The widget has options tabs regarding the visualized channels, the landmarks, the renderer (lines, markers, numbering, legend, figure, axes) and saving the figure to file.

#### **Parameters**

- **images** (*list* of *Image* or subclass) – The *list* of images to be visualized.
- **figure\_size** ((*int*, *int*), optional) – The initial size of the rendered figure.
- **style** ({'coloured', 'minimal'}, optional) – If 'coloured', then the style of the widget will be coloured. If `minimal`, then the style is simple using black and white colours.
- **browser\_style** ({'buttons', 'slider'}, optional) – It defines whether the selector of the objects will have the form of plus/minus buttons or a slider.

### visualize\_landmarks

`menpo.visualize.visualize_landmarks(landmarks, figure_size=(10, 8), style='coloured', browser_style='buttons')`

Widget that allows browsing through a *list* of *LandmarkManager* (or subclass) objects.

The landmark managers can have a combination of different attributes, e.g. landmark groups and labels etc. The widget has options tabs regarding the landmarks, the renderer (lines, markers, numbering, legend, figure, axes) and saving the figure to file.

#### **Parameters**

- **landmarks** (*list* of *LandmarkManager* or subclass) – The *list* of landmark managers to be visualized.
- **figure\_size** ((*int*, *int*), optional) – The initial size of the rendered figure.

- style** ({'coloured', 'minimal'}, optional) – If 'coloured', then the style of the widget will be coloured. If minimal, then the style is simple using black and white colours.
- browser\_style** ({'buttons', 'slider'}, optional) – It defines whether the selector of the objects will have the form of plus/minus buttons or a slider.

## visualize\_landmarkgroups

`menpo.visualize.visualize_landmarkgroups (landmarkgroups, figure_size=(10, 8), style='coloured', browser_style='buttons')`

Widget that allows browsing through a *list* of [LandmarkGroup](#) (or subclass) objects.

The landmark groups can have a combination of different attributes, e.g. different labels, number of points etc. The widget has options tabs regarding the landmarks, the renderer (lines, markers, numbering, legend, figure, axes) and saving the figure to file.

### Parameters

- landmarkgroups** (*list* of [LandmarkGroup](#) or subclass) – The *list* of landmark groups to be visualized.
- figure\_size** ((*int*, *int*), optional) – The initial size of the rendered figure.
- style** ({'coloured', 'minimal'}, optional) – If 'coloured', then the style of the widget will be coloured. If minimal, then the style is simple using black and white colours.
- browser\_style** ({'buttons', 'slider'}, optional) – It defines whether the selector of the objects will have the form of plus/minus buttons or a slider.

## visualize\_pointclouds

`menpo.visualize.visualize_pointclouds (pointclouds, figure_size=(10, 8), style='coloured', browser_style='buttons')`

Widget that allows browsing through a *list* of [PointCloud](#), [PointUndirectedGraph](#), [PointDirectedGraph](#), [PointTree](#), [TriMesh](#) or subclasses. All the above can be combined in the *list*.

The widget has options tabs regarding the renderer (lines, markers, figure, axes) and saving the figure to file.

### Parameters

- pointclouds** (*list*) – The *list* of objects to be visualized. It can contain a combination of [PointCloud](#), [PointUndirectedGraph](#), [PointDirectedGraph](#), [PointTree](#), [TriMesh](#) or subclasses of those.
- figure\_size** ((*int*, *int*), optional) – The initial size of the rendered figure.
- style** ({'coloured', 'minimal'}, optional) – If 'coloured', then the style of the widget will be coloured. If minimal, then the style is simple using black and white colours.
- browser\_style** ({'buttons', 'slider'}, optional) – It defines whether the selector of the objects will have the form of plus/minus buttons or a slider.

## features\_selection

`menpo.visualize.features_selection (style='coloured')`

Widget that allows selecting a features function and its options. The widget supports all features from [menpo.feature](#) and has a preview tab. It returns a *list* of length 1 with the selected features function closure.

**Parameters**  
•**style** ({'coloured', 'minimal'}, optional) – If 'coloured', then the style of the widget will be coloured. If minimal, then the style is simple using black and white colours.

**Returns**

**features\_function** (*list* of length 1) – The function closure of the features function using *functools.partial*. So the function can be called as:

```
features_image = features_function[0](image)
```

**save\_matplotlib\_figure**

`menpo.visualize.save_matplotlib_figure` (*renderer*, *style*='coloured')

Widget that allows to save a figure, which was generated with Matplotlib, to file.

**Parameters**

- **renderer** (*MatplotlibRenderer*) – The Matplotlib renderer object.
- **style** ({'coloured', 'minimal'}, optional) – If 'coloured', then the style of the widget will be coloured. If *minimal*, then the style is simple using black and white colours.

**plot\_graph**

`menpo.visualize.plot_graph` (*x\_axis*, *y\_axis*, *legend\_entries*=None, *title*=None, *x\_label*=None, *y\_label*=None, *x\_axis\_limits*=None, *y\_axis\_limits*=None, *figure\_size*=(10, 6), *style*='coloured')

Widget that allows plotting various curves in a graph using GraphPlotter.

The widget has options tabs regarding the graph and the renderer (lines, markers, legend, figure, axes, grid) and saving the figure to file.

**Parameters**

- **x\_axis** (*list* of *float*) – The values of the horizontal axis. Note that these values are common for all the curves.
- **y\_axis** (*list* of *lists* of *float*) – A *list* that stores a *list* of values to be plotted for each curve.
- **legend\_entries** (*list* or *str* or None, optional) – The *list* of names that will appear on the legend for each curve. If None, then the names format is `curve {i}.format(i)`.
- **title** (*str* or None, optional) – The title of the graph.
- **x\_label** (*str* or None, optional) – The label on the horizontal axis of the graph.
- **y\_label** (*str* or None, optional) – The label on the vertical axis of the graph.
- **x\_axis\_limits** ((*float*, *float*) or None, optional) – The limits of the horizontal axis. If None, the limits are set based on the min and max values of *x\_axis*.
- **y\_axis\_limits** ((*float*, *float*), optional) – The limits of the vertical axis. If None, the limits are set based on the min and max values of *y\_axis*.
- **figure\_size** ((*int*, *int*), optional) – The initial size of the rendered figure.
- **style** ({'coloured', 'minimal'}, optional) – If 'coloured', then the style of the widget will be coloured. If *minimal*, then the style is simple using black and white colours.

**2.10.3 Print Utilities****print\_progress**

`menpo.visualize.print_progress` (*iterable*, *prefix*='', *n\_items*=None, *offset*=0)

Print the remaining time needed to compute over an iterable.

To use, wrap an existing iterable with this function before processing in a for loop (see example).

The estimate of the remaining time is based on a moving average of the last 100 items completed in the loop.

#### Parameters

- **iterable** (*iterable*) – An iterable that will be processed. The iterable is passed through by this function, with the time taken for each complete iteration logged.
- **prefix** (*str*, optional) – If provided a string that will be prepended to the progress report at each level.
- **n\_items** (*int*, optional) – Allows for *iterator* to be a generator whose length will be assumed to be *n\_items*. If not provided, then *iterator* needs to be *Sizable*.
- **offset** (*int*, optional) – Useful in combination with *n\_items* - report back the progress as if *offset* items have already been handled. *n\_items* will be left unchanged.

**Raises** `ValueError` – *offset* provided without *n\_items*

---

#### Examples

This for loop:

```
from time import sleep
for i in print_progress(range(100)):
    sleep(1)
```

prints a progress report of the form:

```
[===== ] 70% (7/10) 00:00:03 remaining
```

---

## print\_dynamic

`menpo.visualize.print_dynamic(str_to_print)`

Prints dynamically the provided *str*, i.e. the *str* is printed and then the buffer gets flushed.

**Parameters** `str_to_print` (*str*) – The string to print.

## progress\_bar\_str

`menpo.visualize.progress_bar_str(percentage, bar_length=20, bar_marker='=', show_bar=True)`

Returns an *str* of the specified progress percentage. The percentage is represented either in the form of a progress bar or in the form of a percentage number. It can be combined with the `print_dynamic()` function.

#### Parameters

- **percentage** (*float*) – The progress percentage to be printed. It must be in the range `[0, 1]`.
- **bar\_length** (*int*, optional) – Defines the length of the bar in characters.
- **bar\_marker** (*str*, optional) – Defines the marker character that will be used to fill the bar.
- **show\_bar** (*bool*, optional) – If `True`, the *str* includes the bar followed by the percentage, e.g. `' [===== ] 50% '`

If `False`, the *str* includes only the percentage, e.g. `' 50% '`

**Returns** `progress_str` (*str*) – The progress percentage string that can be printed.

#### Raises

- `ValueError` – percentage is not in the range `[0, 1]`
- `ValueError` – *bar\_length* must be an integer `>= 1`
- `ValueError` – *bar\_marker* must be a string of length 1

### Examples

This for loop:

```
n_iters = 2000
for k in range(n_iters):
    print_dynamic(progress_bar_str(float(k) / (n_iters-1)))
```

prints a progress bar of the form:

```
[=====          ] 68%
```

### bytes\_str

`menpo.visualize.bytes_str(num)`

Converts bytes to a human readable format. For example:

```
print_bytes(12345) returns '12.06 KB'
print_bytes(123456789) returns '117.74 MB'
```

**Parameters**`num` (*int*) – The size in bytes.

**Raises**`ValueError` – `num` must be `int >= 0`

## 2.10.4 Create Custom Widgets

Collection of widgets that can be used as the main ingredients for creating other custom widgets.

### AnimationOptionsWidget

```
class menpo.visualize.widgets.AnimationOptionsWidget(index, render_function=None,
update_function=None, index_style='buttons', interval=0.5, description='Index:
', minus_description='-',
', plus_description='+',
loop_enabled=True,
text_editable=True,
style='minimal')
```

Bases: `FlexBox`

Creates a widget for animating through a list of objects. The widget consists of the following parts from *IPython.html.widgets* and *menpo.visualize.widgets.tools*:

No	Object	Variable ( <i>self</i> .)	Description
1	ToggleButton	<i>play_stop_toggle</i>	The play/stop button
2	ToggleButton	<i>play_options_toggle</i>	Button that toggles the options menu
3	Checkbox	<i>loop_checkbox</i>	Repeat mode
4	FloatText	<i>interval_text</i>	Interval (secs)
5	VBox	<i>loop_interval_box</i>	Contains 3, 4
6	VBox	<i>play_options_box</i>	Contains 2, 5
7	HBox	<i>animation_box</i>	Contains 1, 6
8	IndexButtonsWidget IndexSliderWidget	<i>index_wid</i>	The index selector widget

Note that:

- The selected values are stored in the `self.selected_values dict`.
- To set the styling please refer to the `style()` and `predefined_style()` methods.
- To update the state of the widget, please refer to the `set_widget_state()` method.
- To update the callback function please refer to the `replace_render_function()` and `replace_update_function()` methods.

#### Parameters

- index** (*dict*) – The dictionary with the initial options. For example

```
index = {'min': 0,
        'max': 100,
        'step': 1,
        'index': 10}
```

- render\_function** (*function* or `None`, optional) – The render function that is executed when a widgets' value changes. If `None`, then nothing is assigned.
- update\_function** (*function* or `None`, optional) – The update function that is executed when the index value changes. If `None`, then nothing is assigned.
- index\_style** ({`'buttons'`, `'slider'`}, optional) – If `'buttons'`, then `IndexButtonsWidget()` class is called. If `'slider'`, then `IndexSliderWidget()` class is called.
- interval** (*float*, optional) – The interval between the animation progress.
- description** (*str*, optional) – The title of the widget.
- minus\_description** (*str*, optional) – The title of the button that decreases the index.
- plus\_description** (*str*, optional) – The title of the button that increases the index.
- loop\_enabled** (*bool*, optional) – If `True`, then after reach the minimum (maximum) index values, the counting will continue from the end (beginning). If `False`, the counting will stop at the minimum (maximum) value.
- text\_editable** (*bool*, optional) – Flag that determines whether the index text will be editable.
- style** (*See Below*, optional) – Sets a predefined style at the widget. Possible options are

Style	Description
<code>'minimal'</code>	Simple black and white style
<code>'success'</code>	Green-based style
<code>'info'</code>	Blue-based style
<code>'warning'</code>	Yellow-based style
<code>'danger'</code>	Red-based style
<code>''</code>	No style

#### Example



Let's create an animation widget and then update its state. Firstly, we need to import it:

```
>>> from menpo.visualize.widgets import AnimationOptionsWidget
>>> from IPython.display import display
```

Now let's define a render function that will get called on every widget change and will dynamically print the selected index:

```
>>> from menpo.visualize import print_dynamic
>>> def render_function(name, value):
>>>     s = "Selected index: {}".format(wid.selected_values['index'])
>>>     print_dynamic(s)
```

Create the widget with some initial options and display it:

```
>>> index = {'min': 0, 'max': 100, 'step': 1, 'index': 10}
>>> wid = AnimationOptionsWidget(index, index_style='buttons',
>>>                               render_function=render_function,
>>>                               style='info')
>>> display(wid)
```

By pressing the buttons (or simply pressing the Play button), the printed message gets updated. Finally, let's change the widget status with a new dictionary of options:

```
>>> new_options = {'min': 0, 'max': 20, 'step': 2, 'index': 16}
>>> wid.set_widget_state(new_options, allow_callback=False)
```

#### **add\_render\_function**(*render\_function*)

Method that adds a *render\_function()* to the widget. The signature of the given function is also stored in *self.\_render\_function*.

**Parameters***render\_function* (*function* or *None*, optional) – The render function that behaves as a callback. If *None*, then nothing is added.

#### **add\_update\_function**(*update\_function*)

Method that adds an *update\_function()* to the widget. The signature of the given function is also stored in *self.\_update\_function*.

**Parameters***update\_function* (*function* or *None*, optional) – The update function that behaves as a callback. If *None*, then nothing is added.

#### **predefined\_style**(*style*)

Function that sets a predefined style on the widget.

**Parameters***style* (*str* (see below)) – Style options

Style	Description
'minimal'	Simple black and white style
'success'	Green-based style
'info'	Blue-based style
'warning'	Yellow-based style
'danger'	Red-based style
''	No style

#### **remove\_render\_function**()

Method that removes the current *self.\_render\_function()* from the widget and sets *self.\_render\_function* = *None*.

**remove\_update\_function()**

Method that removes the current `self._update_function()` from the widget and sets `self._update_function = None`.

**replace\_render\_function(render\_function)**

Method that replaces the current `self._render_function()` of the widget with the given `render_function()`.

**Parameters****render\_function** (*function* or `None`, optional) – The render function that behaves as a callback. If `None`, then nothing is happening.

**replace\_update\_function(update\_function)**

Method that replaces the current `self._update_function()` of the widget with the given `update_function()`.

**Parameters****update\_function** (*function* or `None`, optional) – The update function that behaves as a callback. If `None`, then nothing is happening.

**set\_widget\_state(index, allow\_callback=True)**

Method that updates the state of the widget with a new set of values.

**Parameters**

•**index** (*dict*) – The dictionary with the new options to be used. For example

```
index = {'min': 0,
        'max': 100,
        'step': 1,
        'index': 10}
```

•**allow\_callback** (*bool*, optional) – If `True`, it allows triggering of any callback functions.

**style** (*box\_style=None, border\_visible=False, border\_color='black', border\_style='solid', border\_width=1, border\_radius=0, padding=0, margin=0, font\_family='', font\_size=None, font\_style='', font\_weight=''*)

Function that defines the styling of the widget.

**Parameters**

•**box\_style** (*See Below, optional*) – Style options

Style	Description
'success'	Green-based style
'info'	Blue-based style
'warning'	Yellow-based style
'danger'	Red-based style
''	Default style
None	No style

•**border\_visible** (*bool*, optional) – Defines whether to draw the border line around the widget.

•**border\_color** (*str*, optional) – The color of the border around the widget.

•**border\_style** (*str*, optional) – The line style of the border around the widget.

•**border\_width** (*float*, optional) – The line width of the border around the widget.

•**border\_radius** (*float*, optional) – The radius of the corners of the box.

•**padding** (*float*, optional) – The padding around the widget.

•**margin** (*float*, optional) – The margin around the widget.

•**font\_family** (*See Below, optional*) – The font family to be used. Example options

```
{'serif', 'sans-serif', 'cursive', 'fantasy', 'monospace',
 'helvetica'}
```

•**font\_size** (*int*, optional) – The font size.

- font\_style** ({'normal', 'italic', 'oblique'}, optional) – The font style.
- font\_weight** (See Below, optional) – The font weight. Example options

```
{'ultralight', 'light', 'normal', 'regular', 'book', 'medium',
 'roman', 'semibold', 'demibold', 'demi', 'bold', 'heavy',
 'extra bold', 'black'}
```

## ChannelOptionsWidget

**class** menpo.visualize.widgets.**ChannelOptionsWidget** (*channel\_options*, *render\_function=None*, *style='minimal'*)

Bases: `FlexBox`

Creates a widget for selecting channel options when rendering an image. The widget consists of the following parts from *IPython.html.widgets*:

No	Object	Variable ( <i>self</i> .)	Description
1	RadioButtons	<i>mode_radiobuttons</i>	The mode selector 'Single' or 'Multiple'
2	Checkbox	<i>masked_checkbox</i>	Controls masked mode
3	IntSlider	<i>single_slider</i>	Single channel selector
4	IntRangeSlider	<i>multiple_slider</i>	Channels range selector
5	Checkbox	<i>rgb_checkbox</i>	View as RGB
6	Checkbox	<i>sum_checkbox</i>	View sum of channels
7	Checkbox	<i>glyph_checkbox</i>	View glyph
8	BoundedIntText	<i>glyph_block_size_text</i>	Glyph block size
9	Checkbox	<i>glyph_use_negative_checkbox</i>	Use negative values
10	VBox	<i>glyph_options_box</i>	Contains 8, 9
11	VBox	<i>glyph_box</i>	Contains 7, 10
12	HBox	<i>multiple_options_box</i>	Contains 6, 11, 5
13	Box	<i>sliders_box</i>	Contains 3, 4
14	Box	<i>sliders_and_multiple_options_box</i>	Contains 13, 12
15	VBox	<i>mode_and_masked_box</i>	Contains 1, 2

Note that:

- The selected values are stored in the `self.selected_values dict`.
- To set the styling please refer to the `style()` and `predefined_style()` methods.
- To update the state of the widget, please refer to the `set_widget_state()` method.
- To update the callback function please refer to the `replace_render_function()` method.

### Parameters

- channel\_options** (*dict*) – The dictionary with the initial options. For example

```
channel_options = {'n_channels': 10,
                   'image_is_masked': True,
                   'channels': 0,
                   'glyph_enabled': False,
                   'glyph_block_size': 3,
                   'glyph_use_negative': False,
                   'sum_enabled': False,
                   'masked_enabled': True}
```

- render\_function** (*function* or `None`, optional) – The render function that is executed when a widgets' value changes. If `None`, then nothing is assigned.

•**style** (See Below, optional) – Sets a predefined style at the widget. Possible options are

Style	Description
'minimal'	Simple black and white style
'success'	Green-based style
'info'	Blue-based style
'warning'	Yellow-based style
'danger'	Red-based style
''	No style

### Example

Let's create a channels widget and then update its state. Firstly, we need to import it:

```
>>> from menpo.visualize.widgets import ChannelOptionsWidget
>>> from IPython.display import display
```

Now let's define a render function that will get called on every widget change and will dynamically print the selected channels and masked flag:

```
>>> from menpo.visualize import print_dynamic
>>> def render_function(name, value):
>>>     s = "Channels: {}, Masked: {}".format(
>>>         wid.selected_values['channels'],
>>>         wid.selected_values['masked_enabled'])
>>>     print_dynamic(s)
```

Create the widget with some initial options and display it:

```
>>> channel_options = {'n_channels': 30,
>>>                     'image_is_masked': True,
>>>                     'channels': [0, 10],
>>>                     'glyph_enabled': False,
>>>                     'glyph_block_size': 3,
>>>                     'glyph_use_negative': False,
>>>                     'sum_enabled': True,
>>>                     'masked_enabled': True}
>>> wid = ChannelOptionsWidget(channel_options,
>>>                             render_function=render_function,
>>>                             style='warning')
>>> display(wid)
```

By playing around with the widget, printed message gets updated. Finally, let's change the widget status with a new dictionary of options:

```
>>> new_options = {'n_channels': 10,
>>>                 'image_is_masked': True,
>>>                 'channels': [7, 8, 9],
>>>                 'glyph_enabled': True,
>>>                 'glyph_block_size': 3,
>>>                 'glyph_use_negative': True,
>>>                 'sum_enabled': False,
>>>                 'masked_enabled': False}
>>> wid.set_widget_state(new_options, allow_callback=False)
```

**add\_render\_function** (*render\_function*)

Method that adds a *render\_function()* to the widget. The signature of the given function is also stored in *self.\_render\_function*.

**Parameters****render\_function** (*function* or `None`, optional) – The render function that behaves as a callback. If `None`, then nothing is added.

**predefined\_style** (*style*)

Function that sets a predefined style on the widget.

**Parameters****style** (*str* (see below)) – Style options

Style	Description
'minimal'	Simple black and white style
'success'	Green-based style
'info'	Blue-based style
'warning'	Yellow-based style
'danger'	Red-based style
''	No style

**remove\_render\_function** ()

Method that removes the current *self.\_render\_function()* from the widget and sets *self.\_render\_function* = `None`.

**replace\_render\_function** (*render\_function*)

Method that replaces the current *self.\_render\_function()* of the widget with the given *render\_function()*.

**Parameters****render\_function** (*function* or `None`, optional) – The render function that behaves as a callback. If `None`, then nothing is happening.

**set\_widget\_state** (*channel\_options*, *allow\_callback=True*)

Method that updates the state of the widget with a new set of values.

**Parameters**

•**channel\_options** (*dict*) – The dictionary with the new options to be used.  
For example

```
channel_options = {'n_channels': 10,
                  'image_is_masked': True,
                  'channels': 0,
                  'glyph_enabled': False,
                  'glyph_block_size': 3,
                  'glyph_use_negative': False,
                  'sum_enabled': False,
                  'masked_enabled': True}
```

•**allow\_callback** (*bool*, optional) – If `True`, it allows triggering of any call-back functions.

**style** (*box\_style=None*, *border\_visible=False*, *border\_color='black'*, *border\_style='solid'*, *border\_width=1*, *border\_radius=0*, *padding=0*, *margin=0*, *font\_family=''*, *font\_size=None*, *font\_style=''*, *font\_weight=''*, *slider\_width=''*, *slider\_colour=''*)

Function that defines the styling of the widget.

**Parameters**

•**box\_style** (*See Below*, optional) – Style options

Style	Description
'success'	Green-based style
'info'	Blue-based style
'warning'	Yellow-based style
'danger'	Red-based style
''	Default style
<code>None</code>	No style

- border\_visible** (*bool*, optional) – Defines whether to draw the border line around the widget.
- border\_color** (*str*, optional) – The color of the border around the widget.
- border\_style** (*str*, optional) – The line style of the border around the widget.
- border\_width** (*float*, optional) – The line width of the border around the widget.
- border\_radius** (*float*, optional) – The radius of the corners of the box.
- padding** (*float*, optional) – The padding around the widget.
- margin** (*float*, optional) – The margin around the widget.
- font\_family** (*See Below*, optional) – The font family to be used. Example options

```
{'serif', 'sans-serif', 'cursive', 'fantasy', 'monospace',
 'helvetica'}
```

- font\_size** (*int*, optional) – The font size.
- font\_style** ({'normal', 'italic', 'oblique'}, optional) – The font style.
- font\_weight** (*See Below*, optional) – The font weight. Example options

```
{'ultralight', 'light', 'normal', 'regular', 'book', 'medium',
 'roman', 'semibold', 'demibold', 'demi', 'bold', 'heavy',
 'extra bold', 'black'}
```

- slider\_width** (*str*, optional) – The width of the slider.
- slider\_colour** (*str*, optional) – The colour of the sliders.

## LandmarkOptionsWidget

```
class menpo.visualize.widgets.LandmarkOptionsWidget (landmark_options,
                                                       render_function=None,
                                                       update_function=None,
                                                       style='minimal')
```

Bases: `FlexBox`

Creates a widget for animating through a list of objects. The widget consists of the following parts from *IPython.html.widgets*:

No	Object	Variable ( <i>self</i> .)	Description
1	Latex	<i>no_landmarks_msg</i>	Message in case there are no landmarks available.
2	Checkbox	<i>render_landmarks_checkbox</i>	Render landmarks
3	Box	<i>landmarks_checkbox_and_msg_box</i>	Contains 2, 1
4	Dropdown	<i>group_dropdown</i>	Landmark group selector
5	ToggleButton	<i>labels_toggles</i>	<i>list</i> of <i>lists</i> with the labels per group
6	Latex	<i>labels_text</i>	Labels title text
7	HBox	<i>labels_box</i>	Contains all 5
8	HBox	<i>labels_and_text_box</i>	Contains 6, 7
9	VBox	<i>group_and_labels_and_text_box</i>	Contains 4, 8

Note that:

- The selected values are stored in the *self.selected\_values dict*.
- To set the styling please refer to the *style()* and *predefined\_style()* methods.
- To update the state of the widget, please refer to the *set\_widget\_state()* method.

- To update the callback function please refer to the `replace_render_function()` and `replace_update_function()` methods.

#### Parameters

- landmark\_options** (*dict*) – The dictionary with the initial options. For example

```
landmark_options = {'has_landmarks': True,
                    'render_landmarks': True,
                    'group_keys': ['PTS', 'ibug_face_68'],
                    'labels_keys': [['all'], ['jaw', 'eye']],
                    'group': 'PTS',
                    'with_labels': ['all']}
```

- render\_function** (*function* or *None*, optional) – The render function that is executed when a widgets' value changes. If *None*, then nothing is assigned.
- update\_function** (*function* or *None*, optional) – The update function that is executed when the index value changes. If *None*, then nothing is assigned.
- style** (*str* (see below)) – Sets a predefined style at the widget. Possible options are

Style	Description
'minimal'	Simple black and white style
'success'	Green-based style
'info'	Blue-based style
'warning'	Yellow-based style
'danger'	Red-based style
''	No style

#### Example

Let's create a landmarks widget and then update its state. Firstly, we need to import it:

```
>>> from menpo.visualize.widgets import LandmarkOptionsWidget
>>> from IPython.display import display
```

Now let's define a render function that will get called on every widget change and will dynamically print the selected index:

```
>>> from menpo.visualize import print_dynamic
>>> def render_function(name, value):
>>>     s = "Group: {}, Labels: {}".format(
>>>         wid.selected_values['group'],
>>>         wid.selected_values['with_labels'])
>>>     print_dynamic(s)
```

Create the widget with some initial options and display it:

```
>>> landmark_options = {'has_landmarks': True,
>>>                       'render_landmarks': True,
>>>                       'group_keys': ['PTS', 'ibug_face_68'],
>>>                       'labels_keys': [['all'], ['jaw', 'eye', 'mouth']],
>>>                       'group': 'ibug_face_68',
>>>                       'with_labels': ['eye', 'jaw', 'mouth']}
>>> wid = LandmarkOptionsWidget(landmark_options,
>>>                             render_function=render_function,
>>>                             style='danger')
>>> display(wid)
```

By playing around with the widget, the printed message gets updated. Finally, let's change the widget status with a new dictionary of options:

```
>>> new_options = {'has_landmarks': True,
>>>                  'render_landmarks': True,
>>>                  'group_keys': ['new_group'],
>>>                  'labels_keys': [['1', '2', '3']],
>>>                  'group': 'new_group',
>>>                  'with_labels': None}
>>> wid.set_widget_state(new_options, allow_callback=False)
```

---

**add\_render\_function** (*render\_function*)

Method that adds a *render\_function()* to the widget. The signature of the given function is also stored in *self.render\_function*.

**Parameters****render\_function** (*function* or *None*, optional) – The render function that behaves as a callback. If *None*, then nothing is added.

**add\_update\_function** (*update\_function*)

Method that adds an *update\_function()* to the widget. The signature of the given function is also stored in *self.update\_function*.

**Parameters****update\_function** (*function* or *None*, optional) – The update function that behaves as a callback. If *None*, then nothing is added.

**predefined\_style** (*style*)

Function that sets a predefined style on the widget.

**Parameters****style** (*str* (see below)) – Style options

Style	Description
'minimal'	Simple black and white style
'success'	Green-based style
'info'	Blue-based style
'warning'	Yellow-based style
'danger'	Red-based style
'	No style

**remove\_render\_function** ()

Method that removes the current *self.render\_function()* from the widget and sets *self.\_render\_function* = *None*.

**remove\_update\_function** ()

Method that removes the current *self.update\_function()* from the widget and sets *self.\_update\_function* = *None*.

**replace\_render\_function** (*render\_function*)

Method that replaces the current *self.render\_function()* of the widget with the given *render\_function()*.

**Parameters****render\_function** (*function* or *None*, optional) – The render function that behaves as a callback. If *None*, then nothing is happening.

**replace\_update\_function** (*update\_function*)

Method that replaces the current *self.update\_function()* of the widget with the given *update\_function()*.

**Parameters****update\_function** (*function* or *None*, optional) – The update function that behaves as a callback. If *None*, then nothing is happening.

**set\_widget\_state** (*landmark\_options*, *allow\_callback=True*)

Method that updates the state of the widget with a new set of values.

**Parameters**

•**landmark\_options** (*dict*) – The dictionary with the new options to be used.  
For example



```
landmark_options = {'has_landmarks': True,
                    'render_landmarks': True,
                    'group_keys': ['PTS', 'ibug_face_68'],
                    'labels_keys': [['all'], ['jaw', 'eye']],
                    'group': 'PTS',
                    'with_labels': ['all']}
```

•**allow\_callback** (*bool*, optional) – If `True`, it allows triggering of any call-back functions.

**style** (*box\_style=None, border\_visible=False, border\_color='black', border\_style='solid', border\_width=1, border\_radius=0, padding=0, margin=0, font\_family='', font\_size=None, font\_style='', font\_weight='', labels\_buttons\_style=''*)

Function that defines the styling of the widget.

#### Parameters

•**box\_style** (*See Below, optional*) – Style options

Style	Description
'success'	Green-based style
'info'	Blue-based style
'warning'	Yellow-based style
'danger'	Red-based style
''	Default style
None	No style

•**border\_visible** (*bool*, optional) – Defines whether to draw the border line around the widget.

•**border\_color** (*str*, optional) – The color of the border around the widget.

•**border\_style** (*str*, optional) – The line style of the border around the widget.

•**border\_width** (*float*, optional) – The line width of the border around the widget.

•**border\_radius** (*float*, optional) – The radius of the corners of the box.

•**padding** (*float*, optional) – The padding around the widget.

•**margin** (*float*, optional) – The margin around the widget.

•**font\_family** (*See Below, optional*) – The font family to be used. Example options

```
{'serif', 'sans-serif', 'cursive', 'fantasy', 'monospace',
 'helvetica'}
```

•**font\_size** (*int*, optional) – The font size.

•**font\_style** ({'normal', 'italic', 'oblique'}, optional) – The font style.

•**font\_weight** (*See Below, optional*) – The font weight. Example options

```
{'ultralight', 'light', 'normal', 'regular', 'book', 'medium',
 'roman', 'semibold', 'demibold', 'demi', 'bold', 'heavy',
 'extra bold', 'black'}
```

•**labels\_buttons\_style** (*See Below, optional*) – Style options

Style	Description
'primary'	Blue-based style
'success'	Green-based style
'info'	Blue-based style
'warning'	Yellow-based style
'danger'	Red-based style
''	Default style
None	No style

## RendererOptionsWidget

```
class menpo.visualize.widgets.RendererOptionsWidget (renderer_options, options_tabs,
                                                    objects_names=None, labels_per_object=None,
                                                    selected_object=0, object_selection_dropdown_visible=True,
                                                    render_function=None, style='minimal',
                                                    tabs_style='minimal')
```

Bases: `FlexBox`

Creates a widget for selecting rendering options. The widget consists of the following parts from *IPython.html.widgets* and *menpo.visualize.widgets.tools*:

No	Object	Variable ( <i>self</i> .)	Description
1	Dropdown	<i>object_selection_dropdown</i>	The object selector
2	LineOptionsWidget MarkerOptionsWidget ImageOptionsWidget NumberingOptionsWidget FigureOptionsWidget LegendOptionsWidget GridOptionsWidget	<i>options_widgets</i>	<i>list</i> with the various rendering sub-options widgets
3	Tab	<i>suboptions_tab</i>	Contains all 2

Note that:

- The selected values are stored in the *self.selected\_values dict*.
- To set the styling please refer to the *style()* and *predefined\_style()* methods.
- To update the state of the widget, please refer to the *set\_widget\_state()* method.
- To update the callback function please refer to the *replace\_render\_function()* methods.

### Parameters

- renderer\_options** (*list of dict*) – The initial rendering options per object. The *list* must have length *n\_objects* and contain a *dict* of rendering options per object. For example, in case we had two objects to render

```
lines_options = {'render_lines': True,
                 'line_width': 1,
                 'line_colour': ['b', 'r'],
                 'line_style': '-'}
markers_options = {'render_markers': True,
                  'marker_size': 20,
```

```

        'marker_face_colour': ['w', 'w'],
        'marker_edge_colour': ['b', 'r'],
        'marker_style': 'o',
        'marker_edge_width': 1}
numbering_options = {'render_numbering': True,
                     'numbers_font_name': 'serif',
                     'numbers_font_size': 10,
                     'numbers_font_style': 'normal',
                     'numbers_font_weight': 'normal',
                     'numbers_font_colour': ['k'],
                     'numbers_horizontal_align': 'center',
                     'numbers_vertical_align': 'bottom'}
legend_options = {'render_legend': True,
                  'legend_title': '',
                  'legend_font_name': 'serif',
                  'legend_font_style': 'normal',
                  'legend_font_size': 10,
                  'legend_font_weight': 'normal',
                  'legend_marker_scale': 1.,
                  'legend_location': 2,
                  'legend_bbox_to_anchor': (1.05, 1.),
                  'legend_border_axes_pad': 1.,
                  'legend_n_columns': 1,
                  'legend_horizontal_spacing': 1.,
                  'legend_vertical_spacing': 1.,
                  'legend_border': True,
                  'legend_border_padding': 0.5,
                  'legend_shadow': False,
                  'legend_rounded_corners': True}
figure_options = {'x_scale': 1.,
                  'y_scale': 1.,
                  'render_axes': True,
                  'axes_font_name': 'serif',
                  'axes_font_size': 10,
                  'axes_font_style': 'normal',
                  'axes_font_weight': 'normal',
                  'axes_x_limits': None,
                  'axes_y_limits': None}
grid_options = {'render_grid': True,
                'grid_line_style': '--',
                'grid_line_width': 0.5}
image_options = {'alpha': 1.,
                 'interpolation': 'bilinear',
                 'cmap_name': 'gray'}
rendering_dict = {'lines': lines_options,
                  'markers': markers_options,
                  'numbering': numbering_options,
                  'legend': legend_options,
                  'figure': figure_options,
                  'grid': grid_options,
                  'image': image_options}
renderer_options = [rendering_dict, rendering_dict]

```

•**options\_tabs** (*list of str*) – List that defines the ordering of the options tabs. Possible values are

Value	Returned class
'lines'	<i>LineOptionsWidget</i>
'markers'	<i>MarkerOptionsWidget</i>
'numbering'	<i>NumberingOptionsWidget</i>
'figure_one'	<i>FigureOptionsOneScaleWidget</i>
'figure_two'	<i>FigureOptionsTwoScalesWidget</i>
'legend'	<i>LegendOptionsWidget</i>
'grid'	<i>GridOptionsWidget</i>
'image'	<i>ImageOptionsWidget</i>

- **objects\_names** (*list of str or None, optional*) – A *list* with the names of the objects that will be used in the selection dropdown menu. If `None`, then the names will have the format `%d`.
- **labels\_per\_object** (*list of list or None, optional*) – A *list* that contains a *list* of labels for each object. Those *labels* are employed by the *ColourSelectionWidget*. An example for which this option is useful is in the case we wish to create rendering options for multiple *LandmarkGroup* objects and each one of them has a different set of *labels*. If `None`, then *labels\_per\_object* is a *list* of length *n\_objects* with `None`.
- **selected\_object** (*int, optional*) – The object for which to show the rendering options in the beginning, when the widget is created.
- **object\_selection\_dropdown\_visible** (*bool, optional*) – Controls the visibility of the object selection dropdown (*self.object\_selection\_dropdown*).
- **render\_function** (*function or None, optional*) – The render function that is executed when a widgets' value changes. If `None`, then nothing is assigned.
- **style** (*See Below, optional*) – Sets a predefined style at the widget. Possible options are

Style	Description
'minimal'	Simple black and white style
'success'	Green-based style
'info'	Blue-based style
'warning'	Yellow-based style
'danger'	Red-based style
''	No style

- **tabs\_style** (*See Below, optional*) – Sets a predefined style at the tabs of the widget. Possible options are

Style	Description
'minimal'	Simple black and white style
'success'	Green-based style
'info'	Blue-based style
'warning'	Yellow-based style
'danger'	Red-based style
''	No style

---

### Example

Let's create a rendering options widget and then update its state. Firstly, we need to import it:

```
>>> from menpo.visualize.widgets import RendererOptionsWidget
>>> from IPython.display import display
```

Let's set some initial options:

```
>>> options_tabs = ['markers', 'lines', 'grid']
>>> objects_names = ['james', 'patrick']
>>> labels_per_object = [['jaw', 'eyes'], None]
```

```
>>> selected_object = 1
>>> object_selection_dropdown_visible = True
```

Now let's define a render function that will get called on every widget change and will dynamically print the selected marker face colour for both objects:

```
>>> from menpo.visualize import print_dynamic
>>> def render_function(name, value):
>>>     s = "{}: {}, {}: {}".format(
>>>         wid.objects_names[0],
>>>         wid.selected_values[0]['markers']['marker_face_colour'],
>>>         wid.objects_names[1],
>>>         wid.selected_values[1]['markers']['marker_face_colour'])
>>>     print_dynamic(s)
```

Create the widget with some initial options and display it:

```
>>> # 1st dictionary
>>> markers_options = {'render_markers': True, 'marker_size': 20,
>>>                     'marker_face_colour': ['w', 'w'],
>>>                     'marker_edge_colour': ['b', 'r'],
>>>                     'marker_style': 'o', 'marker_edge_width': 1}
>>> lines_options = {'render_lines': True, 'line_width': 1,
>>>                  'line_colour': ['b', 'r'], 'line_style': '-'}
>>> grid_options = {'render_grid': True, 'grid_line_style': '--',
>>>                 'grid_line_width': 0.5}
>>> rendering_dict_1 = {'lines': lines_options, 'grid': grid_options,
>>>                    'markers': markers_options}
>>>
>>> # 2nd dictionary
>>> markers_options = {'render_markers': True, 'marker_size': 200,
>>>                     'marker_face_colour': [[0.1, 0.2, 0.3]],
>>>                     'marker_edge_colour': ['m'], 'marker_style': 'x',
>>>                     'marker_edge_width': 1}
>>> lines_options = {'render_lines': True, 'line_width': 100,
>>>                  'line_colour': [[0.1, 0.2, 0.3]], 'line_style': '-'}
>>> grid_options = {'render_grid': False, 'grid_line_style': '--',
>>>                 'grid_line_width': 0.5}
>>> rendering_dict_2 = {'lines': lines_options, 'grid': grid_options,
>>>                    'markers': markers_options}
>>>
>>> # Final list
>>> rendering_options = [rendering_dict_1, rendering_dict_2]
>>>
>>> # Create and display widget
>>> wid = AnimationOptionsWidget(index, index_style='buttons',
>>>                             render_function=render_function,
>>>                             style='info')
>>> display(wid)
```

By playing around, the printed message gets updated. The style of the widget can be changed as:

```
>>> wid.predefined_style('minimal', 'info')
```

Finally, let's change the widget status with a new dictionary of options:

```
>>> # 1st dictionary
>>> markers_options = {'render_markers': False, 'marker_size': 20,
>>>                     'marker_face_colour': ['k'],
>>>                     'marker_edge_colour': ['c'],
>>>                     'marker_style': 'o', 'marker_edge_width': 1}
>>> lines_options = {'render_lines': False, 'line_width': 1,
>>>                  'line_colour': ['r'], 'line_style': '-'}
>>> grid_options = {'render_grid': True, 'grid_line_style': '--',
>>>                 'grid_line_width': 0.5}
>>> rendering_dict_1 = {'lines': lines_options, 'grid': grid_options,
>>>                    'markers': markers_options}
>>>
>>> # 2nd dictionary
>>> markers_options = {'render_markers': True, 'marker_size': 200,
>>>                     'marker_face_colour': [[0.123, 0.234, 0.345], 'r'],
>>>                     'marker_edge_colour': ['m', 'm'],
>>>                     'marker_style': 'x', 'marker_edge_width': 1}
>>> lines_options = {'render_lines': True, 'line_width': 100,
>>>                  'line_colour': [[0.1, 0.2, 0.3], 'b'], 'line_style': '-'}
>>> grid_options = {'render_grid': False, 'grid_line_style': '--',
>>>                 'grid_line_width': 0.5}
>>> rendering_dict_2 = {'lines': lines_options, 'grid': grid_options,
>>>                    'markers': markers_options}
>>>
>>> # Final list
>>> new_options = [rendering_dict_1, rendering_dict_2]
>>>
>>> # Set new labels per object
>>> labels_per_object = [['l'], ['jaw', 'eyes']]
>>>
>>> # Update widget state
>>> wid.set_widget_state(new_options, labels_per_object,
>>>                      allow_callback=True)
```

---

**add\_render\_function** (*render\_function*)

Method that adds a *render\_function()* to the widget. The signature of the given function is also stored in *self.render\_function*.

**Parameters****render\_function** (*function* or *None*, optional) – The render function that behaves as a callback. If *None*, then nothing is added.

**predefined\_style** (*style*, *tabs\_style*='minimal')

Function that sets a predefined style on the widget.

**Parameters**

•**style** (*str* (see below)) – Style options

Style	Description
'minimal'	Simple black and white style
'success'	Green-based style
'info'	Blue-based style
'warning'	Yellow-based style
'danger'	Red-based style
'	No style

•**tabs\_style** (*str* (see below), optional) – Style options

Style	Description
'minimal'	Simple black and white style
'success'	Green-based style
'info'	Blue-based style
'warning'	Yellow-based style
'danger'	Red-based style
''	No style

**remove\_render\_function()**

Method that removes the current `self._render_function()` from the widget and sets `self._render_function = None`.

**replace\_render\_function(render\_function)**

Method that replaces the current `self._render_function()` of the widget with the given `render_function()`.

**Parameters****render\_function** (*function* or `None`, optional) – The render function that behaves as a callback. If `None`, then nothing is happening.

**set\_widget\_state(renderer\_options, labels\_per\_object, selected\_object=None, object\_selection\_dropdown\_visible=None, allow\_callback=True)**

Method that updates the state of the widget with a new set of values. Note that the number of objects should not change.

**Parameters**

• **renderer\_options** (*list of dict*) – The selected rendering options per object. The *list* must have length *n\_objects* and contain a *dict* of rendering options per object. For example, in case we had two objects to render

```
lines_options = {'render_lines': True,
                 'line_width': 1,
                 'line_colour': ['b', 'r'],
                 'line_style': '-'}
markers_options = {'render_markers': True,
                   'marker_size': 20,
                   'marker_face_colour': ['w', 'w'],
                   'marker_edge_colour': ['b', 'r'],
                   'marker_style': 'o',
                   'marker_edge_width': 1}
numbering_options = {'render_numbering': True,
                     'numbers_font_name': 'serif',
                     'numbers_font_size': 10,
                     'numbers_font_style': 'normal',
                     'numbers_font_weight': 'normal',
                     'numbers_font_colour': ['k'],
                     'numbers_horizontal_align': 'center',
                     'numbers_vertical_align': 'bottom'}
legend_options = {'render_legend': True,
                  'legend_title': '',
                  'legend_font_name': 'serif',
                  'legend_font_style': 'normal',
                  'legend_font_size': 10,
                  'legend_font_weight': 'normal',
                  'legend_marker_scale': 1.,
                  'legend_location': 2,
                  'legend_bbox_to_anchor': (1.05, 1.),
                  'legend_border_axes_pad': 1.,
                  'legend_n_columns': 1,
                  'legend_horizontal_spacing': 1.,
                  'legend_vertical_spacing': 1.,
                  'legend_border': True,
```

```

        'legend_border_padding': 0.5,
        'legend_shadow': False,
        'legend_rounded_corners': True}
figure_options = {'x_scale': 1.,
                  'y_scale': 1.,
                  'render_axes': True,
                  'axes_font_name': 'serif',
                  'axes_font_size': 10,
                  'axes_font_style': 'normal',
                  'axes_font_weight': 'normal',
                  'axes_x_limits': None,
                  'axes_y_limits': None}
grid_options = {'render_grid': True,
                'grid_line_style': '--',
                'grid_line_width': 0.5}
image_options = {'alpha': 1.,
                 'interpolation': 'bilinear',
                 'cmap_name': 'gray'}
rendering_dict = {'lines': lines_options,
                  'markers': markers_options,
                  'numbering': numbering_options,
                  'legend': legend_options,
                  'figure': figure_options,
                  'grid': grid_options,
                  'image': image_options}
renderer_options = [rendering_dict, rendering_dict]

```

- **labels\_per\_object** (*list of list or None, optional*) – A *list* that contains a *list* of labels for each object. Those *labels* are employed by the *ColourSelectionWidget*. An example for which this option is useful is in the case we wish to create rendering options for multiple *LandmarkGroup* objects and each one of them has a different set of *labels*. If *None*, then *labels\_per\_object* is a *list* of length *n\_objects* with *None*.
- **selected\_object** (*int, optional*) – The object for which to show the rendering options in the beginning, when the widget is created.
- **object\_selection\_dropdown\_visible** (*bool, optional*) – Controls the visibility of the object selection dropdown (*self.object\_selection\_dropdown*).
- **allow\_callback** (*bool, optional*) – If *True*, it allows triggering of any callback functions.

**style** (*box\_style=None, border\_visible=False, border\_color='black', border\_style='solid', border\_width=1, border\_radius=0, padding='0.2cm', margin=0, tabs\_box\_style=None, tabs\_border\_visible=True, tabs\_border\_color='black', tabs\_border\_style='solid', tabs\_border\_width=1, tabs\_border\_radius=1, tabs\_padding=0, tabs\_margin=0, font\_family='', font\_size=None, font\_style='', font\_weight=''*)

Function that defines the styling of the widget.

#### Parameters

- **box\_style** (*See Below, optional*) – Style options

Style	Description
'success'	Green-based style
'info'	Blue-based style
'warning'	Yellow-based style
'danger'	Red-based style
''	Default style
None	No style

- **border\_visible** (*bool, optional*) – Defines whether to draw the border line



around the widget.

- **border\_color** (*str*, optional) – The color of the border around the widget.
- **border\_style** (*str*, optional) – The line style of the border around the widget.
- **border\_width** (*float*, optional) – The line width of the border around the widget.
- **border\_radius** (*float*, optional) – The radius of the corners of the box.
- **padding** (*float*, optional) – The padding around the widget.
- **margin** (*float*, optional) – The margin around the widget.
- **tabs\_box\_style** (*See Below*, optional) – Style options

Style	Description
'success'	Green-based style
'info'	Blue-based style
'warning'	Yellow-based style
'danger'	Red-based style
''	Default style
None	No style

- **tabs\_border\_visible** (*bool*, optional) – Defines whether to draw the border line around the tab widgets.
- **tabs\_border\_color** (*str*, optional) – The color of the border around the tab widgets.
- **tabs\_border\_style** (*str*, optional) – The line style of the border around the tab widgets.
- **tabs\_border\_width** (*float*, optional) – The line width of the border around the tab widgets.
- **tabs\_border\_radius** (*float*, optional) – The radius of the corners of the box of the tab widgets.
- **tabs\_padding** (*float*, optional) – The padding around the tab widgets.
- **tabs\_margin** (*float*, optional) – The margin around the tab widgets.
- **font\_family** (*See Below*, optional) – The font family to be used. Example options

```
{'serif', 'sans-serif', 'cursive', 'fantasy', 'monospace',
 'helvetica'}
```

- **font\_size** (*int*, optional) – The font size.
- **font\_style** ({'normal', 'italic', 'oblique'}, optional) – The font style.
- **font\_weight** (*See Below*, optional) – The font weight. Example options

```
{'ultralight', 'light', 'normal', 'regular', 'book', 'medium',
 'roman', 'semibold', 'demibold', 'demi', 'bold', 'heavy',
 'extra bold', 'black'}
```

#### **update\_object\_names** (*objects\_names*)

Method that updates the options in the dropdown menu for selecting an object. Note that the number of objects should not change.

**Parameters****objects\_names** (*list of str*) – A *list* with the names of the objects that will be used in the selection dropdown menu.

## GraphOptionsWidget

```
class menpo.visualize.widgets.GraphOptionsWidget (graph_options,          x_slider_options,
                                                  y_slider_options,          ren-
                                                  der_function=None,      style='minimal',
                                                  tabs_style='minimal',        ren-
                                                  derer_tabs_style='minimal')
```

Bases: FlexBox

Creates a widget for selecting options for rendering various curves in a graph. The widget consists of the following parts from *IPython.html.widgets* and *menpo.visualize.widgets.tools*:

No	Object	Variable ( <i>self</i> .)	Description
1	RendererOptionsWidget	<i>rendered_widget</i>	The rendering widget
2	FloatRangeSlider	<i>x_limit</i>	Sets the x limit
3	FloatRangeSlider	<i>y_limit</i>	Sets the y limit
4	Text	<i>x_label</i>	Sets the x label
5	Text	<i>y_label</i>	Sets the y label
6	Text	<i>title</i>	Sets the title
7	Textarea	<i>legend_entries</i>	Sets the legend entries
8	VBox	<i>graph_related_options</i>	Contains 2 - 7
9	Tab	<i>options_tab</i>	Contains 8, 1

Note that:

- The selected values are stored in the `self.selected_values dict`.
- To set the styling please refer to the `style()` and `predefined_style()` methods.
- To update the state of the widget, please refer to the `set_widget_state()` method.
- To update the callback function please refer to the `replace_render_function()` methods.

### Parameters

- graph\_options** (*list of str*) – The initial options. For example, in case we had two curves to render

```
graph_options = {'legend_entries': ['Nontas', 'Leda'],
                 'x_label': 'X',
                 'y_label': 'Y',
                 'title': 'TITLE',
                 'x_axis_limits': (2, 7),
                 'y_axis_limits': (-0.2, 0.2),
                 'render_lines': [True, True],
                 'line_colour': ['r', 'b'],
                 'line_style': ['--', '-'],
                 'line_width': [1, 3],
                 'render_markers': [True, False],
                 'marker_style': ['o', 's'],
                 'marker_size': [6, 12],
                 'marker_face_colour': ['k', 'm'],
                 'marker_edge_colour': ['w', 'c'],
                 'marker_edge_width': [1, 4],
                 'render_legend': True,
                 'legend_title': '',
                 'legend_font_name': 'sans-serif',
                 'legend_font_style': 'normal',
                 'legend_font_size': 10,
                 'legend_font_weight': 'normal',
                 'legend_marker_scale': 1.,
                 'legend_location': 2,
```

```
'legend_bbox_to_anchor': (1.05, 1.),
'legend_border_axes_pad': 0.,
'legend_n_columns': 1,
'legend_horizontal_spacing': 0,
'legend_vertical_spacing': 0,
'legend_border': True,
'legend_border_padding': 0,
'legend_shadow': False,
'legend_rounded_corners': False,
'render_axes': True,
'axes_font_name': 'sans-serif',
'axes_font_size': 10,
'axes_font_style': 'normal',
'axes_font_weight': 'normal',
'figure_size': (10, 8),
'render_grid': True,
'grid_line_style': '--',
'grid_line_width': 1}
```

•**x\_slider\_options** ((float, float, float)) – The attributes of the x limit slider in the form (min, max, step).

•**y\_slider\_options** ((float, float, float)) – The attributes of the y limit slider in the form (min, max, step).

•**render\_function** (function or None, optional) – The render function that is executed when a widgets’ value changes. If None, then nothing is assigned.

•**style** (See Below, optional) – Sets a predefined style at the widget. Possible options are

Style	Description
‘minimal’	Simple black and white style
‘success’	Green-based style
‘info’	Blue-based style
‘warning’	Yellow-based style
‘danger’	Red-based style
‘’	No style

•**tabs\_style** (See Below, optional) – Sets a predefined style at the tabs of the widget. Possible options are

Style	Description
‘minimal’	Simple black and white style
‘success’	Green-based style
‘info’	Blue-based style
‘warning’	Yellow-based style
‘danger’	Red-based style
‘’	No style

•**renderer\_tabs\_style** (See Below, optional) – Sets a predefined style at the tabs of the renderer widget. Possible options are

Style	Description
‘minimal’	Simple black and white style
‘success’	Green-based style
‘info’	Blue-based style
‘warning’	Yellow-based style
‘danger’	Red-based style
‘’	No style

**add\_render\_function** (render\_function)

Method that adds a *render\_function()* to the widget. The signature of the given function is also stored in

*self.\_render\_function.*

**Parameters****render\_function** (*function* or `None`, optional) – The render function that behaves as a callback. If `None`, then nothing is added.

**predefined\_style** (*style*, *tabs\_style*=`'minimal'`, *render\_tabs\_style*=`'minimal'`)

Function that sets a predefined style on the widget.

**Parameters**

•**style** (*str* (see below)) – Style options

Style	Description
'minimal'	Simple black and white style
'success'	Green-based style
'info'	Blue-based style
'warning'	Yellow-based style
'danger'	Red-based style
''	No style

•**tabs\_style** (*str* (see below), optional) – Style options

Style	Description
'minimal'	Simple black and white style
'success'	Green-based style
'info'	Blue-based style
'warning'	Yellow-based style
'danger'	Red-based style
''	No style

•**render\_tabs\_style** (*str* (see below), optional) – Style options

Style	Description
'minimal'	Simple black and white style
'success'	Green-based style
'info'	Blue-based style
'warning'	Yellow-based style
'danger'	Red-based style
''	No style

**remove\_render\_function** ()

Method that removes the current *self.\_render\_function()* from the widget and sets *self.\_render\_function* = `None`.

**replace\_render\_function** (*render\_function*)

Method that replaces the current *self.\_render\_function()* of the widget with the given *render\_function()*.

**Parameters****render\_function** (*function* or `None`, optional) – The render function that behaves as a callback. If `None`, then nothing is happening.

**style** (*box\_style*=`None`, *border\_visible*=`False`, *border\_color*=`'black'`, *border\_style*=`'solid'`, *border\_width*=`1`, *border\_radius*=`0`, *padding*=`'0.2cm'`, *margin*=`0`, *tabs\_box\_style*=`None`, *tabs\_border\_visible*=`True`, *tabs\_border\_color*=`'black'`, *tabs\_border\_style*=`'solid'`, *tabs\_border\_width*=`1`, *tabs\_border\_radius*=`1`, *tabs\_padding*=`0`, *tabs\_margin*=`0`, *render\_tabs\_box\_style*=`None`, *render\_tabs\_border\_visible*=`True`, *render\_tabs\_border\_color*=`'black'`, *render\_tabs\_border\_style*=`'solid'`, *render\_tabs\_border\_width*=`1`, *render\_tabs\_border\_radius*=`1`, *render\_tabs\_padding*=`0`, *render\_tabs\_margin*=`0`, *font\_family*=`''`, *font\_size*=`None`, *font\_style*=`''`, *font\_weight*=`''`)

Function that defines the styling of the widget.

**Parameters**

•**box\_style** (*See Below*, optional) – Style options

Style	Description
'success'	Green-based style
'info'	Blue-based style
'warning'	Yellow-based style
'danger'	Red-based style
''	Default style
None	No style

- **border\_visible** (*bool*, optional) – Defines whether to draw the border line around the widget.
- **border\_color** (*str*, optional) – The color of the border around the widget.
- **border\_style** (*str*, optional) – The line style of the border around the widget.
- **border\_width** (*float*, optional) – The line width of the border around the widget.
- **border\_radius** (*float*, optional) – The radius of the corners of the box.
- **padding** (*float*, optional) – The padding around the widget.
- **margin** (*float*, optional) – The margin around the widget.
- **tabs\_box\_style** (*See Below*, optional) – Style options

Style	Description
'success'	Green-based style
'info'	Blue-based style
'warning'	Yellow-based style
'danger'	Red-based style
''	Default style
None	No style

- **tabs\_border\_visible** (*bool*, optional) – Defines whether to draw the border line around the tab widgets.
- **tabs\_border\_color** (*str*, optional) – The color of the border around the tab widgets.
- **tabs\_border\_style** (*str*, optional) – The line style of the border around the tab widgets.
- **tabs\_border\_width** (*float*, optional) – The line width of the border around the tab widgets.
- **tabs\_border\_radius** (*float*, optional) – The radius of the corners of the box of the tab widgets.
- **tabs\_padding** (*float*, optional) – The padding around the tab widgets.
- **tabs\_margin** (*float*, optional) – The margin around the tab widgets.
- **renderer\_tabs\_box\_style** (*See Below*, optional) – Style options

Style	Description
'success'	Green-based style
'info'	Blue-based style
'warning'	Yellow-based style
'danger'	Red-based style
''	Default style
None	No style

- **renderer\_tabs\_border\_visible** (*bool*, optional) – Defines whether to draw the border line around the tab widgets of the renderer widget.
- **renderer\_tabs\_border\_color** (*str*, optional) – The color of the border around the tab widgets of the renderer widget.
- **renderer\_tabs\_border\_style** (*str*, optional) – The line style of the border around the tab widgets of the renderer widget.
- **renderer\_tabs\_border\_width** (*float*, optional) – The line width of the border around the tab widgets of the renderer widget.

- **renderer\_tabs\_border\_radius** (*float*, optional) – The radius of the corners of the box of the tab widgets of the renderer widget.
- **renderer\_tabs\_padding** (*float*, optional) – The padding around the tab widgets of the renderer widget.
- **renderer\_tabs\_margin** (*float*, optional) – The margin around the tab widgets of the renderer widget.
- **font\_family** (*See Below*, optional) – The font family to be used. Example options

```
{'serif', 'sans-serif', 'cursive', 'fantasy', 'monospace',
 'helvetica'}
```

- **font\_size** (*int*, optional) – The font size.
- **font\_style** ({'normal', 'italic', 'oblique'}, optional) – The font style.
- **font\_weight** (*See Below*, optional) – The font weight. Example options

```
{'ultralight', 'light', 'normal', 'regular', 'book', 'medium',
 'roman', 'semibold', 'demibold', 'demi', 'bold', 'heavy',
 'extra bold', 'black'}
```

## SaveFigureOptionsWidget

```
class menpo.visualize.widgets.SaveFigureOptionsWidget (renderer,      file_format='png',
                                                         dpi=None,          orienta-
                                                         tion='portrait',    paper-
                                                         type='letter',      trans-
                                                         parent=False,       face-
                                                         colour='w',         edgecolour='w',
                                                         pad_inches=0.0,     over-
                                                         write=False, style='minimal')
```

Bases: `FlexBox`

Creates a widget for saving a figure to file. The widget consists of the following parts from *IPython.html.widgets* and *menpo.visualize.widgets.tools*:

No	Object	Variable ( <i>self</i> .)	Description
1	Select	<i>file_format_select</i>	Image format selector
2	FloatText	<i>dpi_text</i>	DPI selector
3	Dropdown	<i>orientation_dropdown</i>	Paper orientation selector
4	Select	<i>papertype_select</i>	Paper type selector
5	Checkbox	<i>transparent_checkbox</i>	Transparency setter
6	ColourSelectionWidget	<i>facecolour_widget</i>	Face colour selector
7	ColourSelectionWidget	<i>edgecolour_widget</i>	Edge colour selector
8	FloatText	<i>pad_inches_text</i>	Padding in inches setter
9	Text	<i>filename_text</i>	Path and filename
10	Checkbox	<i>overwrite_checkbox</i>	Overwrite flag
11	Latex	<i>error_latex</i>	Error message area
12	Button	<i>save_button</i>	Save button
13	VBox	<i>path_box</i>	Contains 9, 1, 10, 4
14	VBox	<i>page_box</i>	Contains 3, 2, 8
15	VBox	<i>colour_box</i>	Contains 6, 7, 5
16	Tab	<i>options_tabs</i>	Contains 13, 14, 15
17	HBox	<i>save_box</i>	Contains 12, 11
18	VBox	<i>options_box</i>	Contains 16, 17

To set the styling please refer to the `style()` and `predefined_style()` methods.

#### Parameters

- **renderer** (*Renderer* class or subclass) – The renderer object that was used to render the figure.
- **file\_format** (*str*, optional) – The initial value of the file format.
- **dpi** (*float* or *None*, optional) – The initial value of the dpi. If *None*, then dpi is set to 0.
- **orientation** (*{'portrait', 'landscape'}*, optional) – The initial value of the orientation.
- **papertype** (*str*, optional) – The initial value of the paper type. Possible options are

```
{'letter', 'legal', 'executive', 'ledger', 'a0', 'a1', 'a2', 'a3',
 'a4', 'a5', 'a6', 'a7', 'a8', 'a9', 'a10', 'b0', 'b1', 'b2', 'b3',
 'b4', 'b5', 'b6', 'b7', 'b8', 'b9', 'b10'}
```

- **transparent** (*bool*, optional) – The initial value of the transparency flag.
- **facecolour** (*str* or *list of float*, optional) – The initial value of the face colour.
- **edgecolour** (*str* or *list of float*, optional) – The initial value of the edge colour.
- **pad\_inches** (*float*, optional) – The initial value of the figure padding in inches.
- **overwrite** (*bool*, optional) – The initial value of the overwrite flag.
- **style** (*See Below*, optional) – Sets a predefined style at the widget. Possible options are

Style	Description
'minimal'	Simple black and white style
'success'	Green-based style
'info'	Blue-based style
'warning'	Yellow-based style
'danger'	Red-based style
''	No style

#### **predefined\_style** (*style*)

Function that sets a predefined style on the widget.

**Parameters****style** (*str* (see below)) – Style options

Style	Description
'minimal'	Simple black and white style
'success'	Green-based style
'info'	Blue-based style
'warning'	Yellow-based style
'danger'	Red-based style
''	No style

**style** (*box\_style=None, border\_visible=False, border\_color='black', border\_style='solid', border\_width=1, border\_radius=0, padding=0, margin=0, font\_family='', font\_size=None, font\_style='', font\_weight=''*)

Function that defines the styling of the widget.

#### Parameters

- **box\_style** (*See Below*, optional) – Style options

Style	Description
'success'	Green-based style
'info'	Blue-based style
'warning'	Yellow-based style
'danger'	Red-based style
''	Default style
None	No style

- border\_visible** (*bool*, optional) – Defines whether to draw the border line around the widget.
- border\_color** (*str*, optional) – The color of the border around the widget.
- border\_style** (*str*, optional) – The line style of the border around the widget.
- border\_width** (*float*, optional) – The line width of the border around the widget.
- border\_radius** (*float*, optional) – The radius of the corners of the box.
- padding** (*float*, optional) – The padding around the widget.
- margin** (*float*, optional) – The margin around the widget.
- font\_family** (*See Below*, optional) – The font family to be used. Example options

```
{'serif', 'sans-serif', 'cursive', 'fantasy', 'monospace',  
 'helvetica'}
```

- font\_size** (*int*, optional) – The font size.
- font\_style** ({'normal', 'italic', 'oblique'}, optional) – The font style.
- font\_weight** (*See Below*, optional) – The font weight. Example options

```
{'ultralight', 'light', 'normal', 'regular', 'book', 'medium',  
 'roman', 'semibold', 'demibold', 'demi', 'bold', 'heavy',  
 'extra bold', 'black'}
```

## TextPrintWidget

**class** menpo.visualize.widgets.**TextPrintWidget** (*n\_lines*, *text\_per\_line*, *style*='minimal')

Bases: `FlexBox`

Creates a widget for printing text. Specifically, it consists of a *list of IPython.html.widgets.Latex* objects, i.e. one per text line.

Note that:

- To set the styling please refer to the `style()` and `predefined_style()` methods.
- To update the state of the widget, please refer to the `set_widget_state()` method.

### Parameters

- n\_lines** (*int*) – The number of lines of the text to be printed.
- text\_per\_line** (*list* of length *n\_lines*) – The text to be printed per line.
- style** (*See Below*, optional) – Sets a predefined style at the widget. Possible options are

Style	Description
'minimal'	Simple black and white style
'success'	Green-based style
'info'	Blue-based style
'warning'	Yellow-based style
'danger'	Red-based style
''	No style

### Example

Let's create an text widget and then update its state. Firstly, we need to import it:

```
>>> from menpo.visualize.widgets import TextPrintWidget  
>>> from IPython.display import display
```



Create the widget with some initial options and display it:

```
>>> n_lines = 3
>>> text_per_line = ['> The', '> Menpo', '> Team']
>>> wid = TextPrintWidget(n_lines, text_per_line, style='success')
>>> display(wid)
```

The style of the widget can be changed as:

```
>>> wid.predefined_style('danger')
```

Update the widget state as:

```
>>> wid.set_widget_state(5, ['M', 'E', 'N', 'P', 'O'])
```

### **predefined\_style** (*style*)

Function that sets a predefined style on the widget.

**Parameters****style** (*str* (see below)) – Style options

Style	Description
'minimal'	Simple black and white style
'success'	Green-based style
'info'	Blue-based style
'warning'	Yellow-based style
'danger'	Red-based style
''	No style

### **set\_widget\_state** (*n\_lines*, *text\_per\_line*)

Method that updates the state of the widget with a new set of values.

#### **Parameters**

- **n\_lines** (*int*) – The number of lines of the text to be printed.
- **text\_per\_line** (*list* of length *n\_lines*) – The text to be printed per line.

**style** (*box\_style=None*, *border\_visible=False*, *border\_color='black'*, *border\_style='solid'*, *border\_width=1*, *border\_radius=0*, *padding=0*, *margin=0*, *font\_family=''*, *font\_size=None*, *font\_style=''*, *font\_weight=''*)

Function that defines the styling of the widget.

#### **Parameters**

- **box\_style** (*See Below*, *optional*) – Style options

Style	Description
'success'	Green-based style
'info'	Blue-based style
'warning'	Yellow-based style
'danger'	Red-based style
''	Default style
None	No style

- **border\_visible** (*bool*, *optional*) – Defines whether to draw the border line around the widget.
- **border\_color** (*str*, *optional*) – The color of the border around the widget.
- **border\_style** (*str*, *optional*) – The line style of the border around the widget.
- **border\_width** (*float*, *optional*) – The line width of the border around the widget.
- **border\_radius** (*float*, *optional*) – The radius of the corners of the box.
- **padding** (*float*, *optional*) – The padding around the widget.

- margin** (*float*, optional) – The margin around the widget.
- font\_family** (*See Below, optional*) – The font family to be used. Example options

```
{'serif', 'sans-serif', 'cursive', 'fantasy', 'monospace',  
 'helvetica'}
```

- font\_size** (*int*, optional) – The font size.
- font\_style** ({'normal', 'italic', 'oblique'}, optional) – The font style.
- font\_weight** (*See Below, optional*) – The font weight. Example options

```
{'ultralight', 'light', 'normal', 'regular', 'book', 'medium',  
 'roman', 'semibold', 'demibold', 'demi', 'bold', 'heavy',  
 'extra bold', 'black'}
```

## Symbols

\_compose\_after\_inplace()  
     (menpo.transform.base.composable.ComposableTransform method), 264  
 \_compose\_before\_inplace()  
     (menpo.transform.base.composable.ComposableTransform method), 264  
 \_transform\_inplace() (menpo.transform.base.Transformable method), 263  
 \_view\_2d() (menpo.image.Image method), 27  
 \_view\_2d() (menpo.image.MaskedImage method), 55  
 \_view\_2d() (menpo.shape.ColouredTriMesh method), 188  
 \_view\_2d() (menpo.shape.PointCloud method), 118  
 \_view\_2d() (menpo.shape.PointDirectedGraph method), 155  
 \_view\_2d() (menpo.shape.PointTree method), 167  
 \_view\_2d() (menpo.shape.PointUndirectedGraph method), 143  
 \_view\_2d() (menpo.shape.TexturedTriMesh method), 196  
 \_view\_2d() (menpo.shape.TriMesh method), 179  
 \_view\_landmarks\_2d() (menpo.image.Image method), 28  
 \_view\_landmarks\_2d() (menpo.image.MaskedImage method), 55  
 \_view\_landmarks\_2d() (menpo.shape.ColouredTriMesh method), 189  
 \_view\_landmarks\_2d() (menpo.shape.PointCloud method), 119  
 \_view\_landmarks\_2d() (menpo.shape.PointDirectedGraph method), 156  
 \_view\_landmarks\_2d() (menpo.shape.PointTree method), 168  
 \_view\_landmarks\_2d() (menpo.shape.PointUndirectedGraph method), 144  
 \_view\_landmarks\_2d() (menpo.shape.TexturedTriMesh method), 197  
 \_view\_landmarks\_2d() (menpo.shape.TriMesh method), 180

## A

add\_render\_function() (menpo.visualize.widgets.AnimationOptionsWidget method), 277  
 add\_render\_function() (menpo.visualize.widgets.ChannelOptionsWidget method), 280  
 add\_render\_function() (menpo.visualize.widgets.GraphOptionsWidget method), 295  
 add\_render\_function() (menpo.visualize.widgets.LandmarkOptionsWidget method), 284  
 add\_render\_function() (menpo.visualize.widgets.RendererOptionsWidget method), 290  
 add\_update\_function() (menpo.visualize.widgets.AnimationOptionsWidget method), 277  
 add\_update\_function() (menpo.visualize.widgets.LandmarkOptionsWidget method), 284  
 Affine (class in menpo.transform), 209  
 aligned\_source() (menpo.transform.AlignmentAffine method), 234  
 aligned\_source() (menpo.transform.AlignmentRotation method), 243  
 aligned\_source() (menpo.transform.AlignmentSimilarity method), 239  
 aligned\_source() (menpo.transform.AlignmentTranslation method), 248  
 aligned\_source() (menpo.transform.AlignmentUniformScale method), 252  
 aligned\_source() (menpo.transform.base.alignment.Alignment method), 267  
 aligned\_source() (menpo.transform.ThinPlateSplines method), 232  
 Alignment (class in menpo.transform.base.alignment), 266  
 alignment\_error() (menpo.transform.AlignmentAffine method), 234  
 alignment\_error() (menpo.transform.AlignmentRotation method), 243  
 alignment\_error() (menpo.transform.AlignmentSimilarity method), 239  
 alignment\_error() (menpo.transform.AlignmentTranslation method), 248

`alignment_error()` (menpo.transform.AlignmentUniformScale method), 252

`alignment_error()` (menpo.transform.base.alignment.Alignment method), 267

`alignment_error()` (menpo.transform.ThinPlateSplines method), 232

`AlignmentAffine` (class in menpo.transform), 234

`AlignmentRotation` (class in menpo.transform), 243

`AlignmentSimilarity` (class in menpo.transform), 239

`AlignmentTranslation` (class in menpo.transform), 247

`AlignmentUniformScale` (class in menpo.transform), 251

`all_true()` (menpo.image.BooleanImage method), 42

`AnimationOptionsWidget` (class in menpo.visualize.widgets), 275

`apply()` (menpo.transform.Affine method), 209

`apply()` (menpo.transform.AlignmentAffine method), 235

`apply()` (menpo.transform.AlignmentRotation method), 243

`apply()` (menpo.transform.AlignmentSimilarity method), 239

`apply()` (menpo.transform.AlignmentTranslation method), 248

`apply()` (menpo.transform.AlignmentUniformScale method), 252

`apply()` (menpo.transform.base.composable.ComposableTransform method), 264

`apply()` (menpo.transform.Homogeneous method), 206

`apply()` (menpo.transform.NonUniformScale method), 228

`apply()` (menpo.transform.R2LogR2RBF method), 258

`apply()` (menpo.transform.R2LogRRBF method), 260

`apply()` (menpo.transform.Rotation method), 217

`apply()` (menpo.transform.Similarity method), 213

`apply()` (menpo.transform.ThinPlateSplines method), 232

`apply()` (menpo.transform.Transform method), 262

`apply()` (menpo.transform.TransformChain method), 256

`apply()` (menpo.transform.Translation method), 221

`apply()` (menpo.transform.UniformScale method), 225

`apply_inplace()` (menpo.transform.Affine method), 210

`apply_inplace()` (menpo.transform.AlignmentAffine method), 235

`apply_inplace()` (menpo.transform.AlignmentRotation method), 244

`apply_inplace()` (menpo.transform.AlignmentSimilarity method), 239

`apply_inplace()` (menpo.transform.AlignmentTranslation method), 248

`apply_inplace()` (menpo.transform.AlignmentUniformScale method), 252

`apply_inplace()` (menpo.transform.base.composable.ComposableTransform method), 264

`apply_inplace()` (menpo.transform.Homogeneous method), 206

`apply_inplace()` (menpo.transform.NonUniformScale method), 229

`apply_inplace()` (menpo.transform.R2LogR2RBF method), 259

`apply_inplace()` (menpo.transform.R2LogRRBF method), 260

`apply_inplace()` (menpo.transform.Rotation method), 217

`apply_inplace()` (menpo.transform.Similarity method), 214

`apply_inplace()` (menpo.transform.ThinPlateSplines method), 233

`apply_inplace()` (menpo.transform.Transform method), 262

`apply_inplace()` (menpo.transform.TransformChain method), 256

`apply_inplace()` (menpo.transform.Translation method), 221

`apply_inplace()` (menpo.transform.UniformScale method), 225

`as_grayscale()` (menpo.image.BooleanImage method), 42

`as_grayscale()` (menpo.image.Image method), 31

`as_grayscale()` (menpo.image.MaskedImage method), 59

`as_histogram()` (menpo.image.BooleanImage method), 42

`as_histogram()` (menpo.image.Image method), 31

`as_histogram()` (menpo.image.MaskedImage method), 59

`as_masked()` (menpo.image.BooleanImage method), 43

`as_masked()` (menpo.image.Image method), 32

`as_masked()` (menpo.image.MaskedImage method), 60

`as_matrix()` (in module menpo.math), 96

`as_non_alignment()` (menpo.transform.AlignmentAffine method), 235

`as_non_alignment()` (menpo.transform.AlignmentRotation method), 244

`as_non_alignment()` (menpo.transform.AlignmentSimilarity method), 239

`as_non_alignment()` (menpo.transform.AlignmentTranslation method), 248

`as_non_alignment()` (menpo.transform.AlignmentUniformScale method), 252

`as_PILImage()` (menpo.image.BooleanImage method), 42

`as_PILImage()` (menpo.image.Image method), 31

`as_PILImage()` (menpo.image.MaskedImage method), 59

`as_pointgraph()` (menpo.shape.ColouredTriMesh method), 192

`as_pointgraph()` (menpo.shape.TexturedTriMesh method), 200

`as_pointgraph()` (menpo.shape.TriMesh method), 183

`as_pointgraph()` (menpo.image.MaskedImage method), 60

`as_vector()` (menpo.base.Vectorizable method), 19

`as_vector()` (menpo.image.BooleanImage method), 43

`as_vector()` (menpo.image.Image method), 32

`as_vector()` (menpo.image.MaskedImage method), 60

[as\\_vector\(\)](#) (menpo.shape.base.Shape method), [117](#)  
[as\\_vector\(\)](#) (menpo.shape.ColouredTriMesh method), [192](#)  
[as\\_vector\(\)](#) (menpo.shape.PointCloud method), [122](#)  
[as\\_vector\(\)](#) (menpo.shape.PointDirectedGraph method), [159](#)  
[as\\_vector\(\)](#) (menpo.shape.PointTree method), [171](#)  
[as\\_vector\(\)](#) (menpo.shape.PointUndirectedGraph method), [147](#)  
[as\\_vector\(\)](#) (menpo.shape.TexturedTriMesh method), [201](#)  
[as\\_vector\(\)](#) (menpo.shape.TriMesh method), [183](#)  
[as\\_vector\(\)](#) (menpo.transform.Affine method), [210](#)  
[as\\_vector\(\)](#) (menpo.transform.AlignmentAffine method), [235](#)  
[as\\_vector\(\)](#) (menpo.transform.AlignmentRotation method), [244](#)  
[as\\_vector\(\)](#) (menpo.transform.AlignmentSimilarity method), [239](#)  
[as\\_vector\(\)](#) (menpo.transform.AlignmentTranslation method), [248](#)  
[as\\_vector\(\)](#) (menpo.transform.AlignmentUniformScale method), [252](#)  
[as\\_vector\(\)](#) (menpo.transform.Homogeneous method), [206](#)  
[as\\_vector\(\)](#) (menpo.transform.NonUniformScale method), [229](#)  
[as\\_vector\(\)](#) (menpo.transform.Rotation method), [218](#)  
[as\\_vector\(\)](#) (menpo.transform.Similarity method), [214](#)  
[as\\_vector\(\)](#) (menpo.transform.Translation method), [222](#)  
[as\\_vector\(\)](#) (menpo.transform.UniformScale method), [225](#)  
[axis\\_and\\_angle\\_of\\_rotation\(\)](#) (menpo.transform.AlignmentRotation method), [244](#)  
[axis\\_and\\_angle\\_of\\_rotation\(\)](#) (menpo.transform.Rotation method), [218](#)

## B

[BooleanImage](#) (class in menpo.image), [42](#)  
[boundary\\_tri\\_index\(\)](#) (menpo.shape.ColouredTriMesh method), [192](#)  
[boundary\\_tri\\_index\(\)](#) (menpo.shape.TexturedTriMesh method), [201](#)  
[boundary\\_tri\\_index\(\)](#) (menpo.shape.TriMesh method), [183](#)  
[bounding\\_box\(\)](#) (menpo.shape.ColouredTriMesh method), [192](#)  
[bounding\\_box\(\)](#) (menpo.shape.PointCloud method), [122](#)  
[bounding\\_box\(\)](#) (menpo.shape.PointDirectedGraph method), [159](#)  
[bounding\\_box\(\)](#) (menpo.shape.PointTree method), [172](#)  
[bounding\\_box\(\)](#) (menpo.shape.PointUndirectedGraph method), [147](#)

[bounding\\_box\(\)](#) (menpo.shape.TexturedTriMesh method), [201](#)  
[bounding\\_box\(\)](#) (menpo.shape.TriMesh method), [183](#)  
[bounds\(\)](#) (menpo.shape.ColouredTriMesh method), [192](#)  
[bounds\(\)](#) (menpo.shape.PointCloud method), [122](#)  
[bounds\(\)](#) (menpo.shape.PointDirectedGraph method), [159](#)  
[bounds\(\)](#) (menpo.shape.PointTree method), [172](#)  
[bounds\(\)](#) (menpo.shape.PointUndirectedGraph method), [147](#)  
[bounds\(\)](#) (menpo.shape.TexturedTriMesh method), [201](#)  
[bounds\(\)](#) (menpo.shape.TriMesh method), [184](#)  
[bounds\\_false\(\)](#) (menpo.image.BooleanImage method), [43](#)  
[bounds\\_true\(\)](#) (menpo.image.BooleanImage method), [43](#)  
[bu3dfe\\_83\(\)](#) (in module menpo.landmark), [87](#)  
[build\\_mask\\_around\\_landmarks\(\)](#) (menpo.image.MaskedImage method), [60](#)  
[bytes\\_str\(\)](#) (in module menpo.visualize), [275](#)

## C

[centre\(\)](#) (menpo.image.BooleanImage method), [44](#)  
[centre\(\)](#) (menpo.image.Image method), [32](#)  
[centre\(\)](#) (menpo.image.MaskedImage method), [61](#)  
[centre\(\)](#) (menpo.shape.ColouredTriMesh method), [192](#)  
[centre\(\)](#) (menpo.shape.PointCloud method), [123](#)  
[centre\(\)](#) (menpo.shape.PointDirectedGraph method), [159](#)  
[centre\(\)](#) (menpo.shape.PointTree method), [172](#)  
[centre\(\)](#) (menpo.shape.PointUndirectedGraph method), [148](#)  
[centre\(\)](#) (menpo.shape.TexturedTriMesh method), [201](#)  
[centre\(\)](#) (menpo.shape.TriMesh method), [184](#)  
[centre\\_of\\_bounds\(\)](#) (menpo.shape.ColouredTriMesh method), [193](#)  
[centre\\_of\\_bounds\(\)](#) (menpo.shape.PointCloud method), [123](#)  
[centre\\_of\\_bounds\(\)](#) (menpo.shape.PointDirectedGraph method), [160](#)  
[centre\\_of\\_bounds\(\)](#) (menpo.shape.PointTree method), [172](#)  
[centre\\_of\\_bounds\(\)](#) (menpo.shape.PointUndirectedGraph method), [148](#)  
[centre\\_of\\_bounds\(\)](#) (menpo.shape.TexturedTriMesh method), [201](#)  
[centre\\_of\\_bounds\(\)](#) (menpo.shape.TriMesh method), [184](#)  
[ChannelOptionsWidget](#) (class in menpo.visualize.widgets), [279](#)  
[children\(\)](#) (menpo.shape.DirectedGraph method), [131](#)  
[children\(\)](#) (menpo.shape.PointDirectedGraph method), [160](#)  
[children\(\)](#) (menpo.shape.PointTree method), [172](#)  
[children\(\)](#) (menpo.shape.Tree method), [136](#)  
[clear\(\)](#) (menpo.landmark.LandmarkGroup method), [81](#)  
[clear\(\)](#) (menpo.landmark.LandmarkManager method), [79](#)  
[ColouredTriMesh](#) (class in menpo.shape), [187](#)

`component()` (`menpo.model.InstanceLinearModel` method), 100

`component()` (`menpo.model.MeanInstanceLinearModel` method), 105

`component()` (`menpo.model.PCAModel` method), 107

`component_vector()` (`menpo.model.InstanceLinearModel` method), 100

`component_vector()` (`menpo.model.LinearModel` method), 98

`component_vector()` (`menpo.model.MeanInstanceLinearModel` method), 105

`component_vector()` (`menpo.model.MeanLinearModel` method), 103

`component_vector()` (`menpo.model.PCAModel` method), 108

`components` (`menpo.model.InstanceLinearModel` attribute), 102

`components` (`menpo.model.LinearModel` attribute), 100

`components` (`menpo.model.MeanInstanceLinearModel` attribute), 107

`components` (`menpo.model.MeanLinearModel` attribute), 104

`components` (`menpo.model.PCAModel` attribute), 116

`ComposableTransform` (class in `menpo.transform.base.composable`), 264

`compose_after()` (`menpo.transform.Affine` method), 210

`compose_after()` (`menpo.transform.AlignmentAffine` method), 235

`compose_after()` (`menpo.transform.AlignmentRotation` method), 244

`compose_after()` (`menpo.transform.AlignmentSimilarity` method), 240

`compose_after()` (`menpo.transform.AlignmentTranslation` method), 248

`compose_after()` (`menpo.transform.AlignmentUniformScale` method), 252

`compose_after()` (`menpo.transform.base.composable.ComposableTransform` method), 264

`compose_after()` (`menpo.transform.Homogeneous` method), 206

`compose_after()` (`menpo.transform.NonUniformScale` method), 229

`compose_after()` (`menpo.transform.R2LogR2RBF` method), 259

`compose_after()` (`menpo.transform.R2LogRRBF` method), 260

`compose_after()` (`menpo.transform.Rotation` method), 218

`compose_after()` (`menpo.transform.Similarity` method), 214

`compose_after()` (`menpo.transform.ThinPlateSplines` method), 233

`compose_after()` (`menpo.transform.Transform` method), 262

`compose_after()` (`menpo.transform.TransformChain` method), 256

`compose_after()` (`menpo.transform.Translation` method), 222

`compose_after()` (`menpo.transform.UniformScale` method), 225

`compose_after_from_vector_inplace()` (`menpo.transform.base.composable.VComposable` method), 268

`compose_after_inplace()` (`menpo.transform.Affine` method), 210

`compose_after_inplace()` (`menpo.transform.AlignmentAffine` method), 235

`compose_after_inplace()` (`menpo.transform.AlignmentRotation` method), 244

`compose_after_inplace()` (`menpo.transform.AlignmentSimilarity` method), 240

`compose_after_inplace()` (`menpo.transform.AlignmentTranslation` method), 249

`compose_after_inplace()` (`menpo.transform.AlignmentUniformScale` method), 253

`compose_after_inplace()` (`menpo.transform.base.composable.ComposableTransform` method), 265

`compose_after_inplace()` (`menpo.transform.Homogeneous` method), 207

`compose_after_inplace()` (`menpo.transform.NonUniformScale` method), 229

`compose_after_inplace()` (`menpo.transform.Rotation` method), 218

`compose_after_inplace()` (`menpo.transform.Similarity` method), 214

`compose_after_inplace()` (`menpo.transform.TransformChain` method), 257

`compose_after_inplace()` (`menpo.transform.Translation` method), 222

`compose_after_inplace()` (`menpo.transform.UniformScale` method), 226

`compose_before()` (`menpo.transform.Affine` method), 210

`compose_before()` (`menpo.transform.AlignmentAffine` method), 236

`compose_before()` (`menpo.transform.AlignmentRotation` method), 245

`compose_before()` (`menpo.transform.AlignmentSimilarity` method), 240

`compose_before()` (`menpo.transform.AlignmentTranslation` method), 249

`compose_before()` (`menpo.transform.AlignmentUniformScale` method), 253

`compose_before()` (`menpo.transform.base.composable.ComposableTransform` method), 265

`compose_before()` (`menpo.transform.Homogeneous` method), 207

`compose_before()` (`menpo.transform.NonUniformScale` method), 229



`compose_before()` (`menpo.transform.R2LogR2RBF` method), 259  
`compose_before()` (`menpo.transform.R2LogRRBF` method), 260  
`compose_before()` (`menpo.transform.Rotation` method), 218  
`compose_before()` (`menpo.transform.Similarity` method), 214  
`compose_before()` (`menpo.transform.ThinPlateSplines` method), 233  
`compose_before()` (`menpo.transform.Transform` method), 262  
`compose_before()` (`menpo.transform.TransformChain` method), 257  
`compose_before()` (`menpo.transform.Translation` method), 222  
`compose_before()` (`menpo.transform.UniformScale` method), 226  
`compose_before_inplace()` (`menpo.transform.Affine` method), 211  
`compose_before_inplace()` (`menpo.transform.AlignmentAffine` method), 236  
`compose_before_inplace()` (`menpo.transform.AlignmentRotation` method), 245  
`compose_before_inplace()` (`menpo.transform.AlignmentSimilarity` method), 240  
`compose_before_inplace()` (`menpo.transform.AlignmentTranslation` method), 249  
`compose_before_inplace()` (`menpo.transform.AlignmentUniformScale` method), 253  
`compose_before_inplace()` (`menpo.transform.base.composable.ComposableTransform` method), 265  
`compose_before_inplace()` (`menpo.transform.Homogeneous` method), 207  
`compose_before_inplace()` (`menpo.transform.NonUniformScale` method), 230  
`compose_before_inplace()` (`menpo.transform.Rotation` method), 219  
`compose_before_inplace()` (`menpo.transform.Similarity` method), 215  
`compose_before_inplace()` (`menpo.transform.TransformChain` method), 257  
`compose_before_inplace()` (`menpo.transform.Translation` method), 222  
`compose_before_inplace()` (`menpo.transform.UniformScale` method), 226  
`composes_inplace_with` (`menpo.transform.Affine` attribute), 212  
`composes_inplace_with` (`menpo.transform.AlignmentAffine` attribute), 237  
`composes_inplace_with` (`menpo.transform.AlignmentRotation` attribute), 247  
`composes_inplace_with` (`menpo.transform.AlignmentSimilarity` attribute), 242  
`composes_inplace_with` (`menpo.transform.AlignmentTranslation` attribute), 250  
`composes_inplace_with` (`menpo.transform.AlignmentUniformScale` attribute), 254  
`composes_inplace_with` (`menpo.transform.base.composable.ComposableTransform` attribute), 265  
`composes_inplace_with` (`menpo.transform.Homogeneous` attribute), 208  
`composes_inplace_with` (`menpo.transform.NonUniformScale` attribute), 231  
`composes_inplace_with` (`menpo.transform.Rotation` attribute), 220  
`composes_inplace_with` (`menpo.transform.Similarity` attribute), 216  
`composes_inplace_with` (`menpo.transform.TransformChain` attribute), 258  
`composes_inplace_with` (`menpo.transform.Translation` attribute), 224  
`composes_inplace_with` (`menpo.transform.UniformScale` attribute), 227  
`composes_with` (`menpo.transform.Affine` attribute), 212  
`composes_with` (`menpo.transform.AlignmentAffine` attribute), 237  
`composes_with` (`menpo.transform.AlignmentRotation` attribute), 247  
`composes_with` (`menpo.transform.AlignmentSimilarity` attribute), 242  
`composes_with` (`menpo.transform.AlignmentTranslation` attribute), 250  
`composes_with` (`menpo.transform.AlignmentUniformScale` attribute), 254  
`composes_with` (`menpo.transform.base.composable.ComposableTransform` attribute), 266  
`composes_with` (`menpo.transform.Homogeneous` attribute), 209  
`composes_with` (`menpo.transform.NonUniformScale` attribute), 231  
`composes_with` (`menpo.transform.Rotation` attribute), 220  
`composes_with` (`menpo.transform.Similarity` attribute), 216  
`composes_with` (`menpo.transform.TransformChain` attribute), 258

`composes_with` (menpo.transform.Translation attribute), 224

`composes_with` (menpo.transform.UniformScale attribute), 227

`constrain_landmarks_to_bounds()` (menpo.image.BooleanImage method), 44

`constrain_landmarks_to_bounds()` (menpo.image.Image method), 32

`constrain_landmarks_to_bounds()` (menpo.image.MaskedImage method), 61

`constrain_mask_to_landmarks()` (menpo.image.MaskedImage method), 61

`constrain_points_to_bounds()` (menpo.image.BooleanImage method), 44

`constrain_points_to_bounds()` (menpo.image.Image method), 32

`constrain_points_to_bounds()` (menpo.image.MaskedImage method), 61

`constrain_to_landmarks()` (menpo.image.BooleanImage method), 44

`constrain_to_pointcloud()` (menpo.image.BooleanImage method), 44

`copy()` (menpo.base.Copyable method), 19

`copy()` (menpo.base.Targetable method), 21

`copy()` (menpo.base.Vectorizable method), 20

`copy()` (menpo.image.BooleanImage method), 45

`copy()` (menpo.image.Image method), 32

`copy()` (menpo.image.MaskedImage method), 61

`copy()` (menpo.landmark.Landmarkable method), 78

`copy()` (menpo.landmark.LandmarkGroup method), 81

`copy()` (menpo.landmark.LandmarkManager method), 79

`copy()` (menpo.model.InstanceLinearModel method), 100

`copy()` (menpo.model.LinearModel method), 98

`copy()` (menpo.model.MeanInstanceLinearModel method), 105

`copy()` (menpo.model.MeanLinearModel method), 103

`copy()` (menpo.model.PCAModel method), 108

`copy()` (menpo.shape.base.Shape method), 117

`copy()` (menpo.shape.ColouredTriMesh method), 193

`copy()` (menpo.shape.PointCloud method), 123

`copy()` (menpo.shape.PointDirectedGraph method), 160

`copy()` (menpo.shape.PointTree method), 172

`copy()` (menpo.shape.PointUndirectedGraph method), 148

`copy()` (menpo.shape.TexturedTriMesh method), 201

`copy()` (menpo.shape.TriMesh method), 184

`copy()` (menpo.transform.Affine method), 211

`copy()` (menpo.transform.AlignmentAffine method), 236

`copy()` (menpo.transform.AlignmentRotation method), 245

`copy()` (menpo.transform.AlignmentSimilarity method), 241

`copy()` (menpo.transform.AlignmentTranslation method), 249

`copy()` (menpo.transform.AlignmentUniformScale method), 253

`copy()` (menpo.transform.base.alignment.Alignment method), 267

`copy()` (menpo.transform.base.composable.ComposableTransform method), 265

`copy()` (menpo.transform.base.Transformable method), 263

`copy()` (menpo.transform.Homogeneous method), 207

`copy()` (menpo.transform.NonUniformScale method), 230

`copy()` (menpo.transform.R2LogR2RBF method), 259

`copy()` (menpo.transform.R2LogRRBF method), 261

`copy()` (menpo.transform.Rotation method), 219

`copy()` (menpo.transform.Similarity method), 215

`copy()` (menpo.transform.ThinPlateSplines method), 233

`copy()` (menpo.transform.Transform method), 263

`copy()` (menpo.transform.TransformChain method), 257

`copy()` (menpo.transform.Translation method), 223

`copy()` (menpo.transform.UniformScale method), 226

`Copyable` (class in menpo.base), 19

`crop()` (menpo.image.BooleanImage method), 45

`crop()` (menpo.image.Image method), 33

`crop()` (menpo.image.MaskedImage method), 62

`crop_inplace()` (menpo.image.BooleanImage method), 45

`crop_inplace()` (menpo.image.Image method), 33

`crop_inplace()` (menpo.image.MaskedImage method), 62

`crop_to_landmarks()` (menpo.image.BooleanImage method), 45

`crop_to_landmarks()` (menpo.image.Image method), 33

`crop_to_landmarks()` (menpo.image.MaskedImage method), 62

`crop_to_landmarks_inplace()` (menpo.image.BooleanImage method), 46

`crop_to_landmarks_inplace()` (menpo.image.Image method), 33

`crop_to_landmarks_inplace()` (menpo.image.MaskedImage method), 62

`crop_to_landmarks_proportion()` (menpo.image.BooleanImage method), 46

`crop_to_landmarks_proportion()` (menpo.image.Image method), 33

`crop_to_landmarks_proportion()` (menpo.image.MaskedImage method), 62

`crop_to_landmarks_proportion_inplace()` (menpo.image.BooleanImage method), 46

`crop_to_landmarks_proportion_inplace()` (menpo.image.Image method), 34

`crop_to_landmarks_proportion_inplace()` (menpo.image.MaskedImage method), 63

`crop_to_true_mask()` (menpo.image.MaskedImage method), 63



## D

[daisy\(\)](#) (in module `menpo.feature`), [76](#)  
[data\\_dir\\_path\(\)](#) (in module `menpo.io`), [26](#)  
[data\\_path\\_to\(\)](#) (in module `menpo.io`), [26](#)  
[decompose\(\)](#) (`menpo.transform.Affine` method), [211](#)  
[decompose\(\)](#) (`menpo.transform.AlignmentAffine` method), [236](#)  
[decompose\(\)](#) (`menpo.transform.AlignmentRotation` method), [245](#)  
[decompose\(\)](#) (`menpo.transform.AlignmentSimilarity` method), [241](#)  
[decompose\(\)](#) (`menpo.transform.AlignmentTranslation` method), [249](#)  
[decompose\(\)](#) (`menpo.transform.AlignmentUniformScale` method), [253](#)  
[decompose\(\)](#) (`menpo.transform.homogeneous.affine.DiscreteAffine` method), [268](#)  
[decompose\(\)](#) (`menpo.transform.NonUniformScale` method), [230](#)  
[decompose\(\)](#) (`menpo.transform.Rotation` method), [219](#)  
[decompose\(\)](#) (`menpo.transform.Similarity` method), [215](#)  
[decompose\(\)](#) (`menpo.transform.Translation` method), [223](#)  
[decompose\(\)](#) (`menpo.transform.UniformScale` method), [226](#)  
[depth\\_of\\_vertex\(\)](#) (`menpo.shape.PointTree` method), [173](#)  
[depth\\_of\\_vertex\(\)](#) (`menpo.shape.Tree` method), [136](#)  
[diagonal\(\)](#) (`menpo.image.BooleanImage` method), [46](#)  
[diagonal\(\)](#) (`menpo.image.Image` method), [34](#)  
[diagonal\(\)](#) (`menpo.image.MaskedImage` method), [63](#)  
[DirectedGraph](#) (class in `menpo.shape`), [130](#)  
[DiscreteAffine](#) (class in `menpo.transform.homogeneous.affine`), [267](#)  
[distance\\_to\(\)](#) (`menpo.shape.ColouredTriMesh` method), [193](#)  
[distance\\_to\(\)](#) (`menpo.shape.PointCloud` method), [123](#)  
[distance\\_to\(\)](#) (`menpo.shape.PointDirectedGraph` method), [160](#)  
[distance\\_to\(\)](#) (`menpo.shape.PointTree` method), [173](#)  
[distance\\_to\(\)](#) (`menpo.shape.PointUndirectedGraph` method), [148](#)  
[distance\\_to\(\)](#) (`menpo.shape.TexturedTriMesh` method), [202](#)  
[distance\\_to\(\)](#) (`menpo.shape.TriMesh` method), [184](#)  
[dot\\_inplace\\_left\(\)](#) (in module `menpo.math`), [96](#)  
[dot\\_inplace\\_right\(\)](#) (in module `menpo.math`), [95](#)

## E

[edge\\_indices\(\)](#) (`menpo.shape.ColouredTriMesh` method), [193](#)  
[edge\\_indices\(\)](#) (`menpo.shape.TexturedTriMesh` method), [202](#)  
[edge\\_indices\(\)](#) (`menpo.shape.TriMesh` method), [184](#)  
[edge\\_lengths\(\)](#) (`menpo.shape.ColouredTriMesh` method), [193](#)

[edge\\_lengths\(\)](#) (`menpo.shape.TexturedTriMesh` method), [202](#)  
[edge\\_lengths\(\)](#) (`menpo.shape.TriMesh` method), [184](#)  
[edge\\_vectors\(\)](#) (`menpo.shape.ColouredTriMesh` method), [193](#)  
[edge\\_vectors\(\)](#) (`menpo.shape.TexturedTriMesh` method), [202](#)  
[edge\\_vectors\(\)](#) (`menpo.shape.TriMesh` method), [185](#)  
[eigenvalue\\_decomposition\(\)](#) (in module `menpo.math`), [94](#)  
[eigenvalues](#) (`menpo.model.PCAModel` attribute), [116](#)  
[eigenvalues\\_cumulative\\_ratio\(\)](#) (`menpo.model.PCAModel` method), [108](#)  
[eigenvalues\\_ratio\(\)](#) (`menpo.model.PCAModel` method), [108](#)  
[es\(\)](#) (in module `menpo.feature`), [74](#)  
[export\\_image\(\)](#) (in module `menpo.io`), [24](#)  
[export\\_landmark\\_file\(\)](#) (in module `menpo.io`), [25](#)  
[export\\_pickle\(\)](#) (in module `menpo.io`), [25](#)  
[extract\\_channels\(\)](#) (`menpo.image.BooleanImage` method), [46](#)  
[extract\\_channels\(\)](#) (`menpo.image.Image` method), [34](#)  
[extract\\_channels\(\)](#) (`menpo.image.MaskedImage` method), [63](#)  
[extract\\_patches\(\)](#) (`menpo.image.BooleanImage` method), [46](#)  
[extract\\_patches\(\)](#) (`menpo.image.Image` method), [34](#)  
[extract\\_patches\(\)](#) (`menpo.image.MaskedImage` method), [63](#)  
[extract\\_patches\\_around\\_landmarks\(\)](#) (`menpo.image.BooleanImage` method), [47](#)  
[extract\\_patches\\_around\\_landmarks\(\)](#) (`menpo.image.Image` method), [34](#)  
[extract\\_patches\\_around\\_landmarks\(\)](#) (`menpo.image.MaskedImage` method), [64](#)

## F

[false\\_indices\(\)](#) (`menpo.image.BooleanImage` method), [47](#)  
[features\\_selection\(\)](#) (in module `menpo.visualize`), [272](#)  
[features\\_selection\\_widget\(\)](#) (in module `menpo.feature`), [78](#)  
[find\\_all\\_paths\(\)](#) (`menpo.shape.DirectedGraph` method), [131](#)  
[find\\_all\\_paths\(\)](#) (`menpo.shape.PointDirectedGraph` method), [160](#)  
[find\\_all\\_paths\(\)](#) (`menpo.shape.PointTree` method), [173](#)  
[find\\_all\\_paths\(\)](#) (`menpo.shape.PointUndirectedGraph` method), [148](#)  
[find\\_all\\_paths\(\)](#) (`menpo.shape.Tree` method), [137](#)  
[find\\_all\\_paths\(\)](#) (`menpo.shape.UndirectedGraph` method), [126](#)  
[find\\_all\\_shortest\\_paths\(\)](#) (`menpo.shape.DirectedGraph` method), [131](#)  
[find\\_all\\_shortest\\_paths\(\)](#) (`menpo.shape.PointDirectedGraph` method), [160](#)

`find_all_shortest_paths()` (menpo.shape.PointTree method), 173

`find_all_shortest_paths()` (menpo.shape.PointUndirectedGraph method), 148

`find_all_shortest_paths()` (menpo.shape.Tree method), 137

`find_all_shortest_paths()` (menpo.shape.UndirectedGraph method), 126

`find_path()` (menpo.shape.DirectedGraph method), 132

`find_path()` (menpo.shape.PointDirectedGraph method), 161

`find_path()` (menpo.shape.PointTree method), 173

`find_path()` (menpo.shape.PointUndirectedGraph method), 149

`find_path()` (menpo.shape.Tree method), 137

`find_path()` (menpo.shape.UndirectedGraph method), 127

`find_shortest_path()` (menpo.shape.DirectedGraph method), 132

`find_shortest_path()` (menpo.shape.PointDirectedGraph method), 161

`find_shortest_path()` (menpo.shape.PointTree method), 174

`find_shortest_path()` (menpo.shape.PointUndirectedGraph method), 149

`find_shortest_path()` (menpo.shape.Tree method), 137

`find_shortest_path()` (menpo.shape.UndirectedGraph method), 127

`flic_pose()` (in module menpo.landmark), 89

`from_mask()` (menpo.shape.ColouredTriMesh method), 193

`from_mask()` (menpo.shape.PointCloud method), 123

`from_mask()` (menpo.shape.PointDirectedGraph method), 161

`from_mask()` (menpo.shape.PointTree method), 174

`from_mask()` (menpo.shape.PointUndirectedGraph method), 149

`from_mask()` (menpo.shape.TexturedTriMesh method), 202

`from_mask()` (menpo.shape.TriMesh method), 185

`from_matrix()` (in module menpo.math), 96

`from_vector()` (menpo.base.Vectorizable method), 20

`from_vector()` (menpo.image.BooleanImage method), 47

`from_vector()` (menpo.image.Image method), 35

`from_vector()` (menpo.image.MaskedImage method), 64

`from_vector()` (menpo.shape.base.Shape method), 117

`from_vector()` (menpo.shape.ColouredTriMesh method), 194

`from_vector()` (menpo.shape.PointCloud method), 123

`from_vector()` (menpo.shape.PointDirectedGraph method), 161

`from_vector()` (menpo.shape.PointTree method), 174

`from_vector()` (menpo.shape.PointUndirectedGraph method), 149

`from_vector()` (menpo.shape.TexturedTriMesh method), 202

`from_vector()` (menpo.shape.TriMesh method), 185

`from_vector()` (menpo.transform.Affine method), 211

`from_vector()` (menpo.transform.AlignmentAffine method), 236

`from_vector()` (menpo.transform.AlignmentRotation method), 245

`from_vector()` (menpo.transform.AlignmentSimilarity method), 241

`from_vector()` (menpo.transform.AlignmentTranslation method), 249

`from_vector()` (menpo.transform.AlignmentUniformScale method), 253

`from_vector()` (menpo.transform.Homogeneous method), 208

`from_vector()` (menpo.transform.NonUniformScale method), 230

`from_vector()` (menpo.transform.Rotation method), 219

`from_vector()` (menpo.transform.Similarity method), 215

`from_vector()` (menpo.transform.Translation method), 223

`from_vector()` (menpo.transform.UniformScale method), 227

`from_vector_inplace()` (menpo.base.Vectorizable method), 20

`from_vector_inplace()` (menpo.image.BooleanImage method), 48

`from_vector_inplace()` (menpo.image.Image method), 35

`from_vector_inplace()` (menpo.image.MaskedImage method), 64

`from_vector_inplace()` (menpo.shape.base.Shape method), 117

`from_vector_inplace()` (menpo.shape.ColouredTriMesh method), 194

`from_vector_inplace()` (menpo.shape.PointCloud method), 123

`from_vector_inplace()` (menpo.shape.PointDirectedGraph method), 162

`from_vector_inplace()` (menpo.shape.PointTree method), 174

`from_vector_inplace()` (menpo.shape.PointUndirectedGraph method), 150

`from_vector_inplace()` (menpo.shape.TexturedTriMesh method), 203

`from_vector_inplace()` (menpo.shape.TriMesh method), 185

`from_vector_inplace()` (menpo.transform.Affine method), 211

`from_vector_inplace()` (menpo.transform.AlignmentAffine method), 237

`from_vector_inplace()` (menpo.transform.AlignmentRotation method), 245

- [from\\_vector\\_inplace\(\)](#) (menpo.transform.AlignmentSimilarity method), 241  
[from\\_vector\\_inplace\(\)](#) (menpo.transform.AlignmentTranslation method), 250  
[from\\_vector\\_inplace\(\)](#) (menpo.transform.AlignmentUniformScale method), 254  
[from\\_vector\\_inplace\(\)](#) (menpo.transform.Homogeneous method), 208  
[from\\_vector\\_inplace\(\)](#) (menpo.transform.NonUniformScale method), 230  
[from\\_vector\\_inplace\(\)](#) (menpo.transform.Rotation method), 219  
[from\\_vector\\_inplace\(\)](#) (menpo.transform.Similarity method), 215  
[from\\_vector\\_inplace\(\)](#) (menpo.transform.Translation method), 223  
[from\\_vector\\_inplace\(\)](#) (menpo.transform.UniformScale method), 227
- ## G
- [gaussian\\_filter\(\)](#) (in module menpo.feature), 73  
[gaussian\\_pyramid\(\)](#) (menpo.image.BooleanImage method), 48  
[gaussian\\_pyramid\(\)](#) (menpo.image.Image method), 35  
[gaussian\\_pyramid\(\)](#) (menpo.image.MaskedImage method), 65  
[GeneralizedProcrustesAnalysis](#) (class in menpo.transform), 255  
[get\(\)](#) (menpo.landmark.LandmarkGroup method), 81  
[get\(\)](#) (menpo.landmark.LandmarkManager method), 79  
[get\\_adjacency\\_list\(\)](#) (menpo.shape.DirectedGraph method), 133  
[get\\_adjacency\\_list\(\)](#) (menpo.shape.PointDirectedGraph method), 162  
[get\\_adjacency\\_list\(\)](#) (menpo.shape.PointTree method), 175  
[get\\_adjacency\\_list\(\)](#) (menpo.shape.PointUndirectedGraph method), 150  
[get\\_adjacency\\_list\(\)](#) (menpo.shape.Tree method), 138  
[get\\_adjacency\\_list\(\)](#) (menpo.shape.UndirectedGraph method), 127  
[get\\_figure\(\)](#) (menpo.visualize.MatplotlibRenderer method), 270  
[get\\_figure\(\)](#) (menpo.visualize.Renderer method), 269  
[glyph\(\)](#) (in module menpo.feature.visualize), 77  
[gradient\(\)](#) (in module menpo.feature), 73  
[gradient\(\)](#) (menpo.image.BooleanImage method), 48  
[gradient\(\)](#) (menpo.image.Image method), 36  
[gradient\(\)](#) (menpo.image.MaskedImage method), 65  
[GraphOptionsWidget](#) (class in menpo.visualize.widgets), 294  
[group\\_labels](#) (menpo.landmark.LandmarkManager attribute), 80  
[h\\_matrix](#) (menpo.transform.Affine attribute), 212  
[h\\_matrix](#) (menpo.transform.AlignmentAffine attribute), 238  
[h\\_matrix](#) (menpo.transform.AlignmentRotation attribute), 247  
[h\\_matrix](#) (menpo.transform.AlignmentSimilarity attribute), 242  
[h\\_matrix](#) (menpo.transform.AlignmentTranslation attribute), 251  
[h\\_matrix](#) (menpo.transform.AlignmentUniformScale attribute), 254  
[h\\_matrix](#) (menpo.transform.Homogeneous attribute), 209  
[h\\_matrix](#) (menpo.transform.NonUniformScale attribute), 231  
[h\\_matrix](#) (menpo.transform.Rotation attribute), 220  
[h\\_matrix](#) (menpo.transform.Similarity attribute), 216  
[h\\_matrix](#) (menpo.transform.Translation attribute), 224  
[h\\_matrix](#) (menpo.transform.UniformScale attribute), 228  
[h\\_matrix\\_is\\_mutable](#) (menpo.transform.Affine attribute), 212  
[h\\_matrix\\_is\\_mutable](#) (menpo.transform.AlignmentAffine attribute), 238  
[h\\_matrix\\_is\\_mutable](#) (menpo.transform.AlignmentRotation attribute), 247  
[h\\_matrix\\_is\\_mutable](#) (menpo.transform.AlignmentSimilarity attribute), 242  
[h\\_matrix\\_is\\_mutable](#) (menpo.transform.AlignmentTranslation attribute), 251  
[h\\_matrix\\_is\\_mutable](#) (menpo.transform.AlignmentUniformScale attribute), 255  
[h\\_matrix\\_is\\_mutable](#) (menpo.transform.Homogeneous attribute), 209  
[h\\_matrix\\_is\\_mutable](#) (menpo.transform.NonUniformScale attribute), 231  
[h\\_matrix\\_is\\_mutable](#) (menpo.transform.Rotation attribute), 220  
[h\\_matrix\\_is\\_mutable](#) (menpo.transform.Similarity attribute), 216  
[h\\_matrix\\_is\\_mutable](#) (menpo.transform.Translation attribute), 224  
[h\\_matrix\\_is\\_mutable](#) (menpo.transform.UniformScale attribute), 228  
[h\\_points\(\)](#) (menpo.shape.ColouredTriMesh method), 194  
[h\\_points\(\)](#) (menpo.shape.PointCloud method), 124  
[h\\_points\(\)](#) (menpo.shape.PointDirectedGraph method), 162  
[h\\_points\(\)](#) (menpo.shape.PointTree method), 175  
[h\\_points\(\)](#) (menpo.shape.PointUndirectedGraph method), 150  
[h\\_points\(\)](#) (menpo.shape.TexturedTriMesh method), 203  
[h\\_points\(\)](#) (menpo.shape.TriMesh method), 185  
[has\\_cycles\(\)](#) (menpo.shape.DirectedGraph method), 133

`has_cycles()` (menpo.shape.PointDirectedGraph method), 162

`has_cycles()` (menpo.shape.PointTree method), 175

`has_cycles()` (menpo.shape.PointUndirectedGraph method), 150

`has_cycles()` (menpo.shape.Tree method), 138

`has_cycles()` (menpo.shape.UndirectedGraph method), 128

`has_isolated_vertices()` (menpo.shape.DirectedGraph method), 133

`has_isolated_vertices()` (menpo.shape.PointDirectedGraph method), 162

`has_isolated_vertices()` (menpo.shape.PointTree method), 175

`has_isolated_vertices()` (menpo.shape.PointUndirectedGraph method), 150

`has_isolated_vertices()` (menpo.shape.Tree method), 138

`has_isolated_vertices()` (menpo.shape.UndirectedGraph method), 128

`has_landmarks` (menpo.image.BooleanImage attribute), 53

`has_landmarks` (menpo.image.Image attribute), 41

`has_landmarks` (menpo.image.MaskedImage attribute), 71

`has_landmarks` (menpo.landmark.Landmarkable attribute), 79

`has_landmarks` (menpo.landmark.LandmarkManager attribute), 80

`has_landmarks` (menpo.shape.base.Shape attribute), 117

`has_landmarks` (menpo.shape.ColouredTriMesh attribute), 195

`has_landmarks` (menpo.shape.PointCloud attribute), 124

`has_landmarks` (menpo.shape.PointDirectedGraph attribute), 165

`has_landmarks` (menpo.shape.PointTree attribute), 178

`has_landmarks` (menpo.shape.PointUndirectedGraph attribute), 152

`has_landmarks` (menpo.shape.TexturedTriMesh attribute), 205

`has_landmarks` (menpo.shape.TriMesh attribute), 187

`has_landmarks_outside_bounds` (menpo.image.BooleanImage attribute), 53

`has_landmarks_outside_bounds` (menpo.image.Image attribute), 41

`has_landmarks_outside_bounds` (menpo.image.MaskedImage attribute), 71

`has_nan_values()` (menpo.base.Vectorizable method), 20

`has_nan_values()` (menpo.image.BooleanImage method), 48

`has_nan_values()` (menpo.image.Image method), 36

`has_nan_values()` (menpo.image.MaskedImage method), 65

`has_nan_values()` (menpo.landmark.LandmarkGroup method), 81

`has_nan_values()` (menpo.shape.base.Shape method), 117

`has_nan_values()` (menpo.shape.ColouredTriMesh method), 194

`has_nan_values()` (menpo.shape.PointCloud method), 124

`has_nan_values()` (menpo.shape.PointDirectedGraph method), 162

`has_nan_values()` (menpo.shape.PointTree method), 175

`has_nan_values()` (menpo.shape.PointUndirectedGraph method), 150

`has_nan_values()` (menpo.shape.TexturedTriMesh method), 203

`has_nan_values()` (menpo.shape.TriMesh method), 185

`has_nan_values()` (menpo.transform.Affine method), 211

`has_nan_values()` (menpo.transform.AlignmentAffine method), 237

`has_nan_values()` (menpo.transform.AlignmentRotation method), 245

`has_nan_values()` (menpo.transform.AlignmentSimilarity method), 241

`has_nan_values()` (menpo.transform.AlignmentTranslation method), 250

`has_nan_values()` (menpo.transform.AlignmentUniformScale method), 254

`has_nan_values()` (menpo.transform.Homogeneous method), 208

`has_nan_values()` (menpo.transform.NonUniformScale method), 230

`has_nan_values()` (menpo.transform.Rotation method), 219

`has_nan_values()` (menpo.transform.Similarity method), 215

`has_nan_values()` (menpo.transform.Translation method), 223

`has_nan_values()` (menpo.transform.UniformScale method), 227

`has_true_inverse` (menpo.transform.Affine attribute), 212

`has_true_inverse` (menpo.transform.AlignmentAffine attribute), 238

`has_true_inverse` (menpo.transform.AlignmentRotation attribute), 247

`has_true_inverse` (menpo.transform.AlignmentSimilarity attribute), 242

`has_true_inverse` (menpo.transform.AlignmentTranslation attribute), 251

`has_true_inverse` (menpo.transform.AlignmentUniformScale attribute), 255

`has_true_inverse` (menpo.transform.base.invertible.Invertible attribute), 266

`has_true_inverse` (menpo.transform.base.invertible.VInvertible attribute), 268

- `has_true_inverse` (menpo.transform.Homogeneous attribute), 209
- `has_true_inverse` (menpo.transform.NonUniformScale attribute), 231
- `has_true_inverse` (menpo.transform.Rotation attribute), 220
- `has_true_inverse` (menpo.transform.Similarity attribute), 216
- `has_true_inverse` (menpo.transform.ThinPlateSplines attribute), 233
- `has_true_inverse` (menpo.transform.Translation attribute), 224
- `has_true_inverse` (menpo.transform.UniformScale attribute), 228
- `height` (menpo.image.BooleanImage attribute), 53
- `height` (menpo.image.Image attribute), 41
- `height` (menpo.image.MaskedImage attribute), 71
- `hog()` (in module menpo.feature), 75
- `Homogeneous` (class in menpo.transform), 206
- I**
- `ibug_close_eye_points()` (in module menpo.landmark), 88
- `ibug_close_eye_trimesh()` (in module menpo.landmark), 88
- `ibug_face_49()` (in module menpo.landmark), 83
- `ibug_face_51()` (in module menpo.landmark), 83
- `ibug_face_65_closed_mouth()` (in module menpo.landmark), 85
- `ibug_face_66()` (in module menpo.landmark), 84
- `ibug_face_68()` (in module menpo.landmark), 84
- `ibug_face_68_trimesh()` (in module menpo.landmark), 85
- `ibug_hand()` (in module menpo.landmark), 89
- `ibug_open_eye()` (in module menpo.landmark), 87
- `ibug_open_eye_trimesh()` (in module menpo.landmark), 88
- `ibug_tongue()` (in module menpo.landmark), 94
- `igo()` (in module menpo.feature), 73
- `Image` (class in menpo.image), 27
- `image_paths()` (in module menpo.io), 26
- `ImageBoundaryError` (class in menpo.image), 72
- `imm_face()` (in module menpo.landmark), 86
- `import_builtin_asset()` (in module menpo.io), 24
- `import_image()` (in module menpo.io), 21
- `import_images()` (in module menpo.io), 22
- `import_landmark_file()` (in module menpo.io), 23
- `import_landmark_files()` (in module menpo.io), 23
- `import_pickle()` (in module menpo.io), 23
- `import_pickles()` (in module menpo.io), 24
- `increment()` (menpo.model.PCAModel method), 108
- `indices()` (menpo.image.BooleanImage method), 48
- `indices()` (menpo.image.Image method), 36
- `indices()` (menpo.image.MaskedImage method), 65
- `init_blank()` (menpo.image.BooleanImage class method), 48
- `init_blank()` (menpo.image.Image class method), 36
- `init_blank()` (menpo.image.MaskedImage class method), 65
- `init_from_2d_ccw_angle()` (menpo.transform.AlignmentRotation method), 246
- `init_from_2d_ccw_angle()` (menpo.transform.Rotation class method), 219
- `init_from_edges()` (menpo.shape.DirectedGraph method), 133
- `init_from_edges()` (menpo.shape.PointDirectedGraph method), 162
- `init_from_edges()` (menpo.shape.PointTree class method), 175
- `init_from_edges()` (menpo.shape.PointUndirectedGraph class method), 150
- `init_from_edges()` (menpo.shape.Tree method), 138
- `init_from_edges()` (menpo.shape.UndirectedGraph class method), 128
- `init_identity()` (menpo.transform.Affine class method), 211
- `init_identity()` (menpo.transform.AlignmentAffine method), 237
- `init_identity()` (menpo.transform.AlignmentRotation method), 246
- `init_identity()` (menpo.transform.AlignmentSimilarity method), 241
- `init_identity()` (menpo.transform.AlignmentTranslation method), 250
- `init_identity()` (menpo.transform.AlignmentUniformScale method), 254
- `init_identity()` (menpo.transform.Homogeneous class method), 208
- `init_identity()` (menpo.transform.NonUniformScale class method), 230
- `init_identity()` (menpo.transform.Rotation class method), 220
- `init_identity()` (menpo.transform.Similarity class method), 216
- `init_identity()` (menpo.transform.Translation class method), 223
- `init_identity()` (menpo.transform.UniformScale class method), 227
- `init_with_all_label()` (menpo.landmark.LandmarkGroup class method), 81
- `instance()` (menpo.model.InstanceLinearModel method), 100
- `instance()` (menpo.model.MeanInstanceLinearModel method), 105
- `instance()` (menpo.model.PCAModel method), 109
- `instance_vector()` (menpo.model.InstanceLinearModel method), 100



`instance_vector()` (`menpo.model.LinearModel` method), 98

`instance_vector()` (`menpo.model.MeanInstanceLinearModel` method), 105

`instance_vector()` (`menpo.model.MeanLinearModel` method), 103

`instance_vector()` (`menpo.model.PCAModel` method), 109

`instance_vectors()` (`menpo.model.InstanceLinearModel` method), 101

`instance_vectors()` (`menpo.model.LinearModel` method), 98

`instance_vectors()` (`menpo.model.MeanInstanceLinearModel` method), 105

`instance_vectors()` (`menpo.model.MeanLinearModel` method), 103

`instance_vectors()` (`menpo.model.PCAModel` method), 109

`InstanceLinearModel` (class in `menpo.model`), 100

`inverse_noise_variance()` (`menpo.model.PCAModel` method), 109

`invert()` (`menpo.image.BooleanImage` method), 49

`invert_inplace()` (`menpo.image.BooleanImage` method), 49

`Invertible` (class in `menpo.transform.base.invertible`), 266

`ipca()` (in module `menpo.math`), 94

`is_edge()` (`menpo.shape.DirectedGraph` method), 134

`is_edge()` (`menpo.shape.PointDirectedGraph` method), 163

`is_edge()` (`menpo.shape.PointTree` method), 176

`is_edge()` (`menpo.shape.PointUndirectedGraph` method), 151

`is_edge()` (`menpo.shape.Tree` method), 139

`is_edge()` (`menpo.shape.UndirectedGraph` method), 129

`is_leaf()` (`menpo.shape.PointTree` method), 176

`is_leaf()` (`menpo.shape.Tree` method), 139

`is_tree()` (`menpo.shape.DirectedGraph` method), 134

`is_tree()` (`menpo.shape.PointDirectedGraph` method), 164

`is_tree()` (`menpo.shape.PointTree` method), 176

`is_tree()` (`menpo.shape.PointUndirectedGraph` method), 151

`is_tree()` (`menpo.shape.Tree` method), 140

`is_tree()` (`menpo.shape.UndirectedGraph` method), 129

`isolated_vertices()` (`menpo.shape.DirectedGraph` method), 134

`isolated_vertices()` (`menpo.shape.PointDirectedGraph` method), 164

`isolated_vertices()` (`menpo.shape.PointTree` method), 176

`isolated_vertices()` (`menpo.shape.PointUndirectedGraph` method), 151

`isolated_vertices()` (`menpo.shape.Tree` method), 140

`isolated_vertices()` (`menpo.shape.UndirectedGraph` method), 129

`items()` (`menpo.landmark.LandmarkGroup` method), 81

`items()` (`menpo.landmark.LandmarkManager` method), 79

`items_matching()` (`menpo.landmark.LandmarkManager` method), 79

`iteritems()` (`menpo.landmark.LandmarkGroup` method), 81

`iteritems()` (`menpo.landmark.LandmarkManager` method), 80

`iterkeys()` (`menpo.landmark.LandmarkGroup` method), 81

`iterkeys()` (`menpo.landmark.LandmarkManager` method), 80

`itervalues()` (`menpo.landmark.LandmarkGroup` method), 81

`itervalues()` (`menpo.landmark.LandmarkManager` method), 80

## K

`keys()` (`menpo.landmark.LandmarkGroup` method), 81

`keys()` (`menpo.landmark.LandmarkManager` method), 80

`keys_matching()` (`menpo.landmark.LandmarkManager` method), 80

## L

`labeller()` (in module `menpo.landmark`), 83

`LabellingError` (class in `menpo.landmark`), 79

`labels` (`menpo.landmark.LandmarkGroup` attribute), 82

`landmark_file_paths()` (in module `menpo.io`), 26

`Landmarkable` (class in `menpo.landmark`), 78

`LandmarkableViewable` (class in `menpo.visualize`), 270

`LandmarkGroup` (class in `menpo.landmark`), 81

`LandmarkManager` (class in `menpo.landmark`), 79

`LandmarkOptionsWidget` (class in `menpo.visualize.widgets`), 282

`landmarks` (`menpo.image.BooleanImage` attribute), 53

`landmarks` (`menpo.image.Image` attribute), 41

`landmarks` (`menpo.image.MaskedImage` attribute), 71

`landmarks` (`menpo.landmark.Landmarkable` attribute), 79

`landmarks` (`menpo.shape.base.Shape` attribute), 117

`landmarks` (`menpo.shape.ColouredTriMesh` attribute), 195

`landmarks` (`menpo.shape.PointCloud` attribute), 124

`landmarks` (`menpo.shape.PointDirectedGraph` attribute), 165

`landmarks` (`menpo.shape.PointTree` attribute), 178

`landmarks` (`menpo.shape.PointUndirectedGraph` attribute), 152

`landmarks` (`menpo.shape.TexturedTriMesh` attribute), 205

`landmarks` (`menpo.shape.TriMesh` attribute), 187

`lbp()` (in module `menpo.feature`), 74

`leaves` (`menpo.shape.PointTree` attribute), 178

`leaves` (`menpo.shape.Tree` attribute), 141

`lfpw_face()` (in module `menpo.landmark`), 86

`linear_component` (`menpo.transform.Affine` attribute), 212

- linear\_component (menpo.transform.AlignmentAffine attribute), 238
- linear\_component (menpo.transform.AlignmentRotation attribute), 247
- linear\_component (menpo.transform.AlignmentSimilarity attribute), 242
- linear\_component (menpo.transform.AlignmentTranslation attribute), 251
- linear\_component (menpo.transform.AlignmentUniformScale attribute), 255
- linear\_component (menpo.transform.NonUniformScale attribute), 231
- linear\_component (menpo.transform.Rotation attribute), 221
- linear\_component (menpo.transform.Similarity attribute), 216
- linear\_component (menpo.transform.Translation attribute), 224
- linear\_component (menpo.transform.UniformScale attribute), 228
- LinearModel (class in menpo.model), 98
- lms (menpo.landmark.LandmarkGroup attribute), 82
- log\_gabor() (in module menpo.math), 97
- ls\_builtin\_assets() (in module menpo.io), 26
- lsp\_pose() (in module menpo.landmark), 90
- ## M
- mask (menpo.image.BooleanImage attribute), 53
- masked\_pixels() (menpo.image.MaskedImage method), 65
- MaskedImage (class in menpo.image), 54
- MatplotlibRenderer (class in menpo.visualize), 270
- maximum\_depth (menpo.shape.PointTree attribute), 178
- maximum\_depth (menpo.shape.Tree attribute), 141
- mean() (menpo.model.MeanInstanceLinearModel method), 106
- mean() (menpo.model.PCAModel method), 109
- mean\_aligned\_shape() (menpo.transform.GeneralizedProcrustesAnalysis method), 256
- mean\_alignment\_error() (menpo.transform.GeneralizedProcrustesAnalysis method), 256
- mean\_edge\_length() (menpo.shape.ColouredTriMesh method), 194
- mean\_edge\_length() (menpo.shape.TexturedTriMesh method), 203
- mean\_edge\_length() (menpo.shape.TriMesh method), 185
- mean\_pointcloud() (in module menpo.shape), 205
- mean\_tri\_area() (menpo.shape.ColouredTriMesh method), 194
- mean\_tri\_area() (menpo.shape.TexturedTriMesh method), 203
- mean\_tri\_area() (menpo.shape.TriMesh method), 185
- MeanInstanceLinearModel (class in menpo.model), 104
- MeanLinearModel (class in menpo.model), 102
- menpo\_src\_dir\_path() (in module menpo.base), 21
- minimum\_spanning\_tree() (menpo.shape.PointUndirectedGraph method), 151
- minimum\_spanning\_tree() (menpo.shape.UndirectedGraph method), 129
- MultipleAlignment (class in menpo.transform.groupalign.base), 267
- ## N
- n\_active\_components (menpo.model.PCAModel attribute), 116
- n\_centres (menpo.transform.R2LogR2RBF attribute), 259
- n\_centres (menpo.transform.R2LogRRBF attribute), 261
- n\_channels (menpo.image.BooleanImage attribute), 54
- n\_channels (menpo.image.Image attribute), 41
- n\_channels (menpo.image.MaskedImage attribute), 71
- n\_children() (menpo.shape.DirectedGraph method), 134
- n\_children() (menpo.shape.PointDirectedGraph method), 164
- n\_children() (menpo.shape.PointTree method), 176
- n\_children() (menpo.shape.Tree method), 140
- n\_components (menpo.model.InstanceLinearModel attribute), 102
- n\_components (menpo.model.LinearModel attribute), 100
- n\_components (menpo.model.MeanInstanceLinearModel attribute), 107
- n\_components (menpo.model.MeanLinearModel attribute), 104
- n\_components (menpo.model.PCAModel attribute), 116
- n\_dims (menpo.base.Targetable attribute), 21
- n\_dims (menpo.image.BooleanImage attribute), 54
- n\_dims (menpo.image.Image attribute), 41
- n\_dims (menpo.image.MaskedImage attribute), 71
- n\_dims (menpo.landmark.LandmarkGroup attribute), 82
- n\_dims (menpo.landmark.LandmarkManager attribute), 80
- n\_dims (menpo.shape.ColouredTriMesh attribute), 196
- n\_dims (menpo.shape.PointCloud attribute), 124
- n\_dims (menpo.shape.PointDirectedGraph attribute), 165
- n\_dims (menpo.shape.PointTree attribute), 178
- n\_dims (menpo.shape.PointUndirectedGraph attribute), 153
- n\_dims (menpo.shape.TexturedTriMesh attribute), 205
- n\_dims (menpo.shape.TriMesh attribute), 187
- n\_dims (menpo.transform.Affine attribute), 212
- n\_dims (menpo.transform.AlignmentAffine attribute), 238
- n\_dims (menpo.transform.AlignmentRotation attribute), 247

`n_dims` (menpo.transform.AlignmentSimilarity attribute), 242

`n_dims` (menpo.transform.AlignmentTranslation attribute), 251

`n_dims` (menpo.transform.AlignmentUniformScale attribute), 255

`n_dims` (menpo.transform.base.alignment.Alignment attribute), 267

`n_dims` (menpo.transform.base.composable.ComposableTransform attribute), 266

`n_dims` (menpo.transform.Homogeneous attribute), 209

`n_dims` (menpo.transform.NonUniformScale attribute), 231

`n_dims` (menpo.transform.R2LogR2RBF attribute), 259

`n_dims` (menpo.transform.R2LogRRBF attribute), 261

`n_dims` (menpo.transform.Rotation attribute), 221

`n_dims` (menpo.transform.Similarity attribute), 217

`n_dims` (menpo.transform.ThinPlateSplines attribute), 233

`n_dims` (menpo.transform.Transform attribute), 263

`n_dims` (menpo.transform.TransformChain attribute), 258

`n_dims` (menpo.transform.Translation attribute), 224

`n_dims` (menpo.transform.UniformScale attribute), 228

`n_dims()` (menpo.landmark.Landmarkable method), 79

`n_dims()` (menpo.shape.base.Shape method), 117

`n_dims_output` (menpo.transform.Affine attribute), 213

`n_dims_output` (menpo.transform.AlignmentAffine attribute), 238

`n_dims_output` (menpo.transform.AlignmentRotation attribute), 247

`n_dims_output` (menpo.transform.AlignmentSimilarity attribute), 242

`n_dims_output` (menpo.transform.AlignmentTranslation attribute), 251

`n_dims_output` (menpo.transform.AlignmentUniformScale attribute), 255

`n_dims_output` (menpo.transform.base.composable.ComposableTransform attribute), 266

`n_dims_output` (menpo.transform.Homogeneous attribute), 209

`n_dims_output` (menpo.transform.NonUniformScale attribute), 231

`n_dims_output` (menpo.transform.R2LogR2RBF attribute), 260

`n_dims_output` (menpo.transform.R2LogRRBF attribute), 261

`n_dims_output` (menpo.transform.Rotation attribute), 221

`n_dims_output` (menpo.transform.Similarity attribute), 217

`n_dims_output` (menpo.transform.ThinPlateSplines attribute), 234

`n_dims_output` (menpo.transform.Transform attribute), 263

`n_dims_output` (menpo.transform.TransformChain attribute), 258

`n_dims_output` (menpo.transform.Translation attribute), 224

`n_dims_output` (menpo.transform.UniformScale attribute), 228

`n_edges` (menpo.shape.DirectedGraph attribute), 135

`n_edges` (menpo.shape.PointDirectedGraph attribute), 165

`n_edges` (menpo.shape.PointTree attribute), 178

`n_edges` (menpo.shape.PointUndirectedGraph attribute), 153

`n_edges` (menpo.shape.Tree attribute), 141

`n_edges` (menpo.shape.UndirectedGraph attribute), 129

`n_elements` (menpo.image.BooleanImage attribute), 54

`n_elements` (menpo.image.Image attribute), 41

`n_elements` (menpo.image.MaskedImage attribute), 71

`n_false()` (menpo.image.BooleanImage method), 49

`n_false_elements()` (menpo.image.MaskedImage method), 66

`n_false_pixels()` (menpo.image.MaskedImage method), 66

`n_features` (menpo.model.InstanceLinearModel attribute), 102

`n_features` (menpo.model.LinearModel attribute), 100

`n_features` (menpo.model.MeanInstanceLinearModel attribute), 107

`n_features` (menpo.model.MeanLinearModel attribute), 104

`n_features` (menpo.model.PCAModel attribute), 116

`n_groups` (menpo.landmark.LandmarkManager attribute), 80

`n_labels` (menpo.landmark.LandmarkGroup attribute), 82

`n_landmark_groups` (menpo.image.BooleanImage attribute), 54

`n_landmark_groups` (menpo.image.Image attribute), 41

`n_landmark_groups` (menpo.image.MaskedImage attribute), 71

`n_landmark_groups` (menpo.landmark.Landmarkable attribute), 79

`n_landmark_groups` (menpo.shape.base.Shape attribute), 118

`n_landmark_groups` (menpo.shape.ColouredTriMesh attribute), 196

`n_landmark_groups` (menpo.shape.PointCloud attribute), 124

`n_landmark_groups` (menpo.shape.PointDirectedGraph attribute), 166

`n_landmark_groups` (menpo.shape.PointTree attribute), 178

`n_landmark_groups` (menpo.shape.PointUndirectedGraph attribute), 153

`n_landmark_groups` (menpo.shape.TexturedTriMesh attribute), 205



- `n_landmark_groups` (menpo.shape.TriMesh attribute), 187
- `n_landmarks` (menpo.landmark.LandmarkGroup attribute), 82
- `n_leaves` (menpo.shape.PointTree attribute), 178
- `n_leaves` (menpo.shape.Tree attribute), 141
- `n_neighbours()` (menpo.shape.PointUndirectedGraph method), 151
- `n_neighbours()` (menpo.shape.UndirectedGraph method), 129
- `n_parameters` (menpo.base.Vectorizable attribute), 20
- `n_parameters` (menpo.image.BooleanImage attribute), 54
- `n_parameters` (menpo.image.Image attribute), 41
- `n_parameters` (menpo.image.MaskedImage attribute), 72
- `n_parameters` (menpo.shape.base.Shape attribute), 118
- `n_parameters` (menpo.shape.ColouredTriMesh attribute), 196
- `n_parameters` (menpo.shape.PointCloud attribute), 125
- `n_parameters` (menpo.shape.PointDirectedGraph attribute), 166
- `n_parameters` (menpo.shape.PointTree attribute), 178
- `n_parameters` (menpo.shape.PointUndirectedGraph attribute), 153
- `n_parameters` (menpo.shape.TexturedTriMesh attribute), 205
- `n_parameters` (menpo.shape.TriMesh attribute), 187
- `n_parameters` (menpo.transform.Affine attribute), 213
- `n_parameters` (menpo.transform.AlignmentAffine attribute), 238
- `n_parameters` (menpo.transform.AlignmentSimilarity attribute), 242
- `n_parameters` (menpo.transform.AlignmentTranslation attribute), 251
- `n_parameters` (menpo.transform.AlignmentUniformScale attribute), 255
- `n_parameters` (menpo.transform.Homogeneous attribute), 209
- `n_parameters` (menpo.transform.NonUniformScale attribute), 231
- `n_parameters` (menpo.transform.Similarity attribute), 217
- `n_parameters` (menpo.transform.Translation attribute), 224
- `n_parameters` (menpo.transform.UniformScale attribute), 228
- `n_parents()` (menpo.shape.DirectedGraph method), 135
- `n_parents()` (menpo.shape.PointDirectedGraph method), 164
- `n_parents()` (menpo.shape.PointTree method), 176
- `n_parents()` (menpo.shape.Tree method), 140
- `n_paths()` (menpo.shape.DirectedGraph method), 135
- `n_paths()` (menpo.shape.PointDirectedGraph method), 164
- `n_paths()` (menpo.shape.PointTree method), 176
- `n_paths()` (menpo.shape.PointUndirectedGraph method), 152
- `n_paths()` (menpo.shape.Tree method), 140
- `n_paths()` (menpo.shape.UndirectedGraph method), 129
- `n_pixels` (menpo.image.BooleanImage attribute), 54
- `n_pixels` (menpo.image.Image attribute), 41
- `n_pixels` (menpo.image.MaskedImage attribute), 72
- `n_points` (menpo.base.Targetable attribute), 21
- `n_points` (menpo.shape.ColouredTriMesh attribute), 196
- `n_points` (menpo.shape.PointCloud attribute), 125
- `n_points` (menpo.shape.PointDirectedGraph attribute), 166
- `n_points` (menpo.shape.PointTree attribute), 178
- `n_points` (menpo.shape.PointUndirectedGraph attribute), 153
- `n_points` (menpo.shape.TexturedTriMesh attribute), 205
- `n_points` (menpo.shape.TriMesh attribute), 187
- `n_points` (menpo.transform.AlignmentAffine attribute), 238
- `n_points` (menpo.transform.AlignmentRotation attribute), 247
- `n_points` (menpo.transform.AlignmentSimilarity attribute), 243
- `n_points` (menpo.transform.AlignmentTranslation attribute), 251
- `n_points` (menpo.transform.AlignmentUniformScale attribute), 255
- `n_points` (menpo.transform.base.alignment.Alignment attribute), 267
- `n_points` (menpo.transform.ThinPlateSplines attribute), 234
- `n_tris` (menpo.shape.ColouredTriMesh attribute), 196
- `n_tris` (menpo.shape.TexturedTriMesh attribute), 205
- `n_tris` (menpo.shape.TriMesh attribute), 187
- `n_true()` (menpo.image.BooleanImage method), 49
- `n_true_elements()` (menpo.image.MaskedImage method), 66
- `n_true_pixels()` (menpo.image.MaskedImage method), 66
- `n_vertices` (menpo.shape.DirectedGraph attribute), 135
- `n_vertices` (menpo.shape.PointDirectedGraph attribute), 166
- `n_vertices` (menpo.shape.PointTree attribute), 178
- `n_vertices` (menpo.shape.PointUndirectedGraph attribute), 153
- `n_vertices` (menpo.shape.Tree attribute), 141
- `n_vertices` (menpo.shape.UndirectedGraph attribute), 130
- `n_vertices_at_depth()` (menpo.shape.PointTree method), 176
- `n_vertices_at_depth()` (menpo.shape.Tree method), 140
- `neighbours()` (menpo.shape.PointUndirectedGraph method), 152
- `neighbours()` (menpo.shape.UndirectedGraph method), 129
- `no_op()` (in module menpo.feature), 72

noise\_variance() (menpo.model.PCAModel method), 109  
noise\_variance\_ratio() (menpo.model.PCAModel method), 109  
NonUniformScale (class in menpo.transform), 228  
norm() (menpo.shape.ColouredTriMesh method), 194  
norm() (menpo.shape.PointCloud method), 124  
norm() (menpo.shape.PointDirectedGraph method), 164  
norm() (menpo.shape.PointTree method), 177  
norm() (menpo.shape.PointUndirectedGraph method), 152  
norm() (menpo.shape.TexturedTriMesh method), 203  
norm() (menpo.shape.TriMesh method), 185  
normalize\_norm\_inplace() (menpo.image.BooleanImage method), 49  
normalize\_norm\_inplace() (menpo.image.Image method), 36  
normalize\_norm\_inplace() (menpo.image.MaskedImage method), 66  
normalize\_std\_inplace() (menpo.image.BooleanImage method), 49  
normalize\_std\_inplace() (menpo.image.Image method), 36  
normalize\_std\_inplace() (menpo.image.MaskedImage method), 66

## O

original\_variance() (menpo.model.PCAModel method), 109  
orthonormalize\_against\_inplace() (menpo.model.InstanceLinearModel method), 101  
orthonormalize\_against\_inplace() (menpo.model.LinearModel method), 99  
orthonormalize\_against\_inplace() (menpo.model.MeanInstanceLinearModel method), 106  
orthonormalize\_against\_inplace() (menpo.model.MeanLinearModel method), 103  
orthonormalize\_against\_inplace() (menpo.model.PCAModel method), 110  
orthonormalize\_inplace() (menpo.model.InstanceLinearModel method), 101  
orthonormalize\_inplace() (menpo.model.LinearModel method), 99  
orthonormalize\_inplace() (menpo.model.MeanInstanceLinearModel method), 106  
orthonormalize\_inplace() (menpo.model.MeanLinearModel method), 103  
orthonormalize\_inplace() (menpo.model.PCAModel method), 110

## P

parent() (menpo.shape.PointTree method), 177  
parent() (menpo.shape.Tree method), 140  
parents() (menpo.shape.DirectedGraph method), 135  
parents() (menpo.shape.PointDirectedGraph method), 164  
parents() (menpo.shape.PointTree method), 177  
parents() (menpo.shape.Tree method), 140  
pca() (in module menpo.math), 95  
PCAModel (class in menpo.model), 107  
PiecewiseAffine (in module menpo.transform), 234  
plot\_eigenvalues() (menpo.model.PCAModel method), 110  
plot\_eigenvalues\_cumulative\_ratio() (menpo.model.PCAModel method), 111  
plot\_eigenvalues\_cumulative\_ratio\_widget() (menpo.model.PCAModel method), 113  
plot\_eigenvalues\_ratio() (menpo.model.PCAModel method), 113  
plot\_eigenvalues\_ratio\_widget() (menpo.model.PCAModel method), 114  
plot\_eigenvalues\_widget() (menpo.model.PCAModel method), 114  
plot\_graph() (in module menpo.visualize), 273  
PointCloud (class in menpo.shape), 118  
PointDirectedGraph (class in menpo.shape), 153  
PointTree (class in menpo.shape), 166  
PointUndirectedGraph (class in menpo.shape), 141  
pop() (menpo.landmark.LandmarkGroup method), 81  
pop() (menpo.landmark.LandmarkManager method), 80  
popitem() (menpo.landmark.LandmarkGroup method), 81  
popitem() (menpo.landmark.LandmarkManager method), 80  
predefined\_style() (menpo.visualize.widgets.AnimationOptionsWidget method), 277  
predefined\_style() (menpo.visualize.widgets.ChannelOptionsWidget method), 281  
predefined\_style() (menpo.visualize.widgets.GraphOptionsWidget method), 296  
predefined\_style() (menpo.visualize.widgets.LandmarkOptionsWidget method), 284  
predefined\_style() (menpo.visualize.widgets.RendererOptionsWidget method), 290  
predefined\_style() (menpo.visualize.widgets.SaveFigureOptionsWidget method), 299  
predefined\_style() (menpo.visualize.widgets.TextPrintWidget method), 301  
print\_dynamic() (in module menpo.visualize), 274  
print\_progress() (in module menpo.visualize), 273  
progress\_bar\_str() (in module menpo.visualize), 274  
project() (menpo.model.InstanceLinearModel method), 101

[project\(\)](#) (menpo.model.MeanInstanceLinearModel method), 106  
[project\(\)](#) (menpo.model.PCAModel method), 114  
[project\\_out\(\)](#) (menpo.model.InstanceLinearModel method), 101  
[project\\_out\(\)](#) (menpo.model.MeanInstanceLinearModel method), 106  
[project\\_out\(\)](#) (menpo.model.PCAModel method), 114  
[project\\_out\\_vector\(\)](#) (menpo.model.InstanceLinearModel method), 101  
[project\\_out\\_vector\(\)](#) (menpo.model.LinearModel method), 99  
[project\\_out\\_vector\(\)](#) (menpo.model.MeanInstanceLinearModel method), 106  
[project\\_out\\_vector\(\)](#) (menpo.model.MeanLinearModel method), 103  
[project\\_out\\_vector\(\)](#) (menpo.model.PCAModel method), 115  
[project\\_out\\_vectors\(\)](#) (menpo.model.InstanceLinearModel method), 101  
[project\\_out\\_vectors\(\)](#) (menpo.model.LinearModel method), 99  
[project\\_out\\_vectors\(\)](#) (menpo.model.MeanInstanceLinearModel method), 106  
[project\\_out\\_vectors\(\)](#) (menpo.model.MeanLinearModel method), 104  
[project\\_out\\_vectors\(\)](#) (menpo.model.PCAModel method), 115  
[project\\_vector\(\)](#) (menpo.model.InstanceLinearModel method), 101  
[project\\_vector\(\)](#) (menpo.model.LinearModel method), 99  
[project\\_vector\(\)](#) (menpo.model.MeanInstanceLinearModel method), 106  
[project\\_vector\(\)](#) (menpo.model.MeanLinearModel method), 104  
[project\\_vector\(\)](#) (menpo.model.PCAModel method), 115  
[project\\_vectors\(\)](#) (menpo.model.InstanceLinearModel method), 101  
[project\\_vectors\(\)](#) (menpo.model.LinearModel method), 99  
[project\\_vectors\(\)](#) (menpo.model.MeanInstanceLinearModel method), 106  
[project\\_vectors\(\)](#) (menpo.model.MeanLinearModel method), 104  
[project\\_vectors\(\)](#) (menpo.model.PCAModel method), 115  
[project\\_whitened\(\)](#) (menpo.model.PCAModel method), 115  
[project\\_whitened\\_vector\(\)](#) (menpo.model.PCAModel method), 115  
[proportion\\_false\(\)](#) (menpo.image.BooleanImage method), 49  
[proportion\\_true\(\)](#) (menpo.image.BooleanImage method), 49  
[pseudoinverse\(\)](#) (menpo.transform.Affine method), 212  
[pseudoinverse\(\)](#) (menpo.transform.AlignmentAffine method), 237  
[pseudoinverse\(\)](#) (menpo.transform.AlignmentRotation method), 246  
[pseudoinverse\(\)](#) (menpo.transform.AlignmentSimilarity method), 241  
[pseudoinverse\(\)](#) (menpo.transform.AlignmentTranslation method), 250  
[pseudoinverse\(\)](#) (menpo.transform.AlignmentUniformScale method), 254  
[pseudoinverse\(\)](#) (menpo.transform.base.invertible.Invertible method), 266  
[pseudoinverse\(\)](#) (menpo.transform.base.invertible.VInvertible method), 268  
[pseudoinverse\(\)](#) (menpo.transform.Homogeneous method), 208  
[pseudoinverse\(\)](#) (menpo.transform.NonUniformScale method), 230  
[pseudoinverse\(\)](#) (menpo.transform.Rotation method), 220  
[pseudoinverse\(\)](#) (menpo.transform.Similarity method), 216  
[pseudoinverse\(\)](#) (menpo.transform.ThinPlateSplines method), 233  
[pseudoinverse\(\)](#) (menpo.transform.Translation method), 223  
[pseudoinverse\(\)](#) (menpo.transform.UniformScale method), 227  
[pseudoinverse\\_vector\(\)](#) (menpo.transform.Affine method), 212  
[pseudoinverse\\_vector\(\)](#) (menpo.transform.AlignmentAffine method), 237  
[pseudoinverse\\_vector\(\)](#) (menpo.transform.AlignmentRotation method), 246  
[pseudoinverse\\_vector\(\)](#) (menpo.transform.AlignmentSimilarity method), 241  
[pseudoinverse\\_vector\(\)](#) (menpo.transform.AlignmentTranslation method), 250  
[pseudoinverse\\_vector\(\)](#) (menpo.transform.AlignmentUniformScale method), 254  
[pseudoinverse\\_vector\(\)](#) (menpo.transform.base.invertible.VInvertible method), 268  
[pseudoinverse\\_vector\(\)](#) (menpo.transform.Homogeneous method), 208  
[pseudoinverse\\_vector\(\)](#) (menpo.transform.NonUniformScale method), 231  
[pseudoinverse\\_vector\(\)](#) (menpo.transform.Rotation method), 220  
[pseudoinverse\\_vector\(\)](#) (menpo.transform.Similarity method), 216  
[pseudoinverse\\_vector\(\)](#) (menpo.transform.Translation method), 223  
[pseudoinverse\\_vector\(\)](#) (menpo.transform.UniformScale method), 227

pyramid() (menpo.image.BooleanImage method), 49  
pyramid() (menpo.image.Image method), 36  
pyramid() (menpo.image.MaskedImage method), 66

## R

R2LogR2RBF (class in menpo.transform), 258  
R2LogRRBF (class in menpo.transform), 260  
range() (menpo.shape.ColouredTriMesh method), 194  
range() (menpo.shape.PointCloud method), 124  
range() (menpo.shape.PointDirectedGraph method), 164  
range() (menpo.shape.PointTree method), 177  
range() (menpo.shape.PointUndirectedGraph method), 152  
range() (menpo.shape.TexturedTriMesh method), 203  
range() (menpo.shape.TriMesh method), 186  
reconstruct() (menpo.model.InstanceLinearModel method), 102  
reconstruct() (menpo.model.MeanInstanceLinearModel method), 106  
reconstruct() (menpo.model.PCAModel method), 115  
reconstruct\_vector() (menpo.model.InstanceLinearModel method), 102  
reconstruct\_vector() (menpo.model.LinearModel method), 99  
reconstruct\_vector() (menpo.model.MeanInstanceLinearModel method), 107  
reconstruct\_vector() (menpo.model.MeanLinearModel method), 104  
reconstruct\_vector() (menpo.model.PCAModel method), 115  
reconstruct\_vectors() (menpo.model.InstanceLinearModel method), 102  
reconstruct\_vectors() (menpo.model.LinearModel method), 99  
reconstruct\_vectors() (menpo.model.MeanInstanceLinearModel method), 107  
reconstruct\_vectors() (menpo.model.MeanLinearModel method), 104  
reconstruct\_vectors() (menpo.model.PCAModel method), 115  
relative\_location\_edge() (menpo.shape.PointDirectedGraph method), 165  
relative\_location\_edge() (menpo.shape.PointTree method), 177  
relative\_locations() (menpo.shape.PointDirectedGraph method), 165  
relative\_locations() (menpo.shape.PointTree method), 177  
remove\_render\_function() (menpo.visualize.widgets.AnimationOptionsWidget method), 277  
remove\_render\_function() (menpo.visualize.widgets.ChannelOptionsWidget method), 281  
remove\_render\_function() (menpo.visualize.widgets.GraphOptionsWidget method), 296  
remove\_render\_function() (menpo.visualize.widgets.LandmarkOptionsWidget method), 284  
remove\_render\_function() (menpo.visualize.widgets.RendererOptionsWidget method), 291  
remove\_update\_function() (menpo.visualize.widgets.AnimationOptionsWidget method), 277  
remove\_update\_function() (menpo.visualize.widgets.LandmarkOptionsWidget method), 284  
render() (menpo.visualize.MatplotlibRenderer method), 270  
render() (menpo.visualize.Renderer method), 269  
Renderer (class in menpo.visualize), 269  
RendererOptionsWidget (class in menpo.visualize.widgets), 286  
replace\_render\_function() (menpo.visualize.widgets.AnimationOptionsWidget method), 278  
replace\_render\_function() (menpo.visualize.widgets.ChannelOptionsWidget method), 281  
replace\_render\_function() (menpo.visualize.widgets.GraphOptionsWidget method), 296  
replace\_render\_function() (menpo.visualize.widgets.LandmarkOptionsWidget method), 284  
replace\_render\_function() (menpo.visualize.widgets.RendererOptionsWidget method), 291  
replace\_update\_function() (menpo.visualize.widgets.AnimationOptionsWidget method), 278  
replace\_update\_function() (menpo.visualize.widgets.LandmarkOptionsWidget method), 284  
rescale() (menpo.image.BooleanImage method), 49  
rescale() (menpo.image.Image method), 36  
rescale() (menpo.image.MaskedImage method), 66  
rescale\_landmarks\_to\_diagonal\_range() (menpo.image.BooleanImage method), 50  
rescale\_landmarks\_to\_diagonal\_range() (menpo.image.Image method), 37  
rescale\_landmarks\_to\_diagonal\_range() (menpo.image.MaskedImage method), 67  
rescale\_pixels() (menpo.image.BooleanImage method), 50  
rescale\_pixels() (menpo.image.Image method), 37

- rescale\_pixels() (menpo.image.MaskedImage method), 67
- rescale\_to\_diagonal() (menpo.image.BooleanImage method), 50
- rescale\_to\_diagonal() (menpo.image.Image method), 38
- rescale\_to\_diagonal() (menpo.image.MaskedImage method), 67
- rescale\_to\_reference\_shape() (menpo.image.BooleanImage method), 51
- rescale\_to\_reference\_shape() (menpo.image.Image method), 38
- rescale\_to\_reference\_shape() (menpo.image.MaskedImage method), 68
- resize() (menpo.image.BooleanImage method), 51
- resize() (menpo.image.Image method), 38
- resize() (menpo.image.MaskedImage method), 68
- rolled\_channels() (menpo.image.BooleanImage method), 51
- rolled\_channels() (menpo.image.Image method), 38
- rolled\_channels() (menpo.image.MaskedImage method), 68
- rotate\_ccw\_about\_centre() (menpo.image.BooleanImage method), 51
- rotate\_ccw\_about\_centre() (menpo.image.Image method), 39
- rotate\_ccw\_about\_centre() (menpo.image.MaskedImage method), 68
- Rotation (class in menpo.transform), 217
- rotation\_matrix (menpo.transform.AlignmentRotation attribute), 247
- rotation\_matrix (menpo.transform.Rotation attribute), 221
- ## S
- sample() (menpo.image.BooleanImage method), 52
- sample() (menpo.image.Image method), 39
- sample() (menpo.image.MaskedImage method), 69
- save\_figure() (menpo.visualize.MatplotlibRenderer method), 270
- save\_figure() (menpo.visualize.Renderer method), 269
- save\_figure\_widget() (menpo.visualize.MatplotlibRenderer method), 271
- save\_matplotlib\_figure() (in module menpo.visualize), 273
- SaveFigureOptionsWidget (class in menpo.visualize.widgets), 298
- scale (menpo.transform.AlignmentUniformScale attribute), 255
- scale (menpo.transform.NonUniformScale attribute), 232
- scale (menpo.transform.UniformScale attribute), 228
- Scale() (in module menpo.transform), 224
- set\_boundary\_pixels() (menpo.image.MaskedImage method), 69
- set\_h\_matrix() (menpo.transform.Affine method), 212
- set\_h\_matrix() (menpo.transform.AlignmentAffine method), 237
- set\_h\_matrix() (menpo.transform.AlignmentRotation method), 246
- set\_h\_matrix() (menpo.transform.AlignmentSimilarity method), 242
- set\_h\_matrix() (menpo.transform.AlignmentTranslation method), 250
- set\_h\_matrix() (menpo.transform.AlignmentUniformScale method), 254
- set\_h\_matrix() (menpo.transform.Homogeneous method), 208
- set\_h\_matrix() (menpo.transform.NonUniformScale method), 231
- set\_h\_matrix() (menpo.transform.Rotation method), 220
- set\_h\_matrix() (menpo.transform.Similarity method), 216
- set\_h\_matrix() (menpo.transform.Translation method), 223
- set\_h\_matrix() (menpo.transform.UniformScale method), 227
- set\_masked\_pixels() (menpo.image.MaskedImage method), 69
- set\_rotation\_matrix() (menpo.transform.AlignmentRotation method), 246
- set\_rotation\_matrix() (menpo.transform.Rotation method), 220
- set\_target() (menpo.base.Targetable method), 21
- set\_target() (menpo.transform.AlignmentAffine method), 237
- set\_target() (menpo.transform.AlignmentRotation method), 246
- set\_target() (menpo.transform.AlignmentSimilarity method), 242
- set\_target() (menpo.transform.AlignmentTranslation method), 250
- set\_target() (menpo.transform.AlignmentUniformScale method), 254
- set\_target() (menpo.transform.base.alignment.Alignment method), 267
- set\_target() (menpo.transform.ThinPlateSplines method), 233
- set\_widget\_state() (menpo.visualize.widgets.AnimationOptionsWidget method), 278
- set\_widget\_state() (menpo.visualize.widgets.ChannelOptionsWidget method), 281
- set\_widget\_state() (menpo.visualize.widgets.LandmarkOptionsWidget method), 284
- set\_widget\_state() (menpo.visualize.widgets.RendererOptionsWidget method), 291
- set\_widget\_state() (menpo.visualize.widgets.TextPrintWidget method), 301
- setdefault() (menpo.landmark.LandmarkGroup method), 81



- setdefault() (menpo.landmark.LandmarkManager method), 80
- Shape (class in menpo.shape.base), 117
- shape (menpo.image.BooleanImage attribute), 54
- shape (menpo.image.Image attribute), 41
- shape (menpo.image.MaskedImage attribute), 72
- Similarity (class in menpo.transform), 213
- source (menpo.transform.AlignmentAffine attribute), 238
- source (menpo.transform.AlignmentRotation attribute), 247
- source (menpo.transform.AlignmentSimilarity attribute), 243
- source (menpo.transform.AlignmentTranslation attribute), 251
- source (menpo.transform.AlignmentUniformScale attribute), 255
- source (menpo.transform.base.alignment.Alignment attribute), 267
- source (menpo.transform.ThinPlateSplines attribute), 234
- stickmen\_pose() (in module menpo.landmark), 89
- streetscene\_car\_view\_0() (in module menpo.landmark), 90
- streetscene\_car\_view\_1() (in module menpo.landmark), 91
- streetscene\_car\_view\_2() (in module menpo.landmark), 91
- streetscene\_car\_view\_3() (in module menpo.landmark), 92
- streetscene\_car\_view\_4() (in module menpo.landmark), 92
- streetscene\_car\_view\_5() (in module menpo.landmark), 92
- streetscene\_car\_view\_6() (in module menpo.landmark), 93
- streetscene\_car\_view\_7() (in module menpo.landmark), 93
- style() (menpo.visualize.widgets.AnimationOptionsWidget method), 278
- style() (menpo.visualize.widgets.ChannelOptionsWidget method), 281
- style() (menpo.visualize.widgets.GraphOptionsWidget method), 296
- style() (menpo.visualize.widgets.LandmarkOptionsWidget method), 285
- style() (menpo.visualize.widgets.RendererOptionsWidget method), 292
- style() (menpo.visualize.widgets.SaveFigureOptionsWidget method), 299
- style() (menpo.visualize.widgets.TextPrintWidget method), 301
- sum\_channels() (in module menpo.feature.visualize), 77
- T
- target (menpo.base.Targetable attribute), 21
- target (menpo.transform.AlignmentAffine attribute), 238
- target (menpo.transform.AlignmentRotation attribute), 247
- target (menpo.transform.AlignmentSimilarity attribute), 243
- target (menpo.transform.AlignmentTranslation attribute), 251
- target (menpo.transform.AlignmentUniformScale attribute), 255
- target (menpo.transform.base.alignment.Alignment attribute), 267
- target (menpo.transform.ThinPlateSplines attribute), 234
- Targetable (class in menpo.base), 20
- tcoords\_pixel\_scaled() (menpo.shape.TexturedTriMesh method), 203
- TextPrintWidget (class in menpo.visualize.widgets), 300
- TexturedTriMesh (class in menpo.shape), 196
- ThinPlateSplines (class in menpo.transform), 232
- tojson() (menpo.landmark.LandmarkGroup method), 81
- tojson() (menpo.shape.ColouredTriMesh method), 194
- tojson() (menpo.shape.PointCloud method), 124
- tojson() (menpo.shape.PointDirectedGraph method), 165
- tojson() (menpo.shape.PointTree method), 177
- tojson() (menpo.shape.PointUndirectedGraph method), 152
- tojson() (menpo.shape.TexturedTriMesh method), 204
- tojson() (menpo.shape.TriMesh method), 186
- Transform (class in menpo.transform), 261
- Transformable (class in menpo.transform.base), 263
- TransformChain (class in menpo.transform), 256
- Translation (class in menpo.transform), 221
- translation\_component (menpo.transform.Affine attribute), 213
- translation\_component (menpo.transform.AlignmentAffine attribute), 238
- translation\_component (menpo.transform.AlignmentRotation attribute), 247
- translation\_component (menpo.transform.AlignmentSimilarity attribute), 243
- translation\_component (menpo.transform.AlignmentTranslation attribute), 251
- translation\_component (menpo.transform.AlignmentUniformScale attribute), 255
- translation\_component (menpo.transform.NonUniformScale attribute), 232
- translation\_component (menpo.transform.Rotation attribute), 221
- translation\_component (menpo.transform.Similarity attribute), 217
- translation\_component (menpo.transform.Translation attribute), 224
- translation\_component (menpo.transform.UniformScale attribute), 228
- Tree (class in menpo.shape), 135

tri\_areas() (menpo.shape.ColouredTriMesh method), 195  
 tri\_areas() (menpo.shape.TexturedTriMesh method), 204  
 tri\_areas() (menpo.shape.TriMesh method), 186  
 tri\_normals() (menpo.shape.ColouredTriMesh method), 195  
 tri\_normals() (menpo.shape.TexturedTriMesh method), 204  
 tri\_normals() (menpo.shape.TriMesh method), 186  
 trim\_components() (menpo.model.PCAModel method), 116  
 TriMesh (class in menpo.shape), 179  
 true\_indices() (menpo.image.BooleanImage method), 52

## U

UndirectedGraph (class in menpo.shape), 125  
 UniformScale (class in menpo.transform), 225  
 unique\_edge\_indicies() (menpo.shape.ColouredTriMesh method), 195  
 unique\_edge\_indicies() (menpo.shape.TexturedTriMesh method), 204  
 unique\_edge\_indicies() (menpo.shape.TriMesh method), 186  
 unique\_edge\_lengths() (menpo.shape.ColouredTriMesh method), 195  
 unique\_edge\_lengths() (menpo.shape.TexturedTriMesh method), 204  
 unique\_edge\_lengths() (menpo.shape.TriMesh method), 186  
 unique\_edge\_vectors() (menpo.shape.ColouredTriMesh method), 195  
 unique\_edge\_vectors() (menpo.shape.TexturedTriMesh method), 204  
 unique\_edge\_vectors() (menpo.shape.TriMesh method), 186  
 update() (menpo.landmark.LandmarkGroup method), 82  
 update() (menpo.landmark.LandmarkManager method), 80  
 update\_object\_names() (menpo.visualize.widgets.RendererOptionsWidget method), 293

## V

values() (menpo.landmark.LandmarkGroup method), 82  
 values() (menpo.landmark.LandmarkManager method), 80  
 variance() (menpo.model.PCAModel method), 116  
 variance\_ratio() (menpo.model.PCAModel method), 116  
 VComposable (class in menpo.transform.base.composable), 268  
 Vectorizable (class in menpo.base), 19  
 vertex\_normals() (menpo.shape.ColouredTriMesh method), 195  
 vertex\_normals() (menpo.shape.TexturedTriMesh method), 204  
 vertex\_normals() (menpo.shape.TriMesh method), 186

vertices (menpo.shape.DirectedGraph attribute), 135  
 vertices (menpo.shape.PointDirectedGraph attribute), 166  
 vertices (menpo.shape.PointTree attribute), 178  
 vertices (menpo.shape.PointUndirectedGraph attribute), 153  
 vertices (menpo.shape.Tree attribute), 141  
 vertices (menpo.shape.UndirectedGraph attribute), 130  
 vertices\_at\_depth() (menpo.shape.PointTree method), 177  
 vertices\_at\_depth() (menpo.shape.Tree method), 141  
 view\_widget() (menpo.image.BooleanImage method), 52  
 view\_widget() (menpo.image.Image method), 39  
 view\_widget() (menpo.image.MaskedImage method), 69  
 view\_widget() (menpo.landmark.LandmarkGroup method), 82  
 view\_widget() (menpo.landmark.LandmarkManager method), 80  
 view\_widget() (menpo.shape.ColouredTriMesh method), 195  
 view\_widget() (menpo.shape.PointCloud method), 124  
 view\_widget() (menpo.shape.PointDirectedGraph method), 165  
 view\_widget() (menpo.shape.PointTree method), 178  
 view\_widget() (menpo.shape.PointUndirectedGraph method), 152  
 view\_widget() (menpo.shape.TexturedTriMesh method), 204  
 view\_widget() (menpo.shape.TriMesh method), 186  
 Viewable (class in menpo.visualize), 269  
 VInvertible (class in menpo.transform.base.invertible), 268  
 visualize\_images() (in module menpo.visualize), 271  
 visualize\_landmarkgroups() (in module menpo.visualize), 272  
 visualize\_landmarks() (in module menpo.visualize), 271  
 visualize\_pointclouds() (in module menpo.visualize), 272

## W

OptionsWidget  
 warp\_to\_mask() (menpo.image.BooleanImage method), 52  
 warp\_to\_mask() (menpo.image.Image method), 39  
 warp\_to\_mask() (menpo.image.MaskedImage method), 70  
 warp\_to\_shape() (menpo.image.BooleanImage method), 53  
 warp\_to\_shape() (menpo.image.Image method), 40  
 warp\_to\_shape() (menpo.image.MaskedImage method), 70  
 whitened\_components() (menpo.model.PCAModel method), 116  
 width (menpo.image.BooleanImage attribute), 54  
 width (menpo.image.Image attribute), 41  
 width (menpo.image.MaskedImage attribute), 72

`with_labels()` (menpo.landmark.LandmarkGroup  
method), [82](#)  
`without_labels()` (menpo.landmark.LandmarkGroup  
method), [82](#)

## Z

`zoom()` (menpo.image.BooleanImage method), [53](#)  
`zoom()` (menpo.image.Image method), [40](#)  
`zoom()` (menpo.image.MaskedImage method), [71](#)